

# ATPLAS GROSS PRICE LIST 2026



## ATPLAS GROSS PRICE LIST 2026





# ABOUT ATPLAS

## MANUFACTURING AND QUALITY

Atplas has a rich history of serving the water industry both in the UK and around the world from its base in Bridgend, Wales. It is a recognised and reliable supplier of house connection products for water supply. With an extensive range of boundary boxes for water meters, water fittings and valves for a range of service pipes.



## WORKING FOR HEALTH AND SAFETY



Safety and a healthy work environment for our employees is high on the agenda at Atplas - both physically and mentally. It is very important to us that our employees can work in a safe work environment – no matter what role and job they have.

Over 10% of our colleagues have been trained as Mental Health First Aiders and many of our employees have long seniority and high expertise within their field. We continuously work on ensuring that Atplas remains an attractive and safe workplace.

We have a strong focus on the safety of our own employees as well as visitors and others. As some of our employees often work in environments with heavy items and under high safety requirements, all production employees have completed extensive safety training.

## OUR CORE VALUES

Atplas has five core values that set the direction for how we run our business while at the same time ensuring sustainable growth. These five values, listed below, are interconnected and are the cornerstones of our operations:



Quality



Innovation



Reliability



Sustainability



Customer Service



Simon Spridgeon  
Commercial Director

**“ATPLAS IS COMMITTED TO WORKING CLOSELY WITH ITS CUSTOMERS AND PARTNERS TO DELIVER HIGH QUALITY HOUSE CONNECTION PRODUCTS AT HOME IN THE UK AND ACROSS THE WORLD. OUR NEW CUSTOMER SERVICE CHARTER SHOWS HOW WE ARE PUTTING THE CUSTOMER AT THE HEART OF WHAT WE DO.”**

## CONTACT DETAILS


0845 077 9797

[enquiries@atplas.co.uk](mailto:enquiries@atplas.co.uk)

[www.atplas.co.uk](http://www.atplas.co.uk)

Head Office  
Coytrahene Close  
Brackla Industrial Estate  
Bridgend CF31 2AX  
United Kingdom

Visit our Website



## CERTIFIED QUALITY



Managing quality is a key priority at Atplas and we are proud to be certificated to ISO 9001:2015 and ISO 14001:2015, as well as being certificated to the Achilles UVDB Verify B2 scheme.

We are committed to providing high quality products and where appropriate, many of our parts that are in contact with drinking water have WRAS or BS 6920 approval. Many of our products hold WRAS or similar approvals to demonstrate compliance with regulation 4 of the UK Water Regulations.

## OUR COMMITMENT TO CUSTOMER SERVICE



We're excited to share that our new Customer Service Charter is now live. It brings together our ten commitments to you—showing exactly how we'll go above and beyond to support our customers today and in the future.

DOWNLOAD OUR CUSTOMER  
SERVICE CHARTER HERE





# PROVIDING SUSTAINABLE PRODUCTS



As a leading provider of water fittings and valves from the mains, to your water meter, to your home, Atplas strives to protect one of the world's most vital resources - water. This is achieved through the effective design of all our products supporting the sustainable management of water.

We develop, manufacture and market products of high quality with a long lifespan that are part of a vital infrastructure for water supply.

Maintaining ISO 14001:2015 certification is just one key component of our sustainability strategy. We remain dedicated

to continuously improving our environmental performance, embracing innovative solutions, and fostering a culture of sustainability across all aspects of our business.

We have a strong focus on sustainability in our production - both in terms of using recycled materials such as recycled plastic in our black Matrix Plus boundary boxes, but also in terms of using renewable energy.

## PLATINUM STATUS ACHILLES CARBON REDUCE

Atplas first achieved CEMARS certification in 2011, and we proudly maintained this certification to date. In 2018 Atplas was awarded the Gold status. Atplas maintained this through to 2021 where we were awarded the Platinum status, which is the highest award. This recognition reflects our ongoing commitment to the programme and our continuous efforts to enhance our environmental performance.

Atplas has been measuring and reducing its carbon footprint since 2010, using that year as our baseline. We are delighted to share that we have achieved a remarkable reduction of a 52.5% reduction in absolute emissions (scope 1 & 2) and there has been a 16.2% reduction in emissions intensity (tCO<sub>2</sub>e/£m) (scope 1, 2 & 3) compared to the base year. This significant reduction demonstrates our dedication to sustainable practices and our proactive approach to mitigating

the impact of our operations on the environment.

Maintaining Platinum status certification for five consecutive years showcases our commitment to sustainability and our determination to contribute to a greener future and our ongoing commitment is to further enhance our environmental performance, continuously seeking new opportunities to reduce our carbon footprint and drive positive change.



## MATERIAL SELECTION RECYCLED PLASTICS

Did you know that the guard tubes for our black Matrix meter boxes are crafted from recycled polypropylene plastic (PP)?




By utilising recycled PP, we're not only creating durable and high-quality products but also making a significant impact on the environment. Studies estimate that recycling PP emits a staggering 88% less CO<sub>2</sub> compared to producing new PP. This reduction in carbon emissions showcases our commitment to a greener future and a healthier planet!



**Zero**<sup>10 years</sup>  
**waste**  
**to landfill**

During the 2025 reporting period, Atplas continued to deliver strong progress against its sustainability commitments. By maintaining zero waste to landfill, the business prevented 225.5 tonnes of material from entering landfill, avoiding an estimated 133,398 kg of associated GHG emissions and supporting the generation of 98,892 kWh of renewable energy.

In addition, from October 2024 to September 2025, Atplas recovered 18.8 tonnes of cardboard packaging, 6 tonnes of plastic packaging, 11.2 tonnes of metal waste, and 1 tonne of electrical waste. Together, these achievements demonstrate Atplas's ongoing focus on responsible resource management, circularity, and reducing its environmental footprint.



**1904**

**F W TALBOT  
FOUNDED**

**1908**

**EDWARD BARBER  
(EBCO) FOUNDED**

**1974**

**ATLANTIC PLASTICS  
FOUNDED**

**1996**

**EBCO, ATPLAS AND  
TALBOT ACQUIRED BY  
TYCO WATERWORKS**



# ATPLAS HISTORY



The roots of Atplas lie in three businesses - Talbot and EBCO were founded at the beginning of the 20th century, and Atplas started making water meter boxes in the 1970s. They joined forces at the start of the 21st century to provide a wide range of house connection products to the water industry.



**2010**

**TYCO WATERWORKS  
BECOMES TALIS**

**2022**

**AVK ACQUIRES  
TALIS UK - ATPLAS**

**2024**

**50TH ANNIVERSARY**

**2025**

**CONTINUED INNOVATION WITH THE  
MATRIX MULTI BARRIER BOX**

# OUR VALUES



Member of the AVK Group

Atplas is centred around five core values that set the direction for how we run our business. These values ensure a healthy business and constantly commit us to remaining industry leaders.



## QUALITY

**WE STRIVE FOR QUALITY IN EVERYTHING WE DO**

Quality is at the heart of everything we do. Quality is in every step of the process from initial idea to its execution. It is in our activities and our behaviour – both between colleagues and when dealing with customers and others we come across when performing our job. Quality is found in our products, processes, delivery, service, communication, and guidance. This approach to quality has created the foundation for our position as a market leader.



## INNOVATION

**WE INNOVATE TO MAKE A DIFFERENCE**

Innovation is essential to Atplas. We focus on innovation and development of new and optimised products of high quality and with a long lifespan. With an innovative approach to the development and design of our products and solutions, we remain adaptive to current and future market demands.

Through continuous monitoring and optimisation, we ensure that our products and solutions are always as efficient as possible. In addition, Atplas focuses on investments in new technologies and business areas that aim to contribute to sustainable development.

## RELIABILITY

### WE STRIVE TO BE CREDIBLE AND CONSISTENT

Reliability is crucial to us. We strive to be a reliable and credible company that creates long-lasting results and builds relationships with our employees, customers, and other stakeholders. Reliability is key, and it is important for us to document reliability and credibility as a company. We are proud to be certified according to the ISO 9001 standard for quality management, to the ISO 14001 for environmental management and we are also working towards and ISO 50001 for energy management.



## SUSTAINABILITY

### WE HAVE A LONG-TERM APPROACH

Sustainable development has always been key to our business, and we work with sustainability on multiple levels. From the beginning, we have had a strong focus on innovation and development of high-quality products with a long lifespan. At the same time, we continuously work to reduce our environmental and climate impact in the production of our products. We want to invest in innovative technologies and new business areas that contribute to the green transition.



## CUSTOMER SERVICE

### WE STRIVE TO BE OUR CUSTOMERS' PREFERRED PARTNER

Customer service is important to us, as we measure our success through our customers' progress and satisfaction – not only with our products, but also with the way we manage their needs, enquiries, and requests.

We believe in long-term partnerships and in being close to our market and always with our customers' needs at heart.




# A COMPREHENSIVE RANGE

The Atplas product range covers the full suite of house connection solutions—everything needed between the water supply mains and the property.

This includes tapping systems, boundary boxes for water meters, internal metering solutions, surface boxes, and an extensive selection of service fittings and valves. Our products are designed to suit virtually all installation environments and connect seamlessly to a wide range of pipe types.

Every component in the range meets the highest drinking water standards and fully complies with all internationally recognised approvals and testing requirements.



## STANDARDS

Products meet all applicable local standards and have all necessary certifications.

## PROVEN RECORD

Atplas house connection products have been sold in the marketplace for many years, giving peace of mind and the assurance that they are fit for purpose and long lasting.

## CORROSION RESISTANCE

With products made mainly from either gunmetal or robust plastics, Atplas house connection products are corrosion resistant to ground conditions.

## EASY TO FIT

Products are easy to fit, even when working in trench conditions.



# METER BOX SURFACE BOXES

The Atplas range of Water Meter Boundary Boxes is available with both Grade B and Grade C surface box options. Each unit features a durable glass filled plastic or cast iron lid, which can accommodate SMART meters where required.

The range also includes boundary boxes specifically designed for installation in contaminated ground, ensuring reliable performance across all site conditions.

- BS 5834 Certified – Fully compliant with UK standards for safety, durability, and reliability.
- Durable & Load-Ready – Engineered to withstand heavy loads and harsh environmental conditions.
- Easy Top-Loading Access – Simplifies maintenance and installation, saving time on site.
- Trusted by Utilities & Contractors – Recognised across the UK construction and utilities sectors.
- Modern Standard, Replacing WIS 4-37-01 – Built to current specifications for consistent performance.



## GRADE B & C LIDS

### Grade B and Grade C Surface Box Lids

Atplas surface box lids are rigorously tested in accordance with BS 5834 Part 2, the British Standard that specifically assesses the performance and load-bearing capability of the surface box and lid, rather than the complete assembly. This approach ensures testing accurately reflects real-world conditions, where loads are applied directly to the lid.

By testing the surface box independently, load is applied solely to the lid and frame, eliminating any potential load transference to the pipe connection below. This is a critical consideration in underground infrastructure, as it helps protect pipework, joints, and fittings from excessive stress, reducing the risk of long-term damage or failure.

Grade C surface box lids are tested to a load of 0.5 tonnes, making them suitable for footpaths, verges, and other light-duty areas. Atplas Grade C lids exceed the minimum load requirement for Grade C, providing additional confidence in strength, durability, and long-term performance, which makes them suitable for use in driveways and crossovers.

Grade B surface box lids are tested to a load of 8 tonnes, making them suitable for driveways, light vehicular access, and service areas, fully complying with the requirements of BS 5834 Part 2.

The result is a robust and reliable surface box solution that meets British Standards, with additional safety margin where applicable, helping specifiers, contractors, and utilities trust Atplas products in critical water and utility applications.

# Talbot Pushfit by Atplas

## Push. Fit. Done.

Decades of dependable service

Trusted, utility-approved product

Precision & leak-free O-ring

Secure Grip Ring, Reliable Liner

Simple, tool-free installation

Trusted in millions of connections

Easy, tight-space connection





# HOW TO...

## ... USE THIS PRICE LIST:



Member of the AVK Group

### SELF TAPPING FERRULE STRAPS FOR PVC/PE PIPE - PLASTIC TALBOT PUSHFIT

Specification

Self-tapping Ferrule Straps, Gunmetal  
CC491K straps, Plastic Banjo, EPDM  
Seals, PN16



| New Product Code     | Product Code | Pipe   | Nom Size             | Strap Size (MM) | Outlet Size | Outlet Type    | Banjo   | Gross Price | Service Level |
|----------------------|--------------|--------|----------------------|-----------------|-------------|----------------|---------|-------------|---------------|
| 1921-029-10-10-02500 | E3952        | PVC/PE | 32mm / 1" (DN25)     | 29-34           | 25mm        | Talbot Pushfit | Plastic | £50.34      | B             |
| 1921-047-10-10-02000 | E3857        | PVC/PE | 50mm / 1 1/2" (DN40) | 47-51           | 20mm        | Talbot Pushfit | Plastic | £46.90      | B             |
| 1921-047-10-10-02500 | E3921        | PVC/PE | 50mm / 1 1/2" (DN40) | 47-51           | 25mm        | Talbot Pushfit | Plastic | £47.52      | B             |
| 1921-060-10-10-02000 | E7225        | PVC/PE | 63mm / 2" (DN50)     | 60-64           | 20mm        | Talbot Pushfit | Plastic | £43.47      | B             |
| 1921-060-10-10-02500 | E3950        | PVC/PE | 63mm / 2" (DN50)     | 60-64           | 25mm        | Talbot Pushfit | Plastic | £45.53      | B             |
| 1921-060-10-10-03200 | E4788        | PVC/PE | 63mm / 2" (DN50)     | 60-64           | 32mm        | Talbot Pushfit | Plastic | £67.50      | B             |
| 1921-088-10-10-02000 | E7200        | PVC/PE | 90mm / 3" (DN80)     | 88-92           | 20mm        | Talbot Pushfit | Plastic | £45.76      | B             |
| 1921-088-10-10-02500 | E5223        | PVC/PE | 90mm / 3" (DN80)     | 88-92           | 25mm        | Talbot Pushfit | Plastic | £48.05      | A             |
| 1921-088-10-10-03200 | E5226        | PVC/PE | 90mm / 3" (DN80)     | 88-92           | 32mm        | Talbot Pushfit | Plastic | £88.64      | A             |
| 1921-110-10-10-02000 | E7304        | PVC/PE | 110mm / 4" (DN100)   | 110-115         | 20mm        | Talbot Pushfit | Plastic | £52.62      | B             |
| 1921-110-10-10-02500 | E7305        | PVC/PE | 110mm / 4" (DN100)   | 110-115         | 25mm        | Talbot Pushfit | Plastic | £54.57      | A             |
| 1921-110-10-10-03200 | E7306        | PVC/PE | 110mm / 4" (DN100)   | 110-115         | 32mm        | Talbot Pushfit | Plastic | £70.93      | B             |
| 1921-122-10-10-02000 | E7201        | PVC/PE | 125mm (DN125)        | 122-130         | 20mm        | Talbot Pushfit | Plastic | £54.91      | B             |
| 1921-122-10-10-02500 | E5224        | PVC/PE | 125mm (DN125)        | 122-130         | 25mm        | Talbot Pushfit | Plastic | £57.20      | A             |
| 1921-122-10-10-03200 | E5227        | PVC/PE | 125mm (DN125)        | 122-130         | 32mm        | Talbot Pushfit | Plastic | £73.22      | A             |
| 1921-155-10-10-02000 | E7307        | PVC/PE | 160mm (DN150)        | 155-163         | 20mm        | Talbot Pushfit | Plastic | £64.06      | B             |
| 1921-155-10-10-02500 | E7308        | PVC/PE | 160mm (DN150)        | 155-163         | 25mm        | Talbot Pushfit | Plastic | £66.35      | A             |
| 1921-155-10-10-03200 | E7309        | PVC/PE | 160mm (DN150)        | 155-163         | 32mm        | Talbot Pushfit | Plastic | £82.37      | B             |
| 1921-165-10-10-02000 | E4798        | PVC/PE | 6" (DN150)           | 165-173         | 20mm        | Talbot Pushfit | Plastic | £70.93      | B             |
| 1921-165-10-10-02500 | E4799        | PVC/PE | 6" (DN150)           | 165-173         | 25mm        | Talbot Pushfit | Plastic | £73.22      | B             |
| 1921-165-10-10-03200 | E4800        | PVC/PE | 6" (DN150)           | 165-173         | 32mm        | Talbot Pushfit | Plastic | £86.94      | B             |
| 1921-177-10-10-02000 | E7202        | PVC/PE | 180mm (DN150)        | 177-185         | 20mm        | Talbot Pushfit | Plastic | £75.50      | B             |
| 1921-177-10-10-02500 | E5225        | PVC/PE | 180mm (DN150)        | 177-185         | 25mm        | Talbot Pushfit | Plastic | £80.08      | A             |
| 1921-177-10-10-03200 | E5228        | PVC/PE | 180mm (DN150)        | 177-185         | 32mm        | Talbot Pushfit | Plastic | £96.10      | B             |
| 1921-195-10-10-02500 | E3928        | PVC/PE | 200mm (DN200)        | 195-203         | 25mm        | Talbot Pushfit | Plastic | £91.52      | C             |
| 1921-195-10-10-03200 | E7970        | PVC/PE | 200mm (DN200)        | 195-203         | 32mm        | Talbot Pushfit | Plastic | £107.54     | C             |
| 1921-218-10-10-02000 | E8326        | PVC/PE | 225mm / 8" (DN200)   | 218-226         | 20mm        | Talbot Pushfit | Plastic | £102.96     | C             |
| 1921-218-10-10-02500 | E3926        | PVC/PE | 225mm / 8" (DN200)   | 218-226         | 25mm        | Talbot Pushfit | Plastic | £105.25     | B             |

### NEW PRODUCT CODE

to be used when ordering

### OLD PRODUCT CODE

### GROSS PRICE

### SERVICE LEVEL

A: up to 2 weeks

B: up to 8 weeks

C: over 8 weeks

**NOTE:** Prices are content are correct at the time of printing. Designs, materials and specifications shown are subject to change without notice due to our continuing programme of product development.

# The foundation we share



## TABLE OF CONTENTS

### ABOUT ATPLAS

|                   |     |
|-------------------|-----|
| ATPLAS HISTORY    | 006 |
| OUR VALUES        | 008 |
| HOUSE CONNECTIONS | 010 |

### BOUNDARY BOXES

|                                |     |
|--------------------------------|-----|
| MATRIX PLUS                    | 018 |
| EBCO TELESCOPIC                | 021 |
| EBCO RIGID                     | 024 |
| MATRIX INLINE                  | 026 |
| CONTAMINATED GROUND            | 028 |
| SURFACE BOXES                  | 030 |
| MATRIX DOUBLE                  | 031 |
| MATRIX MULTI                   | 032 |
| TALBOT STOPCOCK CHAMBER SYSTEM | 036 |
| SPARES & ACCESSORIES           | 038 |

### INTERNAL METERING

|                                          |     |
|------------------------------------------|-----|
| WATER POINT                              | 048 |
| TALBOT INTERNAL METER CARRIER            | 049 |
| TALBOT INTERNAL METER CARRIER MANIFOLD   | 049 |
| EBCO METER VALVES                        | 050 |
| EBCO METER CARRIER FOR CONCENTRIC METERS | 051 |
| EBCO INLINE METER CONNECTION KITS        | 052 |
| EBCO INLINE TAILS                        | 053 |
| EBCO METER INSTALL COPPER LOOPS          | 054 |
| EBCO MULTIPORT MANIFOLDS                 | 055 |
| TALBOT MODULAR MANIFOLD SYSTEM           | 056 |

### SERVICE VALVES

|                         |     |
|-------------------------|-----|
| EBCO BS5433 STOPCOCKS   | 062 |
| EBCO BS1010 STOPVALVES  | 065 |
| EBCO LEVER BALL VALVES  | 065 |
| EBCO BS1010 BALL VALVES | 066 |
| EBCO BS1010 BIB TAP     | 067 |
| TALBOT TALFLO VALVE     | 067 |
| EBCO SAMPLING TAP       | 068 |





## Quality

We strive for quality in everything we do

## Innovation

We innovate to make a difference

## Reliability

We strive to be credible and consistent

## Sustainability

We have a long-term approach

## Customer Service

We strive to be our customers' preferred partner

### SERVICE FITTINGS

|                                    |     |
|------------------------------------|-----|
| TALBOT PUSHFIT AND GRIPPA          | 072 |
| TALBOT SPARES AND ACCESSORIES      | 099 |
| UNIVERSAL FITTINGS                 | 102 |
| PE PVC PIPE SPARES AND ACCESSORIES | 104 |
| EBCO-B                             | 107 |
| EBCO-S                             | 114 |
| EBCO BSP                           | 116 |
| EBCO HEXAGON HOSE CONNECTORS       | 121 |

### TAPPING SYSTEMS

|                                           |     |
|-------------------------------------------|-----|
| FLAT BOSS SADDLES                         | 128 |
| SWIVEL FERRULES                           | 133 |
| GUNMETAL SELF TAPPING<br>FERRULE STRAPS   | 142 |
| COMBINED SADDLE FERRULES                  | 150 |
| ABSP SERVICE VALVES                       | 154 |
| RETAINING STRAPS<br>FOR ABSP              | 155 |
| TAPPING SYSTEMS SPARES AND<br>ACCESSORIES | 156 |

### FLOAT VALVES

|                                         |     |
|-----------------------------------------|-----|
| EBCO EQUILIBRIUM FLOAT VALVE MARK 1     | 162 |
| EBCO EQUILIBRIUM FLOAT VALVE MARK 2     | 164 |
| COPPER EBCO FLOATS FOR EBCO FLOAT VALVE | 165 |
| EBCO FLOAT VALVE SPARES                 | 166 |
| FLY NUT                                 | 167 |







# BOUNDARY BOXES

|                                   |     |
|-----------------------------------|-----|
| MATRIX PLUS                       | 018 |
| EBCO TELESCOPIC                   | 021 |
| EBCO RIGID                        | 024 |
| MATRIX INLINE                     | 026 |
| CONTAMINATED GROUND               | 028 |
| SURFACE BOXES                     | 030 |
| MATRIX DOUBLE                     | 031 |
| MATRIX MULTI                      | 032 |
| TALBOT STOPCOCK CHAMBER<br>SYSTEM | 036 |
| SPARES & ACCESSORIES              | 038 |



## MATRIX PLUS R

### Specification

Matrix Plus R Water Meter Boundary Box, Sealed, Raised Acetal manifold, Polypropylene frame & lid, telescopic round shape guard tube EPDM Seals BS 5834-1:2017, WRAS approved product, PN16, liner included



WATCH OUR  
MATRIX RANGE VIDEO



NEW MATRIX SURFACE BOX  
(GRADE B)



| New Product Code | Product Code | Pipe dia.<br>Mm | Connection | Height (mm) | Guard tube        | Surface Box            | Pallet Qty | Service Level |
|------------------|--------------|-----------------|------------|-------------|-------------------|------------------------|------------|---------------|
| 1954-125-20-1-05 | E11951       | 25              | Pushfit    | 460-845     | Black recycled PP | MATRIX Grade C         | 40         | A             |
| 1954-132-20-1-05 | E11952       | 32              | Pushfit    | 460-845     | Black recycled PP | MATRIX Grade C         | 40         | A             |
| 1954-125-20-2-17 | E11953       | 25              | Pushfit    | 500-880     | Black recycled PP | MATRIX Grade B Plastic | 40         | A             |
| 1954-132-20-2-17 | E11954       | 32              | Pushfit    | 500-880     | Black recycled PP | MATRIX Grade B Plastic | 40         | A             |
| 1954-125-20-3-07 | E11955       | 25              | Pushfit    | 470-810     | Black recycled PP | MATRIX Grade B DI      | 40         | A             |
| 1954-132-20-3-07 | E11956       | 32              | Pushfit    | 470-810     | Black recycled PP | MATRIX Grade B DI      | 40         | A             |

## MATRIX PLUS R (IRISH WATER)

### Specification

Matrix Plus R Water Meter Boundary Box, Sealed, Raised Acetal manifold, Polypropylene frame & lid, telescopic round shape guard tube EPDM Seals BS 5834-1:2017, WRAS approved product, PN16, lid marked UISCE for Irish Water.



NEW MATRIX SURFACE BOX  
(GRADE B)




| New Product Code          | Product Code | Pipe dia.<br>Mm | Connection | Height (mm) | Guard tube        | Surface Box            | Pallet Qty | Service Level |
|---------------------------|--------------|-----------------|------------|-------------|-------------------|------------------------|------------|---------------|
| 1954-123-20-1-17-00000001 | E11887       | ½" Irish HG     | Pushfit    | 500-880     | Black recycled PP | MATRIX Grade C         | 40         | B             |
| 1954-123-20-2-17-00000001 | E11886       | ½" Irish HG     | Pushfit    | 500-880     | Black recycled PP | MATRIX Grade B Plastic | 40         | B             |
| 1954-125-20-2-05-00000001 | E11889       | 25              | Pushfit    | 460-845     | Black recycled PP | MATRIX Grade B Plastic | 40         | B             |



# MATRIX PLUS S

## Specification

Matrix Plus S Water Meter black Boundary Box, Sealed, Raised Acetal manifold, Polypropylene frame & lid, telescopic stadium shape guard tube EPDM Seals BS 5834-1:2017, WRAS approved product, PN16, liner included



NEW MATRIX SURFACE BOX (GRADE B)




## TELESCOPIC PLASTIC RAISED MANIFOLD

| New Product Code    | Product Code | Pipe dia. Mm | Connection | Height (mm) | Guard tube        | Surface Box            | Pallet Qty | Service Level |
|---------------------|--------------|--------------|------------|-------------|-------------------|------------------------|------------|---------------|
| 1954-125-10-1-02    | E11822       | 25           | Pushfit    | 470-850     | Black recycled PP | MATRIX Grade C         | 50         | A             |
| 1954-132-10-1-02    | E11824       | 32           | Pushfit    | 470-850     | Black recycled PP | MATRIX Grade C         | 50         | A             |
| 1954-125-10-1-01-02 | E11826       | 25           | Pushfit    | 285-500     | Black recycled PP | MATRIX Grade C         | 50         | A             |
| 1954-125-10-2-16    | E11828       | 25           | Pushfit    | 510-885     | Black recycled PP | MATRIX Grade B Plastic | 50         | A             |
| 1954-132-10-2-16    | E11830       | 32           | Pushfit    | 510-885     | Black recycled PP | MATRIX Grade B Plastic | 50         | A             |
| 1954-125-10-2-18-02 | E11832       | 25           | Pushfit    | 320-540     | Black recycled PP | MATRIX Grade B Plastic | 50         | A             |
| 1954-125-10-3-19    | E11834       | 25           | Pushfit    | 475-810     | Black recycled PP | MATRIX Grade B DI      | 50         | A             |
| 1954-132-10-3-19    | E11836       | 32           | Pushfit    | 475-810     | Black recycled PP | MATRIX Grade B DI      | 50         | A             |
| 1954-125-10-3-06-02 | E11838       | 25           | Pushfit    | 290-465     | Black recycled PP | MATRIX Grade B DI      | 50         | A             |

# MATRIX PLUS S (IRISH WATER)

## Specification

Matrix Plus S Water Meter black Boundary Box, Sealed, Raised Acetal manifold, Polypropylene frame & lid, telescopic stadium shape guard tube EPDM Seals BS 5834-1:2017, WRAS approved product, PN16 lid marked UISCE for Irish Water with detector plate



NEW MATRIX SURFACE BOX (GRADE B)



| New Product Code          | Product Code | Pipe dia. Mm | Connection | Height (mm) | Guard tube        | Surface Box            | Pallet Qty | Service Level |
|---------------------------|--------------|--------------|------------|-------------|-------------------|------------------------|------------|---------------|
| 1954-120-10-1-02-00000001 | E11880       | 20           | Pushfit    | 470-850     | Black recycled PP | MATRIX Grade C         | 50         | B             |
| 1954-125-10-1-02-00000001 | E11881       | 25           | Pushfit    | 470-850     | Black recycled PP | MATRIX Grade C         | 50         | B             |
| 1954-132-10-1-02-00000001 | E11882       | 32           | Pushfit    | 470-850     | Black recycled PP | MATRIX Grade C         | 50         | B             |
| 1954-123-10-1-02-00000001 | E11884       | ½" Irish HG  | Pushfit    | 470-850     | Black recycled PP | MATRIX Grade C         | 50         | B             |
| 1954-127-10-1-02-00000001 | E11883       | ¾" Irish HG  | Pushfit    | 470-850     | Black recycled PP | MATRIX Grade C         | 50         | B             |
| 1954-134-10-1-02-00000001 | E11885       | 1" Irish HG  | Pushfit    | 470-850     | Black recycled PP | MATRIX Grade C         | 50         | B             |
| 1954-125-10-2-05-00000001 | E11888       | 25           | Pushfit    | 460-845     | Black recycled PP | MATRIX Grade B Plastic | 50         | B             |

## MATRIX PLUS S

### Specification

Matrix Plus S Water Meter beige Boundary Box, Sealed, Raised Acetal manifold, Polypropylene frame & lid, telescopic stadium shape guard tube EPDM Seals BS 5834-1:2017, WRAS approved product, PN16, liner included



| New Product Code     | Product Code | Pipe dia. Mm | Connection | Height (mm) | Guard tube | Surface Box    | Pallet Qty | Service Level |
|----------------------|--------------|--------------|------------|-------------|------------|----------------|------------|---------------|
| 1954-125-10-1-02-001 | E8951        | 25           | Pushfit    | 470-850     | Beige PP   | MATRIX Grade C | 50         | A             |
| 1954-132-10-1-02-001 | E9136        | 32           | Pushfit    | 470-850     | Beige PP   | MATRIX Grade C | 50         | B             |

## MATRIX PLUS S (IRISH WATER)

### Specification

Matrix Plus S Water Meter beige Boundary Box, Sealed, Raised Acetal manifold, Polypropylene frame & lid, telescopic stadium shape guard tube EPDM Seals BS 5834-1:2017, WRAS approved product, PN16, lid marked UISCE for Irish Water with detector plate




| New Product Code          | Product Code | Pipe dia. Mm | Connection | Height (mm) | Guard tube | Surface Box    | Pallet Qty | Service Levels |
|---------------------------|--------------|--------------|------------|-------------|------------|----------------|------------|----------------|
| 1954-120-10-1-02-00100001 | E9195        | 20           | Pushfit    | 470-850     | Beige PP   | MATRIX Grade C | 50         | B              |
| 1954-125-10-1-02-00100001 | E9196        | 25           | Pushfit    | 470-850     | Beige PP   | MATRIX Grade C | 50         | A              |
| 1954-132-10-1-02-00100001 | E9197        | 32           | Pushfit    | 470-850     | Beige PP   | MATRIX Grade C | 50         | B              |
| 1954-120-10-1-01-02100001 | E9662        | 20           | Pushfit    | 285-500     | Beige PP   | MATRIX Grade C | 50         | B              |
| 1954-123-10-1-02-00100001 | E9130        | ½" Irish HG  | Pushfit    | 470-850     | Beige PP   | MATRIX Grade C | 50         | A              |
| 1954-127-10-1-02-00100001 | E9900        | ¾" Irish HG  | Pushfit    | 470-850     | Beige PP   | MATRIX Grade C | 50         | B              |
| 1954-134-10-1-02-00100001 | E9962        | 1" Irish HG  | Pushfit    | 470-850     | Beige PP   | MATRIX Grade C | 50         | B              |
| 1954-123-10-1-01-02100001 | E9090        | ½" Irish HG  | Pushfit    | 285-500     | Beige PP   | MATRIX Grade C | 50         | B              |

## EBCO SINGLE BOX TELESCOPIC PLASTIC RAISED MANIFOLD

### Specification

EBCO Water Meter Boundary Box, Unsealed, Raised Acetal manifold, Polypropylene frame & lid, round shape guard tube EPDM Seals BS 5834-1:2017 WRAS approved product PN12.5, liner included



NEW MATRIX SURFACE BOX (GRADE B)



| New Product Code       | Product Code | Pipe dia. Mm | Connection | Height (mm) | Guard tube | Surface Box            | Pallet Qty | Service Levels |
|------------------------|--------------|--------------|------------|-------------|------------|------------------------|------------|----------------|
| 1953-128-20-1-38-01101 | MBR1100      | 25           | Pushfit    | 557-887     | Beige PP   | MATRIX Grade C         | 40         | A              |
| 1953-128-20-2-50-01101 | MBR1100B     | 25           | Pushfit    | 625-926     | Beige PP   | MATRIX Grade B Plastic | 40         | A              |
| 1953-128-20-3-45-01101 | MBR1100DI    | 25           | Pushfit    | 593-843     | Beige PP   | MATRIX Grade B DI      | 20         | B              |
| 1953-128-20-1-33-01101 | MBR1100S     | 25           | Pushfit    | 437-587     | Beige PP   | MATRIX Grade C         | 40         | B              |
| 1953-134-20-2-50-01101 | MBR1104B     | 32           | Pushfit    | 625-926     | Beige PP   | MATRIX Grade B Plastic | 15         | B              |

## EBCO SINGLE BOX TELESCOPIC PLASTIC BASE MANIFOLD

### Specification

EBCO Water Meter Boundary Box, Unsealed, Base Acetal manifold, Polypropylene frame & lid, round shape guard tube EPDM Seals BS 5834-1:2017 WRAS approved product PN12.5, liner included



NEW MATRIX SURFACE BOX (GRADE B)



| New Product Code       | Product Code | Pipe dia. Mm | Connection     | Height (mm) | Guard tube   | Surface Box            | Pallet Qty | Service Level |
|------------------------|--------------|--------------|----------------|-------------|--------------|------------------------|------------|---------------|
| 1953-128-30-1-44-01101 | MBB1100      | 25           | Pushfit        | 581-956     | Beige PP     | MATRIX Grade C         | 40         | A             |
| 1953-128-30-2-49-01101 | MBB1100B     | 25           | Pushfit        | 619-994     | Beige PP     | MATRIX Grade B Plastic | 40         | A             |
| 1953-128-30-2-31-01201 | MBB1100BS    | 25           | Pushfit        | 380-506     | Beige PVC/PP | MATRIX Grade B Plastic | 40         | A             |
| 1953-132-30-2-49-01101 | MBB1132B     | 32           | Talbot Pushfit | 619-994     | Beige PP     | MATRIX Grade B Plastic | 15         | B             |



## EBCO SINGLE BOX TELESCOPIC PLASTIC BASE MANIFOLD

### Specification

EBCO Water Meter Boundary Box, Unsealed, Base Acetal manifold, Polypropylene frame & lid, round shape guard tube EPDM Seals BS 5834-1:2017 WRAS approved product PN12.5, liner included. Lid marked UISCE for Irish Water (MBB1150 and MBB1151)



| New Product Code        | Product Code | Pipe dia.   | Connection | Height (mm) | Guard tube   | Surface Box    | Pallet Qty | Service Levels |
|-------------------------|--------------|-------------|------------|-------------|--------------|----------------|------------|----------------|
| 1953-124-30-1-30-01101  | MBB1150      | ½" Irish HG | Pushfit    | 312-637     | Beige PVC/PP | MATRIX Grade C | 40         | B              |
| 1953-334-30-1-30-01101  | MBB1151      | ¾"          | Female BSP | 312-637     | Beige PVC/PP | MATRIX Grade C | 40         | B              |
| 1953-124-30-0-32-012011 | MBB0800S     | ½" Irish HG | Pushfit    | 400-600     | Beige PVC/PP | -              | 50         | B              |

## EBCO SINGLE BOX TELESCOPIC TAILS

### Specification

EBCO Water Meter Boundary Box, Unsealed, Raised Acetal manifold, Polypropylene frame & lid, round shape guard tube EPDM Seals BS 5834-1:2017 WRAS approved product PN12.5



| New Product Code       | Product Code | Pipe dia. Mm | Connection    | Height (mm) | Guard tube | Surface Box            | Pallet Qty | Service Levels |
|------------------------|--------------|--------------|---------------|-------------|------------|------------------------|------------|----------------|
| 1953-425-20-1-46-00101 | MBR0010      | 25           | PE pipe tails | 597-900     | Beige PP   | MATRIX Grade C         | 30         | A              |
| 1953-425-20-2-52-00101 | MBR0010B     | 25           | PE pipe tails | 636-933     | Beige PP   | MATRIX Grade B Plastic | 30         | A              |
| 1953-425-20-1-34-00101 | MBR0010S     | 25           | PE pipe tails | 480-735     | Beige PP   | MATRIX Grade C         | 30         | A              |
| 1953-425-20-2-36-00101 | MBR0010SB    | 25           | PE pipe tails | 519-773     | Beige PP   | MATRIX Grade B Plastic | 30         | A              |

## EBCO SINGLE BOX TELESCOPIC RATCHET

### Specification

EBCO Water Meter Boundary Box,  
Unsealed, Base acetal manifold, round  
shape guard tube, ratchet top, EPDM Seals  
BS 5834-1:2017, WRAS approved product,  
PN12.5



| New Product Code       | Product Code | Pipe dia.<br>Mm | Connection    | Height (mm) | Guard tube | Surface Box     | Pallet<br>Qty | Service<br>Levels |
|------------------------|--------------|-----------------|---------------|-------------|------------|-----------------|---------------|-------------------|
| 1953-128-20-7-51-00101 | MBR0925      | 25              | Pushfit       | 626-832     | Beige PP   | Grade C Ratchet | 30            | A                 |
| 1953-425-20-7-53-00101 | MBR0910      | 25              | PE pipe tails | 638-838     | Beige PP   | Grade C Ratchet | 30            | A                 |

## EBCO SINGLE BOX PLASTIC BASE MANIFOLD

### Specification

EBCO Water Meter Boundary Box,  
Unsealed, Base Acetal manifold,  
Polypropylene frame & lid, Rigid round  
shape guard tube EPDM Seals BS  
5834-1:2017 WRAS approved product  
PN12.5, liner included



| New Product Code        | Product Code              | Pipe dia.<br>Mm | Connection     | Height (mm) | Guard tube | Surface Box  | Pallet<br>Qty | Service<br>Level |
|-------------------------|---------------------------|-----------------|----------------|-------------|------------|--------------|---------------|------------------|
| 1953-128-30-4-55-01201  | MBB0701                   | 25              | Pushfit        | 726-876     | Beige PVC  | EBCO Grade C | 16            | A                |
| 1953-128-35-0-00-012011 | MBB0500S                  | 25              | Pushfit        | 465         | Beige PVC  | None         | 20            | A                |
| 1953-334-35-0-01-002011 | MBB0775                   | ¾"              | Female BSP     | 567         | Beige PVC  | None         | 40            | A                |
| 1953-128-35-0-03-002011 | MBB0707CWC                | 25              | Pushfit        | 677         | Beige PVC  | None         | 50            | A                |
| 1953-128-35-0-08-002011 | --                        | 25              | Pushfit        | 767         | Beige PVC  | None         | 20            | A                |
| 1953-132-35-0-08-002011 | --                        | 32              | Talbot Pushfit | 767         | Beige PVC  | None         | 20            | A                |
| 1953-334-75-0-08-052011 | (for contaminated ground) | ¾"              | Female BSP     | 767         | Beige PVC  | None         | 20            | A                |

## EBCO SINGLE BOX RIGID GUNMETAL BASE MANIFOLD

### Specification

EBCO Water Meter Boundary Box,  
Unsealed, Base gunmetal manifold, round  
shape guard tube, EPDM Seals BS  
5834-1:2017, WRAS approved product,  
PN16



| New Product Code        | Product Code | Pipe dia. | Connection | Height (mm) | Guard tube | Surface Box | Pallet<br>Qty | Service<br>Levels |
|-------------------------|--------------|-----------|------------|-------------|------------|-------------|---------------|-------------------|
| 1953-734-45-0-03-022001 | MBB0460      | ¾"        | Female BSP | 677         | Beige PVC  | None        | 20            | A                 |
| 1953-734-45-0-08-022001 | --           | ¾"        | Female BSP | 767         | Beige PVC  | None        | 20            | A                 |



## EBCO SINGLE BOX RIGID PLASTIC RAISED MANIFOLD

### Specification

EBCO Water Meter Boundary Box, Unsealed, Raised Acetal manifold, Polypropylene frame & lid, round shape guard tube EPDM Seals BS 5834-1:2017 WRAS approved product PN12.5



| New Product Code        | Product Code | Pipe dia. Mm | Connection    | Height (mm) | Guard tube | Surface Box | Pallet Qty | Service Levels |
|-------------------------|--------------|--------------|---------------|-------------|------------|-------------|------------|----------------|
| 1953-128-25-0-05-012011 | MBR903       | 25           | Pushfit       | 726         | Beige PVC  | None        | 50         | A              |
| 1953-425-25-0-09-002011 | MBR0905      | 25           | PE pipe tails | 813         | Beige PVC  | None        | 20         | A              |

## EBCO SINGLE BOX GUNMETAL BASE MANIFOLD FOR 2" METERS

### Specification

EBCO Boundary Box, Water Meter Boundary Box, for 2" BSP Meters, Unsealed, Base gunmetal manifold, Polypropylene frame & lid, round shape guard tube EPDM Seals BS 5834-1:2017 PN16



| New Product Code        | Product Code | Pipe dia. Mm | Connection | Height (mm) | Guard tube | Surface Box    | Pallet Qty | Service Levels |
|-------------------------|--------------|--------------|------------|-------------|------------|----------------|------------|----------------|
| 1953-134-60-4-56-022    | MBB0880      | 32           | Pushfit    | 765-915     | Beige PVC  | EBCO Grade C   | 12         | A              |
| 1953-710-60-0-04-022001 | MBB0840      | 1"           | Female BSP | 700         | Beige PVC  | None           | 20         | A              |
| 1953-710-60-4-56-022    | MBB0870      | 1"           | Female BSP | 765-915     | Beige PVC  | EBCO Grade C   | 20         | A              |
| 1953-710-60-0-08-022001 | MBB0815      | 1"           | Female BSP | 767         | Beige PVC  | None           | 12         | A              |
| 1953-710-60-5-07-022    | MBB0841SB2   | 1"           | Female BSP | 744         | Beige PVC  | Atplas Grade C | 20         | A              |

## EBCO SINGLE BOX PENTAGON MANIFOLD WITH TEST PORT

### Specification

EBCO Water Meter Boundary Box, Unsealed, Raised Gunmetal pentagon manifold, Polypropylene frame & lid, round shape guard tube EPDM Seals BS 5834-1:2017 WRAS approved components PN12.5, test point downstream from meter



| New Product Code        | Product Code | Pipe dia. Mm | Connection    | Height (mm) | Guard tube   | Surface Box    | Pallet Qty | Service Level |
|-------------------------|--------------|--------------|---------------|-------------|--------------|----------------|------------|---------------|
| 1953-425-50-0-06-022001 | MBR600       | 25           | PE pipe tails | 730         | Beige PVC    | None           | 15         | B             |
| 1953-425-50-1-47-021011 | MBR600SB     | 25           | PE pipe tails | 600-900     | Beige PVC/PP | MATRIX Grade C | 15         | B             |

## MATRIX INLINE BOUNDARY BOX

### Specification

Matrix Inline Water Meter Boundary Box, for Inline Meters 110mm, sealed, ISO COURT Base manifold, Polypropylene frame & lid, telescopic oval shape guard tube EPDM Seals BS 5834-1:2017 PN16, 12.5t loading



| New Product Code    | Product Code | Pipe dia. Mm | Connection | Height (mm) | Guard tube        | Surface Box          | Pallet Qty | Service Level |
|---------------------|--------------|--------------|------------|-------------|-------------------|----------------------|------------|---------------|
| 1954-125-30-5-09-13 | MAW7525SQ    | 25           | Pushfit    | 525-900     | Black recycled PP | MATRIX Double Square | 20         | A             |
| 1954-132-30-5-09-13 | MAW7532SQ    | 32           | Pushfit    | 525-900     | Black recycled PP | MATRIX Double Square | 20         | A             |

# EBCO PENTAGON

## BOUNDARY BOX WITH TEST PORT

Giving total control at the property boundary. Designed for underground installation, the Pentagon boundary box provides a safe and clean underground environment for concentric meters. The chamber comes with isolating valve and a meter carrier with a unique test port.

A battery powered flow/test logger can be installed downstream of the water meter to provide valuable systems management information. This unique test point in the EBCO Pentagon boundary box allows you to carry out a variety of tests with ease, saving time, without disrupting the customer. A number of tests can be carried out with the meter in position, including sample water quality testing, flow measurement testing, pressure testing, leak detection testing and meter accuracy tests, making this the ideal boundary box for simple network maintenance. Alternatively the test port can be used to fit a pressure reducing valve.



## ADVANTAGES

### SIMPLE NETWORK MAINTENANCE

Battery powered flow/test logger can be installed downstream with the meter in situ, enabling quick and easy network testing

### EASY CONNECTIONS

PE tails or Talbot Pushfit Connections

### PRESSURE REDUCING

PRV can be installed in the test port

### OPTIONAL GRADE C SURFACE BOX

With rotatable square trim





## BOUNDARY BOXES FOR CONTAMINATED GROUND

Designed to meet the latest standards, the Barrier Box meets all your requirements for contaminated ground. The latest in Atplas's proven range of boundary boxes, the Barrier Box is approved for contaminated ground to BS 5834-1:2017 and tested and certified to BS8588:2017, giving you a safe continued supply of potable water.

Ensure that you are compliant with the latest standards by using a contaminated ground boundary box tested and approved to the latest boundary box standard BS 5834-1:2017, and WRAS approved.

A telescopic boundary box which is used to provide a safe and clean underground environment for concentric water meters, featuring a manifold which is further protected against the ingress of ground water by the use of fluoroelastomer seals. Manifold provided with 3/4" female connectors to allow safe connection to all the leading barrier pipe systems on the market using suitable male adaptors from the pipe systems. The Barrier Box can be identified by the green top on the isolation valve.



### MEETS LATEST STANDARDS

- Approved for contaminated ground to BS 5834-1:2017
- Tested and certified to BS 5834-1:2017
- WRAS approval

### TELESCOPIC BOX

- Height adjustable

### MANIFOLD SEALED AGAINST CONTAMINATION

- Fluoroelastomer seals
- 3/4" female connectors for fitting barrier pipe adaptors

### SURFACE BOX OPTIONS

- Standard Grade C
- Polymer Grade B
- Ductile Iron Grade B

### MANIFOLD OPTIONS


- Gunmetal, plastic or gunmetal elbows

## MATRIX PLUS BARRIER BOX

**Specification**

Matrix Plus Barrier Box, Water Meter Boundary Box, Sealed, Raised Acetal manifold, Polypropylene frame & lid, telescopic round shape guard tube Fluoroelastomer Seals BS 5834-1:2017 WRAS approved product PN16



NEW MATRIX SURFACE BOX (GRADE B)



| New Product Code | Product Code | Pipe dia. | Connection | Height (mm) | Guard tube        | Surface Box            | Pallet Qty | Service Level |
|------------------|--------------|-----------|------------|-------------|-------------------|------------------------|------------|---------------|
| 1954-734-70-1-05 | E11971       | 3/4"      | Female BSP | 460-845     | Black recycled PP | MATRIX Grade C         | 40         | A             |
| 1954-734-70-2-17 | E11972       | 3/4"      | Female BSP | 500-880     | Black recycled PP | MATRIX Grade B Plastic | 40         | A             |
| 1954-734-70-3-07 | E11973       | 3/4"      | Female BSP | 470-810     | Black recycled PP | MATRIX Grade B DI      | 40         | A             |



## EBCO BARRIER BOX GUNMETAL BASE MANIFOLD

### Specification

EBCO Barrier Box, Water Meter Boundary Box, Unsealed, Base gunmetal manifold, Polypropylene frame & lid, telescopic round shape guard tube Fluoroelastomer Seals BS 5834-1:2017 WRAS approved product PN16



NEW MATRIX SURFACE BOX (GRADE B)




| New Product Code        | Product Code | Pipe dia. | Connection | Height (mm) | Guard tube            | Surface Box            | Pallet Qty | Service Level |
|-------------------------|--------------|-----------|------------|-------------|-----------------------|------------------------|------------|---------------|
| 1953-734-70-1-37-052    | MBB2010C     | 3/4"      | Female BSP | 519-839     | Beige PVC/recycled PP | MATRIX Grade C         | 20         | A             |
| 1953-734-70-2-40-052    | MBB2010B     | 3/4"      | Female BSP | 558-878     | Beige PVC/recycled PP | MATRIX Grade B Plastic | 20         | A             |
| 1953-734-70-3-35-052    | MBB2010DI    | 3/4"      | Female BSP | 490-706     | Beige PVC/recycled PP | MATRIX Grade B DI      | 20         | A             |
| 1953-734-70-0-08-052001 | --           | 3/4"      | Female BSP | 767         | Beige PVC             | --                     | 20         | A             |

## EBCO BARRIER BOX PLASTIC BASE MANIFOLD

### Specification

EBCO Barrier Box, Water Meter Boundary Box, Unsealed, Base plastic manifold, Polypropylene frame & lid, telescopic round shape guard tube Fluoroelastomer Seals BS 5834-1:2017 WRAS approved product PN12.5



NEW MATRIX SURFACE BOX (GRADE B)



| New Product Code       | Product Code | Pipe dia. | Connection | Height (mm) | Guard tube            | Surface Box            | Pallet Qty | Service Level |
|------------------------|--------------|-----------|------------|-------------|-----------------------|------------------------|------------|---------------|
| 1953-334-75-1-42-01101 | MBB1100FC    | 3/4"      | Female BSP | 558-964     | Beige PVC/recycled PP | MATRIX Grade C         | 40         | A             |
| 1953-334-75-2-43-01101 | MBB1100FCB   | 3/4"      | Female BSP | 558-1004    | Beige PVC/recycled PP | MATRIX Grade B Plastic | 40         | A             |
| 1953-334-75-3-41-01101 | MBB1100FCDI  | 3/4"      | Female BSP | 558-898     | Beige PVC/recycled PP | MATRIX Grade B DI      | 40         | A             |

## SURFACE BOXES

### Single Boundary Box Surface Box



Matrix surface box  
(Grade C)  
E9981




Matrix surface box  
(Grade B)  
E11745



New Matrix surface box  
(Grade B)



Ductile iron surface box  
(Grade B)  
WB572221BP



Atlas surface box  
(Grade C)  
MB600200BK



EBCO surface box  
(Grade C)  
WMB83A Sealed  
WMB84 Unsealed

Top loading for boundary boxes in the UK is covered by the standards: BS 5834-1:2017 and BS 5834-2:2011. European standard EN 124:2015 can also be applied.

According to BS 5834-1, boxes are defined as:

- Supplied without surface boxes: Grade A, B, C or non-load bearing N
- Boxes supplied with integrated surface boxes: Load bearing, SB: Grade A, B or C in accordance with BS 5834-2

Boxes supplied without surface boxes are classified according to a compression test of the box, whereas boxes supplied with surface boxes are be classified according to the load-bearing of the surface box to BS 5834-2.

The loading grade in accordance with BS 5834-2 is calculated based on the clear opening of the frame and surface area of the lid, and relates to the type of installation. Grade C is for “situations not intended for use by vehicles” and Grade B is for “areas to which vehicles would have only occasional access”.

Atlas has carried out testing of its surface boxes to relevant aspects BS 5834-2, and results can be supplied as required for the following types:

### SINGLE METERBOXES

Matrix Plus surface box (Grade B)  
Matrix Plus surface box (Grade C)  
Ductile iron surface box (Grade B)  
EBCO surface box (Grade C)  
Atlas surface box (Grade C)

### DOUBLE METERBOXES

EBCO surface box (Grade C)  
ATPLAS double surface box (Grade C)

### MULTIMANIFOLD BOXES

Matrix Multi surface box (Grade C)

### Double and Multi Boundary Box Surface Box



Matrix Double surface box  
(Grade C)



Matrix Multi surface box  
(Grade C)

# MATRIX DOUBLE BOX

## Specification

Matrix Double Water Meter Boundary Box,  
Raised plastic manifold, Polypropylene  
frame & lid, oval shape guard tube EPDM  
Seals BS 5834-1:2017 WRAS approved  
product PN16 (optional pipe tails PN12),  
12.5t loading



## SEALED

| New Product Code | Product Code | Pipe dia.<br>Mm | Connection    | Height (mm) | Guard tube        | Surface Box          | Pallet<br>Qty | Service<br>Level |
|------------------|--------------|-----------------|---------------|-------------|-------------------|----------------------|---------------|------------------|
| 1954-125-40-5-10 | MA5743225SQ  | 1x32 x 2x25     | Pushfit       | 543-914     | Black recycled PP | MATRIX Double Square | 20            | A                |
| 1954-132-40-5-10 | MA5743232SQ  | 1x32 x 2x32     | Pushfit       | 543-914     | Black recycled PP | MATRIX Double Square | 20            | A                |
| 1954-425-40-5-10 | MA5743225TSQ | 1x32 x 2x25     | PE pipe tails | 543-914     | Black recycled PP | MATRIX Double Square | 20            | A                |
| 1954-125-45-5-10 | MA57425SQ    | 2x25 x 2x25     | Pushfit       | 543-914     | Black recycled PP | MATRIX Double Square | 20            | A                |
| 1954-132-45-5-10 | MA57432SQ    | 2x32 x 2x32     | Pushfit       | 543-914     | Black recycled PP | MATRIX Double Square | 20            | A                |
| 1954-425-45-5-10 | MA57425TSQ   | 2x25 x 2x25     | PE pipe tails | 543-914     | Black recycled PP | MATRIX Double Square | 20            | A                |
| 1954-125-40-4-10 | MA5743225    | 1x32 x 2x25     | Pushfit       | 543-914     | Black recycled PP | MATRIX Double Oval   | 20            | A                |
| 1954-132-40-4-10 | MA5743232    | 1x32 x 2x32     | Pushfit       | 543-914     | Black recycled PP | MATRIX Double Oval   | 20            | A                |
| 1954-425-40-4-10 | MA5743225T   | 1x32 x 2x25     | PE pipe tails | 543-914     | Black recycled PP | MATRIX Double Oval   | 20            | A                |
| 1954-125-45-4-10 | MA57425      | 2x25 x 2x25     | Pushfit       | 543-914     | Black recycled PP | MATRIX Double Oval   | 20            | A                |
| 1954-132-45-4-10 | MA57432      | 2x32 x 2x32     | Pushfit       | 543-914     | Black recycled PP | MATRIX Double Oval   | 20            | A                |
| 1954-425-45-4-10 | MA57425T     | 2x25 x 2x25     | PE pipe tails | 543-914     | Black recycled PP | MATRIX Double Oval   | 20            | A                |

## UNSEALED

| New Product Code   | Product Code  | Pipe dia.<br>Mm | Connection    | Height (mm) | Guard tube        | Surface Box          | Pallet<br>Qty | Service<br>Level |
|--------------------|---------------|-----------------|---------------|-------------|-------------------|----------------------|---------------|------------------|
| 1954-125-40-5-10-1 | MA5743225USQ  | 1x32 x 2x25     | Pushfit       | 543-914     | Black recycled PP | MATRIX Double Square | 20            | A                |
| 1954-132-40-5-10-1 | MA5743232USQ  | 1x32 x 2x32     | Pushfit       | 543-914     | Black recycled PP | MATRIX Double Square | 20            | A                |
| 1954-425-40-5-10-1 | MA5743225TUSQ | 1x32 x 2x25     | PE pipe tails | 543-914     | Black recycled PP | MATRIX Double Square | 20            | A                |
| 1954-125-45-5-10-1 | MA57425USQ    | 2x25 x 2x25     | Pushfit       | 543-914     | Black recycled PP | MATRIX Double Square | 20            | A                |
| 1954-132-45-5-10-1 | MA57432USQ    | 2x32 x 2x32     | Pushfit       | 543-914     | Black recycled PP | MATRIX Double Square | 20            | A                |
| 1954-425-45-5-10-1 | MA57425TUSQ   | 2x25 x 2x25     | PE pipe tails | 543-914     | Black recycled PP | MATRIX Double Square | 20            | A                |
| 1954-125-40-4-10-1 | MA5743225U    | 1x32 x 2x25     | Pushfit       | 543-914     | Black recycled PP | MATRIX Double Oval   | 20            | A                |
| 1954-132-40-4-10-1 | MA5743232U    | 1x32 x 2x32     | Pushfit       | 543-914     | Black recycled PP | MATRIX Double Oval   | 20            | A                |
| 1954-425-40-4-10-1 | MA5743225TU   | 1x32 x 2x25     | PE pipe tails | 543-914     | Black recycled PP | MATRIX Double Oval   | 20            | A                |
| 1954-125-45-4-10-1 | MA57425U      | 2x25 x 2x25     | Pushfit       | 543-914     | Black recycled PP | MATRIX Double Oval   | 20            | A                |
| 1954-132-45-4-10-1 | MA57432U      | 2x32 x 2x32     | Pushfit       | 543-914     | Black recycled PP | MATRIX Double Oval   | 20            | A                |
| 1954-425-45-4-10-1 | MA57425TU     | 2x25 x 2x25     | PE pipe tails | 543-914     | Black recycled PP | MATRIX Double Oval   | 20            | A                |



## MATRIX MULTI BOX 4 PORT

### Specification

Matrix Multi Water Meter Boundary Box,  
Raised plastic manifold, Nylon frame &  
lid, polypropylene guard tube EPDM Seals  
BS 5834-1:2017 WRAS approved  
product PN16, Grade C 5t loading, Lid  
Marked W



### SEALED

| New Product Code | Product Code | Inlet         | Outlet      | Shut off                    | Height (mm) | Surface Box | Service Level |
|------------------|--------------|---------------|-------------|-----------------------------|-------------|-------------|---------------|
| 1954-125-50-1-12 | --           | 2" Female BSP | 4 x 25mm PF | ¼ Turn with MATRIX long key | 590-720     | Grade C     | B             |
| 1954-132-50-1-12 | --           | 2" Female BSP | 4 x 32mm PF | ¼ Turn with MATRIX long key | 590-720     | Grade C     | B             |
| 1954-125-50-1-13 | --           | 2" Female BSP | 4 x 25mm PF | ¼ Turn with MATRIX long key | 770-900     | Grade C     | B             |
| 1954-132-50-1-13 | --           | 2" Female BSP | 4 x 32mm PF | ¼ Turn with MATRIX long key | 770-900     | Grade C     | B             |

### UNSEALED

| New Product Code   | Product Code | Inlet         | Outlet      | Shut off                    | Height (mm) | Surface Box | Service Level |
|--------------------|--------------|---------------|-------------|-----------------------------|-------------|-------------|---------------|
| 1954-125-50-1-12-1 | --           | 2" Female BSP | 4 x 25mm PF | ¼ Turn with MATRIX long key | 590-720     | Grade C     | B             |
| 1954-132-50-1-12-1 | --           | 2" Female BSP | 4 x 32mm PF | ¼ Turn with MATRIX long key | 590-720     | Grade C     | B             |
| 1954-125-50-1-13-1 | --           | 2" Female BSP | 4 x 25mm PF | ¼ Turn with MATRIX long key | 770-900     | Grade C     | B             |
| 1954-132-50-1-13-1 | --           | 2" Female BSP | 4 x 32mm PF | ¼ Turn with MATRIX long key | 770-900     | Grade C     | B             |

## MATRIX MULTI BOX 4 IN 4 OUT

### Specification

Matrix Multi Water Meter Boundary Box,  
Raised plastic manifold, Nylon frame & lid,  
polypropylene guard tube EPDM Seals BS  
5834-1:2017 WRAS approved product  
PN16, Grade C 5t loading, Lid Marked W



### SEALED

| New Product Code | Product Code | Inlet       | Outlet      | Shut off                    | Height (mm) | Surface Box | Service Level |
|------------------|--------------|-------------|-------------|-----------------------------|-------------|-------------|---------------|
| 1954-125-55-1-12 | --           | 4 x 25mm PF | 4 x 25mm PF | ¼ Turn with MATRIX long key | 590-720     | Grade C     | B             |
| 1954-132-55-1-12 | --           | 4 x 32mm PF | 4 x 32mm PF | ¼ Turn with MATRIX long key | 590-720     | Grade C     | B             |



## MATRIX MULTI BARRIER BOX 4 PORT – CONTAMINATED GROUND

Specification

Matrix Multi Water Meter Boundary Box,  
Raised plastic manifold, Nylon frame & lid,  
polypropylene guard tube EPDM Seals BS  
5834-1:2017 WRAS approved product  
PN16, Grade C 5t loading, Lid Marked W






| New Product Code | Product Code | Inlet         | Outlet              | Shut off                    | Height (mm) | Surface Box | Service Level |
|------------------|--------------|---------------|---------------------|-----------------------------|-------------|-------------|---------------|
| 1954-734-75-1-12 | --           | 2" Female BSP | 4 x 3/4" Female BSP | ¼ Turn with MATRIX long key | 590-720     | Grade C     | B             |

### UNSEALED

| New Product Code   | Product Code | Inlet         | Outlet              | Shut off                    | Height (mm) | Surface Box | Service Level |
|--------------------|--------------|---------------|---------------------|-----------------------------|-------------|-------------|---------------|
| 1954-734-75-1-12-1 | --           | 2" Female BSP | 4 x 3/4" Female BSP | ¼ Turn with MATRIX long key | 590-720     | Grade C     | B             |

## MATRIX MULTI BOX 6 PORT

### Specification

Matrix Multi Water Meter Boundary Box,  
Raised plastic manifold, Nylon frame & lid,  
polypropylene guard tube EPDM Seals BS  
5834-1:2017 WRAS approved product  
PN16, Grade C 5t loading, Lid Marked W



### SEALED

| New Product Code | Product Code | Inlet         | Outlet      | Shut off                    | Height (mm) | Surface Box | Gross Price | Service Level |
|------------------|--------------|---------------|-------------|-----------------------------|-------------|-------------|-------------|---------------|
| 1954-125-60-1-12 | --           | 2" Female BSP | 6 x 25mm PF | ¼ Turn with MATRIX long key | 590-720mm   | Grade C     | £0.00       | B             |
| 1954-132-60-1-12 | --           | 2" Female BSP | 6 x 32mm PF | ¼ Turn with MATRIX long key | 590-720mm   | Grade C     | £0.00       | B             |
| 1954-125-60-1-13 | --           | 2" Female BSP | 6 x 25mm PF | ¼ Turn with MATRIX long key | 770-900mm   | Grade C     | £0.00       | B             |
| 1954-132-60-1-13 | --           | 2" Female BSP | 6 x 32mm PF | ¼ Turn with MATRIX long key | 770-900mm   | Grade C     | £0.00       | B             |

### UNSEALED

| New Product Code   | Product Code | Inlet         | Outlet      | Shut off                    | Height (mm) | Surface Box | Gross Price | Service Level |
|--------------------|--------------|---------------|-------------|-----------------------------|-------------|-------------|-------------|---------------|
| 1954-125-60-1-12-1 | --           | 2" Female BSP | 6 x 25mm PF | ¼ Turn with MATRIX long key | 590-720mm   | Grade C     | £0.00       | B             |
| 1954-132-60-1-12-1 | --           | 2" Female BSP | 6 x 32mm PF | ¼ Turn with MATRIX long key | 590-720mm   | Grade C     | £0.00       | B             |
| 1954-125-60-1-13-1 | --           | 2" Female BSP | 6 x 25mm PF | ¼ Turn with MATRIX long key | 770-900mm   | Grade C     | £0.00       | B             |
| 1954-132-60-1-13-1 | --           | 2" Female BSP | 6 x 32mm PF | ¼ Turn with MATRIX long key | 770-900mm   | Grade C     | £0.00       | B             |

## MATRIX MULTI BOX 6 IN 6 OUT

### Specification

Matrix Multi Water Meter Boundary Box,  
Raised plastic manifold, Nylon frame & lid,  
polypropylene guard tube EPDM Seals BS  
5834-1:2017 WRAS approved product  
PN16, Grade C 5t loading, Lid Marked W



### SEALED

| New Product Code | Product Code | Inlet       | Outlet      | Shut off                    | Height (mm) | Surface Box | Gross Price | Service Level |
|------------------|--------------|-------------|-------------|-----------------------------|-------------|-------------|-------------|---------------|
| 1954-125-65-1-12 | --           | 6 x 25mm PF | 6 x 25mm PF | ¼ Turn with MATRIX long key | 590-720mm   | Grade C     | £0.00       | B             |
| 1954-132-65-1-12 | --           | 6 x 32mm PF | 6 x 32mm PF | ¼ Turn with MATRIX long key | 590-720mm   | Grade C     | £0.00       | B             |



## MATRIX MULTI BARRIER BOX 6 PORT – CONTAMINATED GROUND

### Specification

Matrix Multi Water Meter Boundary Box,  
Raised plastic manifold, Nylon frame & lid,  
polypropylene guard tube EPDM Seals BS  
5834-1:2017 WRAS approved product  
PN16, Grade C 5t loading, Lid Marked W



### SEALED

| New Product Code | Product Code | Inlet         | Outlet              | Shut off                      | Height (mm) | Surface Box | Gross Price | Service Level |
|------------------|--------------|---------------|---------------------|-------------------------------|-------------|-------------|-------------|---------------|
| 1954-734-77-1-12 | --           | 2" Female BSP | 6 x 3/4" Female BSP | 1/4 Turn with MATRIX long key | 590-720     | Grade C     | £0.00       | B             |

### UNSEALED

| New Product Code   | Product Code | Inlet         | Outlet              | Shut off                      | Height (mm) | Surface Box | Gross Price | Service Level |
|--------------------|--------------|---------------|---------------------|-------------------------------|-------------|-------------|-------------|---------------|
| 1954-734-77-1-12-1 | --           | 2" Female BSP | 6 x 3/4" Female BSP | 1/4 Turn with MATRIX long key | 590-720     | Grade C     | £0.00       | B             |



## TALBOT STOPCOCK CHAMBER SYSTEM

### Specification

Talbot Stopcock Chamber System for stopvalves 20-63mm, plastic. Small base for stopvalves 20-32mm, large base for 40-63mm stopvalves. Grade C surface box to BS5834-2:2011.



| New Product Code  | Product Code | Base            | Tube          | Surface Box           | Service Level |
|-------------------|--------------|-----------------|---------------|-----------------------|---------------|
| 1958-020-00-10-16 | E1213        | small (20-32mm) | 160mm x 700mm | -                     | A             |
| 1958-020-10-10-16 | E3199        | small (20-32mm) | 160mm x 700mm | Water                 | A             |
| 1958-040-00-10-16 | E4703        | large (40-63mm) | 160mm x 700mm | -                     | A             |
| 1958-040-10-10-16 | E7226        | large (40-63mm) | 160mm x 700mm | Water                 | A             |
| 1958-040-20-10-16 | E6996        | large (40-63mm) | 160mm x 700mm | Gas (Black)           | A             |
| 1958-040-25-10-16 | E7057        | large (40-63mm) | 160mm x 700mm | Gas (Yellow)          | A             |
| 1958-000-00-00-16 | 19908        | -               | 160mm x 700mm | -                     | A             |
| 1958-020-00-00-00 | 1209         | small (20-32mm) | -             | -                     | A             |
| 1958-040-00-00-00 | 1211         | large (40-63mm) | -             | -                     | A             |
| 1958-000-00-10-00 | 1210         | -               | -             | Universal top adaptor | A             |

## TALBOT STOPCOCK CHAMBER SYSTEM TWINWALL PIPE

### Specification

Talbot Stopcock Chamber System Twinwall Pipe for stopvalves 20-63mm, plastic. Small base for stopvalves 20-32mm, large base for 40-63mm stopvalves. Grade C surface box to BS5834-2:2011.



| New Product Code  | Product Code    | Base  | Tube          | Top Hat      | Surface Box | Service Level |
|-------------------|-----------------|-------|---------------|--------------|-------------|---------------|
| 1958-034-10-20-15 | SB/CHAMBERSYST2 | small | 150mm x 750mm | 220mm Round  | Water       | B             |
| 1958-100-00-30-15 | CHAMBSTOPTAP    | large | 150mm x 750mm | 215mm Square | -           | B             |
| 1958-034-00-20-15 | SB/CHAMBERSYST  | small | 150mm x 750mm | 220mm Round  | -           | B             |
| 1958-000-00-30-00 | 91/028          | -     | -             | 215mm Square | -           | B             |
| 1958-000-00-20-00 | 91/007/SB       | -     | -             | 220mm Round  | -           | B             |
| 1958-000-00-00-15 | TWP175750       | -     | 150mm x 750mm | -            | -           | B             |
| 1958-000-00-00-22 | TWP225600       | -     | 225mm x 600mm | -            | -           | B             |
| 1958-034-00-00-00 | 91/001/SB       | small | -             | -            | -           | B             |
| 1958-100-00-00-00 | 91/025          | large | -             | -            | -           | B             |

## SURFACE BOXES FOR STOPCOCK CHAMBERS

### Specification

Talbot boxes for standard or twinwall chamber systems. For twinwall pipe use 220mm round top hat. Grade C surface box to BS5834-2:2011



| New Product Code  | Product Code | Surface Box        | Service Level |
|-------------------|--------------|--------------------|---------------|
| 1958-000-10-00-00 | 1202A        | Water              | A             |
| 1958-000-15-00-00 | 1202B        | Black (no marking) | A             |
| 1958-000-20-00-00 | 1203A        | Gas (Black)        | A             |
| 1958-000-25-00-00 | 1206A        | Gas (Yellow)       | A             |

## BOUNDARY BOX SPARES AND ACCESSORIES

### BOUNDARY BOX SURFACE BOXES

|                                                                                                                            | New Product Code | Product Code | Spare                                                     | Service Level |
|----------------------------------------------------------------------------------------------------------------------------|------------------|--------------|-----------------------------------------------------------|---------------|
|                                           | --               | E9981        | MATRIX Surface Box Grade C 'Water'                        | A             |
|                                           | --               | 11349        | MATRIX Surface Box Grade C 'Water' marked 'UISCE'         | B             |
|                                           | --               | E11745       | MATRIX Surface Box Grade B Plastic 'Water'                | A             |
|                                                                                                                            |                  | E11753       | MATRIX Surface Box Grade B Plastic 'UISCE'                | B             |
|                                           | --               | WB572221BP   | MATRIX Surface Box Grade B Ductile Iron 'Water'           | A             |
|                                           | --               | MB600200BK   | Atlas Surface Box Grade C 'Water'/Keyhole                 | B             |
|                                          | --               | WMB84        | EBCO Surface Box Grade C Snap Shut                        | B             |
|  | --               | MB601295BK   | Atlas Surface Box Grade C for EBCO 1" NOM Box c/w top hat | B             |
|                                         | --               | WMB84/WMB44  | EBCO Single Surface Box Grade C Snap Shut c/w top hat     | B             |

### BOUNDARY BOX SURFACE BOXES

|                                                                                     | New Product Code | Product Code | Spare                                                    | Service Level |
|-------------------------------------------------------------------------------------|------------------|--------------|----------------------------------------------------------|---------------|
|  | --               | E11367       | MATRIX Lid Grade C 'Water'                               | A             |
|  | --               | 11070        | MATRIX Lid Grade C 'Water' marked 'UISCE'                | B             |
|  | --               | MC519200BM   | MATRIX square plate top                                  | A             |
|  | --               | 8657M        | Lid seal MATRIX Grade C & Grade B                        | A             |
|  | --               | 8658M        | Surface box seal for Guard Tube-MATRIX Grade C & Grade B | A             |
|  | --               | E11745SL     | MATRIX Lid Grade B 'Water'                               | A             |
|  | --               | APC00279     | Single Pluck Lid with Tether- Atlas DMC boundary boxes   | A             |
|  | --               | BOP77166     | Lid Seal - Atlas DMC boundary boxes                      | A             |

## BOUNDARY BOX SPARES AND ACCESSORIES

### SLIDING HEAD ASSEMBLY (SINGLE BOXES)

|                                                                                     | New Product Code | Product Code | Spare                                                                  | Service Level |
|-------------------------------------------------------------------------------------|------------------|--------------|------------------------------------------------------------------------|---------------|
|    | --               | E11980       | MATRIX Plus R lid & sleeve assembly (black)<br>Grade C 'Water'         | A             |
|    | --               | E11980B      | MATRIX Plus R lid & sleeve assembly (black)<br>Grade B Plastic 'Water' | B             |
|   | --               | MC565314AM   | Seal base to ext tube for<br>MATRIX Plus R                             | A             |
|  | --               | E11630E      | MATRIX Plus S lid & sleeve assembly (black)<br>'Water'                 | A             |
|  | --               | E11630EB     | MATRIX Plus S lid & sleeve assembly (black)<br>Grade B Plastic 'Water' | A             |
|  | --               | 11071        | MATRIX Plus S lid & sleeve assembly (beige)<br>'Water' marked 'UISCE'  | B             |
|  | --               | E11630       | MATRIX Plus S lid & sleeve assembly (beige)<br>'Water'                 | A             |
|  | --               | 8656M        | Seal base to ext tube for<br>MATRIX Plus S                             | A             |



## BOUNDARY BOX SPARES AND ACCESSORIES

### SLIDING HEAD ASSEMBLY (SINGLE BOXES)



| New Product Code | Product Code | Spare                                                 | Service Level |
|------------------|--------------|-------------------------------------------------------|---------------|
| --               | E11366       | MATRIX Sliding Head Assembly - EBCO base manifold box | A             |

|    |        |                                                         |   |
|----|--------|---------------------------------------------------------|---|
| -- | E11375 | MATRIX Sliding Head Assembly - EBCO raised manifold box | A |
|----|--------|---------------------------------------------------------|---|

### METER PORT FLOW CAPS



| New Product Code | Product Code | Spare                                                         | Service Level |
|------------------|--------------|---------------------------------------------------------------|---------------|
| --               | MCP10        | Full flow cap kit with o-ring seals                           | A             |
| --               | MCP20        | Trickle flow with o-ring seals for gunmetal manifolds         | A             |
| --               | MCP30        | No flow with o-ring seals for gunmetal manifolds              | A             |
| --               | APC00955     | Yellow trickle flow plug kit for plastic manifolds            | A             |
| --               | APC00954     | Red no flow plug kit for plastic manifolds                    | A             |
| --               | MCG10        | GM Full flow cap kit with o-ring seals for gunmetal manifolds | A             |
| --               | MCG30        | GM No flow cap kit with o-ring seals for gunmetal manifolds   | A             |
| --               | MCG15        | GM 2" full flow cap for 1" NOM Box                            | A             |

## BOUNDARY BOX SPARES AND ACCESSORIES

### ISOLATION VALVE KEYS

|                                                                                     | New Product Code | Product Code | Spare                                                      | Service Level |
|-------------------------------------------------------------------------------------|------------------|--------------|------------------------------------------------------------|---------------|
|    | --               | 8292         | Long key - MATRIX                                          | A             |
|    | --               | APC00902     | 1/4 turn Valve key - ATPLAS & EBCO                         | A             |
|    | --               | 8292green    | Long key - MATRIX Barrier                                  | A             |
|    | --               | APC00118     | Rising spindle valve key - ATPLAS                          | A             |
|    | --               | 8290         | Ball valve key- flush for MATRIX                           | A             |
|   | --               | PEN008       | 1/4 turn key head - EBCO counterclockwise plastic manifold | A             |
|  | --               | PEN015       | 1/4 turn key head - EBCO clockwise plastic manifold        | A             |
|  | --               | PEN008GREEN  | 1/4 turn key head - EBCO Barrier Plastic Manifold          | A             |
|  | --               | MC113BR      | 1/4 turn key head - EBCO gunmetal manifold                 | A             |
|  | --               | MC113GREEN   | 1/4 turn key head - EBCO Barrier gunmetal manifold         | A             |

### INSULATION

|                                                                                     | New Product Code | Product Code | Spare                                         | Service Level |
|-------------------------------------------------------------------------------------|------------------|--------------|-----------------------------------------------|---------------|
|  | --               | 8654B        | Insulation pad - MATRIX Plus S boundary boxes | A             |
|  | --               | BOP00842     | Insulation pad - MATRIX Plus R boundary boxes | A             |
|  | --               | WMB50B       | Insulation pad - EBCO Boundary boxes          | A             |
|  | --               | WC200247AP   | Insulation pad - EBCO 1" NOM boundary boxes   | A             |

## BOUNDARY BOX SPARES AND ACCESSORIES

### METER PORT CHECK VALVES

|                                                                                                        | New Product Code | Product Code | Spare                                                   | Service Level |
|--------------------------------------------------------------------------------------------------------|------------------|--------------|---------------------------------------------------------|---------------|
|                       | --               | MATNRV       | Check Valve for MATRIX and EBCO raised manifolds        | A             |
|                       | --               | MATDCV       | Double Check Valve for MATRIX and EBCO raised manifolds | A             |
|                       | --               | MV03NRVSA    | Check Valve for EBCO base manifolds                     | A             |
|  | --               | GNRVKIT1     | Check Valve for EBCO 1" NOM manifolds                   | A             |
|                      | --               | S0036        | Check Valve assembly- ATPLAS DMC boundary boxes         | A             |
|                     | --               | PNRV03       | Check Valve for EBCO Raised (old boxes)                 | A             |

### RISING SPINDLE

|                                                                                     | New Product Code | Product Code | Spare                                                     | Service Level |
|-------------------------------------------------------------------------------------|------------------|--------------|-----------------------------------------------------------|---------------|
|  | --               | APC00801     | Unified spindle tower sub assembly ATPLAS rising spindles | A             |

### GUARD TUBE NRV

|                                                                                     | New Product Code | Product Code | Spare                              | Service Level |
|-------------------------------------------------------------------------------------|------------------|--------------|------------------------------------|---------------|
|  | --               | NRV0210      | NRV for MATRIX Plus Box guard tube | A             |

## BOUNDARY BOX SPARES AND ACCESSORIES

### DOUBLE AND MULTI BOX SPARES

|                                                                                     | New Product Code | Product Code  | Spare                                                             | Service Level |
|-------------------------------------------------------------------------------------|------------------|---------------|-------------------------------------------------------------------|---------------|
|    | --               | WB210WATER    | MATRIX Double Lid                                                 | A             |
|    | --               | WC212335AM    | MATRIX Double Lid Seal                                            | A             |
|    | --               | WB211WATERS   | MATRIX Double Oval Surface Box                                    | A             |
|   | --               | WB211WATERSQS | MATRIX Double Square Surface Box                                  | A             |
|  | --               | WB226335CP    | MATRIX Double Ductile Iron Surface Box                            | C             |
|  | --               | WC223335AM    | MATRIX Double Insulation                                          | A             |
|  | --               | E11310        | MATRIX Double lid and sleeve assembly (Square)                    | A             |
|  | --               | E11311        | MATRIX Double lid and sleeve assembly (Oval)                      | A             |
|  | --               | DBL01182      | Double Pluck Lid with wiper seal - Atplas DMC Double Boundary Box | B             |
|  | --               | MB404357AM    | MATRIX Multi Lid                                                  | B             |
|  | --               | MB404340AM    | MATRIX Multi Surface box assembly including lid                   | B             |
|  | --               | MB404180UM    | MATRIX Multi Raiser section (excluding seal)                      | B             |



## BOUNDARY BOX SPARES AND ACCESSORIES

### DOUBLE AND MULTI BOX SPARES

|                                                                                     | New Product Code | Product Code | Spare                                                    | Service Level |
|-------------------------------------------------------------------------------------|------------------|--------------|----------------------------------------------------------|---------------|
|    | --               | MB4048654AP  | MATRIX Multi Insulation frost pad                        | A             |
|    | --               | MB404232AM   | MATRIX Multi Support beam (pair)                         | B             |
|    | --               | APC00602     | Atlas Multi-manifold Lid with Handles                    | B             |
|   | --               | APC00606     | Atlas Multi-manifold Sealed Riser, Tilt Head assembly    | B             |
|  | --               | MUL01180     | Atlas Multi-manifold Un-Sealed Riser, Tilt head assembly | B             |
|  | --               | BOP00240     | Atlas Multi-manifold Insulation                          | B             |
|  | --               | APC01003     | Atlas Multi-manifold 90mm Riser section                  | A             |
|  | --               | APC01005     | Atlas Multi-manifold 180mm Riser section                 | A             |

### EBCO METER ACCESSORIES

|                                                                                     | New Product Code | Product Code | Spare                                                   | Service Level |
|-------------------------------------------------------------------------------------|------------------|--------------|---------------------------------------------------------|---------------|
|  | --               | MR010        | Gunmetal 1 1/2" meter raiser, 270mm height              | B             |
|  | --               | MHA0806      | Gunmetal meter housing adaptor 2" - 1 1/2", 49mm height | B             |
|  | --               | WMB150       | EBCO Particulate Filter Housing, 345mm high             | B             |
|  | --               | WMB179       | EBCO Particulate Filter Housing, 196mm high             | B             |



## BOUNDARY BOX SPARES AND ACCESSORIES

### BOUNDARY BOX TOOLS

|                                                                                     | New Product Code  | Product Code | Spare                                                                                                                                                                                          | Service Level |
|-------------------------------------------------------------------------------------|-------------------|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
|    | --                | BOP77008     | Short T-bar 400mm long                                                                                                                                                                         | A             |
|    | --                | BOP77009     | T-bar extension 500mm long                                                                                                                                                                     | A             |
|    | --                | BOP77011-28  | 28mm socket for Meter Plug and Check Valve                                                                                                                                                     | A             |
|    | --                | BOP77085     | ATPLAS Mk1 & 2 Household Screw-Lid Spanner - Knuckle Guard                                                                                                                                     | A             |
|  | --                | BOP00282     | Stop-valve Key - 900mm Long 1/4 turn                                                                                                                                                           | A             |
|  | --                | BOP00309     | Stop-valve Release spanner rising spindle                                                                                                                                                      | A             |
|  | --                | WMB327       | Operating key flow caps and Check Valve (EBCO Raised)                                                                                                                                          | A             |
|  | --                | BOP00618     | 1/2" drive T Bar                                                                                                                                                                               | A             |
|  | --                | APC00557     | Spanner Set NO.1 (Bag containing: Short T-bar, T-bar extension, 28mm socket for meter plug and check valve, Heads: Kent Mini and Elster V2, Socam LAT and LM 501, Atpllas, Kent Meter Spanner) | A             |
|  | --                | APC00284     | Spanner Set NO.2 (Bag containing: Short T-bar, T-bar extension, 28mm socket for meter plug and check valve, Heads: Kent Mini and Elster V2, Kent Meter Spanner)                                | A             |
|  | 1907-025000-90-01 | E2947        | 25mm PE Pipe Release Shims - MATRIX Boxes (pack of 10)                                                                                                                                         | A             |
|  | 1907-032000-90-01 | E2948        | 32mm PE Pipe Release Shims - MATRIX Boxes (pack of 10)                                                                                                                                         | A             |



# INTERNAL METERING

|                                             |     |
|---------------------------------------------|-----|
| WATER POINT                                 | 048 |
| TALBOT INTERNAL METER CARRIER               | 049 |
| TALBOT INTERNAL METER CARRIER<br>MANIFOLD   | 049 |
| EBCO METER VALVES                           | 050 |
| EBCO METER CARRIER FOR CONCENTRIC<br>METERS | 051 |
| EBCO INLINE METER CONNECTION KITS           | 052 |
| EBCO INLINE TAILS                           | 053 |
| EBCO METER INSTALL COPPER LOOPS             | 054 |
| EBCO MULTIPORT MANIFOLDS                    | 055 |
| TALBOT MODULAR MANIFOLD SYSTEM              | 056 |



## WATER POINT

### Specification

Water Point Internal Meter Box for concentric meter, ABS Box, POM manifold, Nitrile/EPDM/PTFE seals, integrated drain off and stopcock, WRAS approved product, PN16



WATCH OUR  
WATER POINT VIDEO



| New Product Code   | Product Code | Pipe dia.<br>Inlet MM | Inlet<br>Connection | Pipe dia.<br>Outlet MM | Outlet<br>Connection | Service Level |
|--------------------|--------------|-----------------------|---------------------|------------------------|----------------------|---------------|
| 1955-015015-10-101 | WA3261515AM  | 15                    | Compression         | 15                     | Compression          | A             |
| 1955-015022-10-101 | WA3261522AM  | 15                    | Compression         | 22                     | Compression          | A             |
| 1955-022015-10-101 | WA3262215AM  | 22                    | Compression         | 15                     | Compression          | A             |
| 1955-022022-10-101 | WA3262222AM  | 22                    | Compression         | 22                     | Compression          | A             |
| 1955-025015-10-102 | WA3262515AM  | 25                    | PE Pushfit          | 15                     | Compression          | A             |
| 1955-025022-10-102 | WA3262522AM  | 25                    | PE Pushfit          | 22                     | Compression          | A             |



## TALBOT INTERNAL METER CARRIER

### Specification

Talbot Internal Meter Carrier for concentric meter, POM body, EPDM seals, integrated drain off to BS2464, WRAS approved product, PN16



| New Product Code   | Product Code | Pipe dia.<br>Inlet MM | Inlet<br>Connection | Pipe dia.<br>Outlet MM | Outlet<br>Connection | Service Level |
|--------------------|--------------|-----------------------|---------------------|------------------------|----------------------|---------------|
| 1980-015015-10-111 | MA3261515AM  | 15                    | Compression         | 15                     | Compression          | A             |
| 1980-015022-10-111 | MA3261522AM  | 15                    | Compression         | 22                     | Compression          | A             |
| 1980-022015-10-111 | MA3262215AM  | 22                    | Compression         | 15                     | Compression          | A             |
| 1980-022022-10-111 | MA3262222AM  | 22                    | Compression         | 22                     | Compression          | A             |
| 1980-025015-10-121 | MA3262515AM  | 25                    | PE Pushfit Spigot   | 15                     | Compression          | A             |
| 1980-025022-10-121 | MA3262522AM  | 25                    | PE Pushfit Spigot   | 22                     | Compression          | A             |

## TALBOT INTERNAL METER CARRIER MANIFOLD

### Specification

Talbot Internal Meter Carrier Manifold for concentric meter, BS5433 plastic stopcock, POM body, EPDM seals, integrated drain off to BS2464 for 25mm PE Pushfit inlet versions, WRAS approved product, PN16



| New Product Code   | Product Code | Pipe dia.<br>Inlet MM | Inlet<br>Connection | Pipe dia.<br>Outlet MM | Outlet<br>Connection | Service Level |
|--------------------|--------------|-----------------------|---------------------|------------------------|----------------------|---------------|
| 1980-015015-20-111 | WA3281515BM  | 15                    | Compression         | 15                     | Compression          | B             |
| 1980-015022-20-111 | WA3281522BM  | 15                    | Compression         | 22                     | Compression          | B             |
| 1980-022015-20-111 | WA3282215BM  | 22                    | Compression         | 15                     | Compression          | B             |
| 1980-022022-20-111 | WA3282222BM  | 22                    | Compression         | 22                     | Compression          | B             |
| 1980-025015-25-121 | MA3282515AM  | 25                    | PE Pushfit          | 15                     | Compression          | B             |
| 1980-025022-25-121 | MA3282522AM  | 25                    | PE Pushfit          | 22                     | Compression          | B             |

## EBCO BASE METER VALVE

### Specification

EBCO Base Meter Valve for concentric meter, Gunmetal CC491K body, EPDM seals, WRAS approved product, PN16, 1/2" valve for MVB0030/40, 3/4" valve for MVB0210/50/30



| New Product Code   | Product Code | Inlet D | Inlet Connection | Outlet D | Outlet Connection | Blanking Plug | Service Level |
|--------------------|--------------|---------|------------------|----------|-------------------|---------------|---------------|
| 1980-034034-30-166 | MVB0030      | 3/4"    | Male BSP         | 3/4"     | Male BSP          | Full Flow     | B             |
| 1980-034034-35-166 | MVB0040      | 3/4"    | Male BSP         | 3/4"     | Male BSP          | No Flow       | B             |
| 1980-034034-30-155 | MVB0210      | 3/4"    | Female BSP       | 3/4"     | Female BSP        | Full Flow     | A             |
| 1980-100034-30-165 | MVB0250      | 1"      | Male BSP         | 3/4"     | Female BSP        | Full Flow     | C             |
| 1980-100100-30-166 | MVB0230      | 1"      | Male BSP         | 1"       | Male BSP          | Full Flow     | B             |

## EBCO BASE METER VALVE

### Specification

EBCO Base Meter Valve for concentric meter, Gunmetal CC491K body, EPDM seals, WRAS approved product, PN16



| New Product Code   | Product Code | Inlet D | Inlet Connection | Pipe dia. Outlet | Outlet Connection | Service Level |
|--------------------|--------------|---------|------------------|------------------|-------------------|---------------|
| 1980-034034-40-155 | MVS0110      | 3/4"    | Female BSP       | 3/4"             | Female BSP        | B             |

## EBCO RAISED METER VALVE

### Specification

EBCO Raised Meter Valve for concentric meter, Gunmetal CC491K body, EPDM seals, WRAS approved components, PN16



| New Product Code   | Product Code | Pipe dia.<br>Inlet MM | Inlet<br>Connection | Pipe dia.<br>Outlet MM | Outlet<br>Connection | Service Level |
|--------------------|--------------|-----------------------|---------------------|------------------------|----------------------|---------------|
| 1980-025025-50-144 | MVR0020      | 25                    | Pushfit             | 25                     | Pushfit              | C             |
| 1980-025025-50-177 | MVR0040      | 25                    | PE pipe tail        | 25                     | PE pipe tail         | B             |

## EBCO METER CARRIER FOR CONCENTRIC METER

### Specification

EBCO Meter Carrier for concentric meter, Gunmetal CC491K body, EPDM seals, PN16



| New Product Code   | Product Code | Inlet D | Inlet<br>Connection | Outlet D | Outlet<br>Connection | Meter Size | Service Level |
|--------------------|--------------|---------|---------------------|----------|----------------------|------------|---------------|
| 1980-034034-60-166 | MVH0001      | ¾"      | Male BSP            | ¾"       | Male BSP             | 1 ½"       | B             |
| 1980-100100-60-166 | MVH0010      | 1"      | Male BSP            | 1"       | Male BSP             | 1 ½"       | B             |
| 1980-114114-65-166 | MVH0020      | 1 ¼"    | Male BSP            | 1 ¼"     | Male BSP             | 2"         | B             |

## EBCO METER CARRIER FOR CONCENTRIC METER

### Specification

EBCO Meter Carrier for concentric meter,  
Gunmetal CC491K body, EPDM seals, PN16



| New Product Code   | Product Code | Pipe dia.<br>Inlet MM | Inlet<br>Connection | Pipe dia.<br>Outlet MM | Outlet<br>Connection | Service Level |
|--------------------|--------------|-----------------------|---------------------|------------------------|----------------------|---------------|
| 1980-015015-70-166 | MVH0080      | 15                    | Compression         | 15                     | Compression          | B             |

## EBCO INLINE METER CONNECTION KIT

### Specification

EBCO Inline Meter Connection Kit, DZR  
brass CW602N body full bore, integrated  
isolation valve and drain point, press sockets  
for M profile jaws, WRAS approved product  
PN10



| New Product Code   | Product Code | Pipe dia.<br>Inlet MM | Inlet<br>Connection | Pipe dia.<br>Outlet MM | Outlet<br>Connection | Meter<br>Nominal<br>Size | Meter<br>Connection | Service Level |
|--------------------|--------------|-----------------------|---------------------|------------------------|----------------------|--------------------------|---------------------|---------------|
| 1982-015015-10-011 | MKCF1515     | 15                    | Compression         | 15                     | Compression          | DN15                     | Rp 3/4" BSP         | A             |
| 1982-022022-10-011 | MKCF2222     | 22                    | Compression         | 22                     | Compression          | DN20                     | Rp 1" BSP           | A             |
| 1982-015015-10-066 | MKPFS1515    | 15                    | Press fit socket    | 15                     | Press Fit Socket     | DN15                     | Rp 3/4" BSP         | A             |
| 1982-022022-10-066 | MKPFS2222    | 22                    | Press fit socket    | 22                     | Press Fit Socket     | DN20                     | Rp 1" BSP           | A             |

## EBCO INLINE METER BENT TAILS

### Specification

EBCO Inline Meter Bent Tails, DZR brass  
CW602N nut, copper pipe, 2 tails



| New Product Code   | Product Code | Pipe dia.<br>Inlet MM | Inlet<br>Connection | Pipe dia.<br>Outlet MM | Outlet<br>Connection | Meter<br>Nominal<br>Size | Meter<br>Connection | Service Level |
|--------------------|--------------|-----------------------|---------------------|------------------------|----------------------|--------------------------|---------------------|---------------|
| 1982-015034-30-042 | MT9015       | 15                    | Copper pipe         | 15                     | Copper pipe          | DN15                     | Rp ¾" BSP           | A             |
| 1982-022100-30-042 | MT9020       | 22                    | Copper pipe         | 22                     | Copper pipe          | DN20                     | Rp 1" BSP           | A             |

## EBCO INLINE METER STRAIGHT TAILS

### Specification

EBCO Inline Meter Straight Tails, DZR brass  
CW602N, 2 tails



| New Product Code   | Product Code | Pipe dia.<br>Inlet MM | Inlet<br>Connection                | Pipe dia.<br>Outlet MM | Outlet<br>Connection               | Meter<br>Nominal<br>Size | Meter<br>Connection | Service Level |
|--------------------|--------------|-----------------------|------------------------------------|------------------------|------------------------------------|--------------------------|---------------------|---------------|
| 1982-015034-20-042 | MT15         | 15                    | Brass tail for compression / press | 15                     | Brass tail for compression / press | DN15                     | Rp ¾" BSP           | A             |
| 1982-022100-20-042 | MT20         | 22                    | Brass tail for compression / press | 22                     | Brass tail for compression / press | DN20                     | Rp 1" BSP           | A             |
| 1982-100114-20-032 | MT25         | 1"                    | Male BSP                           | 1"                     | Male BSP                           | DN25                     | Rp 1 ¼" BSP         | A             |
| 1982-114112-20-032 | MT30         | 1 ¼"                  | Male BSP                           | 1 ¼"                   | Male BSP                           | DN30                     | Rp 1 ½" BSP         | A             |
| 1982-112200-20-032 | MT40         | 1 ½"                  | Male BSP                           | 1 ½"                   | Male BSP                           | DN40                     | Rp 2" BSP           | A             |



## EBCO METER INSTALL COPPER LOOPS

### Specification

EBCO copper loops, copper



| New Product Code   | Product Code | Pipe dia. MM | Service Level |
|--------------------|--------------|--------------|---------------|
| 1982-015015-40-044 | BZFL15       | 15mm         | A             |
| 1982-022022-40-044 | BZFL22       | 22mm         | A             |

## EBCO 2 PORT MANIFOLD WITHOUT METER VALVE

### Specification

EBCO 2 Port Manifold, Gunmetal CC491K body, PN16



| New Product Code       | Product Code | Inlet D | Inlet Connection | Outlet D | Outlet Connection | Service Level |
|------------------------|--------------|---------|------------------|----------|-------------------|---------------|
| 1984-100100-20-0211001 | MANI22       | 1"      | Female BSP       | 2 x 1"   | Female BSP        | C             |

## EBCO 4 PORT MANIFOLD KIT FORM

### Specification

EBCO 4 Port Manifold, Gunmetal CC491K body, kit form, WRAS approved product PN16



| New Product Code       | Product Code | Inlet D | Inlet Connection | Outlet D | Outlet Connection | Valve Size | Head Works  | Blanking Plug | Service Level |
|------------------------|--------------|---------|------------------|----------|-------------------|------------|-------------|---------------|---------------|
| 1984-112034-15-0412111 | MANI402      | 1 1/2"  | Female BSP       | 4 x 3/4" | Male BSP          | 1/2"       | Crutch Head | Full Flow     | B             |
| 1984-112034-15-0412211 | MANI403      | 1 1/2"  | Female BSP       | 4 x 3/4" | Male BSP          | 1/2"       | Crutch Head | Trickle Flow  | B             |
| 1984-112034-15-0411111 | MANI411      | 1 1/2"  | Female BSP       | 4 x 3/4" | Female BSP        | 3/4"       | Crutch Head | Full Flow     | A             |
| 1984-112034-15-0411121 | MANI451      | 1 1/2"  | Female BSP       | 4 x 3/4" | Female BSP        | 3/4"       | 1/4" Turn   | Full Flow     | A             |

## EBCO 6 PORT MANIFOLD KIT FORM

### Specification

EBCO 6 Port Manifold, Gunmetal CC491K body, kit form, WRAS approved product PN16



| New Product Code       | Product Code | Inlet D | Inlet Connection | Outlet D | Outlet Connection | Valve Size | Head Works  | Blanking Plug | Service Level |
|------------------------|--------------|---------|------------------|----------|-------------------|------------|-------------|---------------|---------------|
| 1984-112034-15-0612111 | MANI602      | 1 1/2"  | Female BSP       | 6 x 3/4" | Male BSP          | 1/2"       | Crutch Head | Full Flow     | B             |
| 1984-112034-15-0612211 | MANI603      | 1 1/2"  | Female BSP       | 6 x 3/4" | Male BSP          | 1/2"       | Crutch Head | Trickle Flow  | B             |
| 1984-112034-15-0611111 | MANI611      | 1 1/2"  | Female BSP       | 6 x 3/4" | Female BSP        | 3/4"       | Crutch Head | Full Flow     | A             |
| 1984-112034-15-0611121 | MANI651      | 1 1/2"  | Female BSP       | 6 x 3/4" | Female BSP        | 3/4"       | 1/4" Turn   | Full Flow     | A             |

## TALBOT MODULAR MANIFOLD SYSTEM WITH METER CARRIER

### Specification

Talbot Modular Manifold System for concentric meters, Acetal body, EPDM seals, PN16



| New Product Code      | Product Code | Pipe dia.<br>Inlet MM | Inlet<br>Connection | Pipe dia.<br>Outlet MM | Outlet<br>Connection | Service Level |
|-----------------------|--------------|-----------------------|---------------------|------------------------|----------------------|---------------|
| 1983-050025-10-021101 | E3707        | 50                    | Pushfit             | 2 x 25                 | Pushfit              | B             |
| 1983-050025-10-031101 | E3708        | 50                    | Pushfit             | 3 x 25                 | Pushfit              | B             |
| 1983-050025-10-041101 | E3709        | 50                    | Pushfit             | 4 x 25                 | Pushfit              | B             |
| 1983-050025-10-051101 | E3710        | 50                    | Pushfit             | 5 x 25                 | Pushfit              | B             |
| 1983-050025-10-061101 | E3711        | 50                    | Pushfit             | 6 x 25                 | Pushfit              | B             |
| 1983-050025-10-071101 | E3712        | 50                    | Pushfit             | 7 x 25                 | Pushfit              | B             |
| 1983-050025-10-081101 | E3713        | 50                    | Pushfit             | 8 x 25                 | Pushfit              | B             |
| 1983-050025-10-091101 | E3714        | 50                    | Pushfit             | 9 x 25                 | Pushfit              | B             |
| 1983-050025-10-101101 | E3715        | 50                    | Pushfit             | 10 x 25                | Pushfit              | B             |
| 1983-050025-10-111101 | E3716        | 50                    | Pushfit             | 11 x 25                | Pushfit              | B             |
| 1983-050025-10-121101 | E3717        | 50                    | Pushfit             | 12 x 25                | Pushfit              | B             |
| 1983-063025-10-021101 | E3718        | 63                    | Pushfit             | 2 x 25                 | Pushfit              | B             |
| 1983-063025-10-031101 | E3719        | 63                    | Pushfit             | 3 x 25                 | Pushfit              | B             |
| 1983-063025-10-041111 | E3720        | 63                    | Pushfit             | 4 x 25                 | Pushfit              | B             |
| 1983-063025-10-051111 | E3721        | 63                    | Pushfit             | 5 x 25                 | Pushfit              | B             |
| 1983-063025-10-061111 | E3722        | 63                    | Pushfit             | 6 x 25                 | Pushfit              | B             |
| 1983-063025-10-071111 | E3723        | 63                    | Pushfit             | 7 x 25                 | Pushfit              | B             |
| 1983-063025-10-081111 | E3724        | 63                    | Pushfit             | 8 x 25                 | Pushfit              | B             |
| 1983-063025-10-091111 | E3725        | 63                    | Pushfit             | 9 x 25                 | Pushfit              | B             |
| 1983-063025-10-101111 | E3726        | 63                    | Pushfit             | 10 x 25                | Pushfit              | B             |
| 1983-063025-10-111111 | E3727        | 63                    | Pushfit             | 11 x 25                | Pushfit              | B             |
| 1983-063025-10-121111 | E3728        | 63                    | Pushfit             | 12 x 25                | Pushfit              | B             |
| 1983-200025-10-022111 | E4592        | 2"                    | Female BSP          | 2 x 25                 | Pushfit              | B             |
| 1983-200025-10-042111 | E5896        | 2"                    | Female BSP          | 4 x 25                 | Pushfit              | B             |
| 1983-200025-10-062111 | E5017        | 2"                    | Female BSP          | 6 x 25                 | Pushfit              | B             |
| 1983-200012-10-022511 | E11267       | 2"                    | Female BSP          | 2 x ½" Irish HG        | Pushfit              | C             |
| 1983-200012-10-032511 | E7712        | 2"                    | Female BSP          | 3 x ½" Irish HG        | Pushfit              | C             |
| 1983-200012-10-042511 | E9888        | 2"                    | Female BSP          | 4 x ½" Irish HG        | Pushfit              | C             |
| 1983-200034-10-042511 | E10309       | 2"                    | Female BSP          | 4 x ¾" Irish HG        | Pushfit              | C             |
| 1983-200012-10-062511 | E9889        | 2"                    | Female BSP          | 6 x ½" Irish HG        | Pushfit              | C             |

## TALBOT MODULAR MANIFOLD SYSTEM WITH METER CARRIER

| New Product Code      | Product Code | Pipe dia.<br>Inlet MM | Inlet<br>Connection | Pipe dia.<br>Outlet MM | Outlet<br>Connection | Service Level |
|-----------------------|--------------|-----------------------|---------------------|------------------------|----------------------|---------------|
| 1983-200034-10-062511 | E10310       | 2"                    | Female BSP          | 6 x ¾" Irish HG        | Pushfit              | C             |
| 1983-200012-10-082511 | E9890        | 2"                    | Female BSP          | 8 x ½" Irish HG        | Pushfit              | C             |
| 1983-200012-10-102511 | E10100       | 2"                    | Female BSP          | 10 x ½" Irish HG       | Pushfit              | C             |
| 1983-200012-10-122511 | E10483       | 2"                    | Female BSP          | 12 x ½" Irish HG       | Pushfit              | C             |
| 1983-200012-10-142511 | E10495       | 2"                    | Female BSP          | 14 x ½" Irish HG       | Pushfit              | C             |

## TALBOT MODULAR MANIFOLD SYSTEM

Specification

Talbot Modular Manifold System, Acetal body, EPDM seals, PN16







| New Product Code      | Product Code | Pipe dia.<br>Inlet MM | Inlet<br>Connection | Pipe dia.<br>Outlet MM | Outlet<br>Connection | Service Level |
|-----------------------|--------------|-----------------------|---------------------|------------------------|----------------------|---------------|
| 1983-050025-20-021101 | E3751        | 50                    | Pushfit             | 2 x 25                 | Pushfit              | B             |
| 1983-050025-20-031101 | E3752        | 50                    | Pushfit             | 3 x 25                 | Pushfit              | B             |
| 1983-050025-20-041101 | E3753        | 50                    | Pushfit             | 4 x 25                 | Pushfit              | B             |
| 1983-050025-20-051101 | E3754        | 50                    | Pushfit             | 5 x 25                 | Pushfit              | B             |
| 1983-050025-20-061101 | E3755        | 50                    | Pushfit             | 6 x 25                 | Pushfit              | B             |
| 1983-050025-20-071101 | E3756        | 50                    | Pushfit             | 7 x 25                 | Pushfit              | B             |
| 1983-050025-20-081101 | E3757        | 50                    | Pushfit             | 8 x 25                 | Pushfit              | B             |
| 1983-050025-20-091101 | E3758        | 50                    | Pushfit             | 9 x 25                 | Pushfit              | B             |
| 1983-050025-20-101101 | E3759        | 50                    | Pushfit             | 10 x 25                | Pushfit              | B             |
| 1983-050025-20-111101 | E3760        | 50                    | Pushfit             | 11 x 25                | Pushfit              | B             |
| 1983-050025-20-121101 | E3761        | 50                    | Pushfit             | 12 x 25                | Pushfit              | B             |
| 1983-063025-20-021101 | E3762        | 63                    | Pushfit             | 2 x 25                 | Pushfit              | B             |
| 1983-063025-20-031101 | E3763        | 63                    | Pushfit             | 3 x 25                 | Pushfit              | B             |
| 1983-063025-20-041101 | E3764        | 63                    | Pushfit             | 4 x 25                 | Pushfit              | B             |
| 1983-063025-20-051101 | E3765        | 63                    | Pushfit             | 5 x 25                 | Pushfit              | B             |
| 1983-063025-20-061101 | E3766        | 63                    | Pushfit             | 6 x 25                 | Pushfit              | B             |
| 1983-063025-20-071101 | E3767        | 63                    | Pushfit             | 7 x 25                 | Pushfit              | B             |
| 1983-063025-20-081101 | E3768        | 63                    | Pushfit             | 8 x 25                 | Pushfit              | B             |

## TALBOT MODULAR MANIFOLD SYSTEM

| New Product Code      | Product Code | Pipe dia.<br>Inlet MM | Inlet<br>Connection | Pipe dia.<br>Outlet MM | Outlet<br>Connection | Service Level |
|-----------------------|--------------|-----------------------|---------------------|------------------------|----------------------|---------------|
| 1983-063025-20-091101 | E3769        | 63                    | Pushfit             | 9 x 25                 | Pushfit              | B             |
| 1983-063025-20-101101 | E3770        | 63                    | Pushfit             | 10 x 25                | Pushfit              | B             |
| 1983-063025-20-111101 | E3771        | 63                    | Pushfit             | 11 x 25                | Pushfit              | B             |
| 1983-063025-20-121101 | E3772        | 63                    | Pushfit             | 12 x 25                | Pushfit              | B             |
| 1983-200012-20-022501 | E5163        | 2"                    | Female BSP          | 2 x ½" Irish HG        | Pushfit              | C             |
| 1983-200012-20-032501 | E5164        | 2"                    | Female BSP          | 3 x ½" Irish HG        | Pushfit              | C             |
| 1983-200012-20-042501 | E5165        | 2"                    | Female BSP          | 4 x ½" Irish HG        | Pushfit              | C             |
| 1983-200012-20-052501 | E5166        | 2"                    | Female BSP          | 5 x ½" Irish HG        | Pushfit              | C             |
| 1983-200012-20-062501 | E5147        | 2"                    | Female BSP          | 6 x ½" Irish HG        | Pushfit              | C             |
| 1983-200012-20-072501 | E5167        | 2"                    | Female BSP          | 7 x ½" Irish HG        | Pushfit              | C             |
| 1983-200012-20-082501 | E5162        | 2"                    | Female BSP          | 8 x ½" Irish HG        | Pushfit              | C             |
| 1983-200012-20-092501 | E5168        | 2"                    | Female BSP          | 9 x ½" Irish HG        | Pushfit              | C             |
| 1983-200012-20-102501 | E5025        | 2"                    | Female BSP          | 10 x ½" Irish HG       | Pushfit              | C             |
| 1983-200012-20-112501 | E5148        | 2"                    | Female BSP          | 11 x ½" Irish HG       | Pushfit              | C             |
| 1983-200012-20-122501 | E4873        | 2"                    | Female BSP          | 12 x ½" Irish HG       | Pushfit              | C             |
| 1983-200012-20-132501 | E7703        | 2"                    | Female BSP          | 13 x ½" Irish HG       | Pushfit              | C             |
| 1983-200012-20-142501 | E7702        | 2"                    | Female BSP          | 14 x ½" Irish HG       | Pushfit              | C             |
| 1983-200012-20-152501 | E7700        | 2"                    | Female BSP          | 15 x ½" Irish HG       | Pushfit              | C             |
| 1983-200012-20-162501 | E7698        | 2"                    | Female BSP          | 16 x ½" Irish HG       | Pushfit              | C             |
| 1983-200012-20-172501 | E7705        | 2"                    | Female BSP          | 17 x ½" Irish HG       | Pushfit              | C             |
| 1983-200012-20-182501 | E7706        | 2"                    | Female BSP          | 18 x ½" Irish HG       | Pushfit              | C             |







# SERVICE VALVES

---

|                         |     |
|-------------------------|-----|
| EBCO BS5433 STOPCOCKS   | 062 |
| EBCO BS1010 STOPVALVES  | 065 |
| EBCO LEVER BALL VALVES  | 065 |
| EBCO BS1010 BALL VALVES | 066 |
| EBCO BS1010 BIB TAP     | 067 |
| TALBOT TALFLO VALVE     | 067 |
| EBCO SAMPLING TAP       | 068 |



## EBCO BS5433 BELOW GROUND STOPCOCK CRUTCH HEAD

### Specification

EBCO BS5433 Stopcock, Gunmetal  
CC491K body, Nitrile/EPDM seals, crutch  
head, WRAS approved product, PN16



| New Product Code  | Product Code | Pipe dia. MM | Connection | PN | Service Level |
|-------------------|--------------|--------------|------------|----|---------------|
| 1994-12-31-01-111 | SV5402FCR    | ½"           | Female BSP | 16 | A             |
| 1994-13-31-01-111 | SV5403FCR    | ¾"           | Female BSP | 16 | A             |
| 1994-14-31-01-111 | SV5404FCR    | 1"           | Female BSP | 16 | A             |
| 1994-16-31-01-111 | SV5406FCR    | 1 ½"         | Female BSP | 16 | A             |
| 1994-17-31-01-111 | SV5408FCR    | 2"           | Female BSP | 16 | A             |
| 1994-35-31-03-110 | SV5425ZCR    | 25           | Pushfit    | 16 | A             |
| 1994-36-31-03-110 | SV5432ZCR    | 32           | Pushfit    | 16 | A             |
| 1994-37-31-03-110 | SV5450ZCR    | 50           | Pushfit    | 16 | A             |
| 1994-38-31-03-110 | SV5463ZCR    | 63           | Pushfit    | 16 | A             |
| 1994-33-31-04-111 | SV5420BCR    | 20           | EBCO-B     | 16 | B             |
| 1994-37-31-04-111 | SV5450BCR    | 50           | EBCO-B     | 16 | B             |
| 1994-38-31-04-111 | SV5463BCR    | 63           | EBCO-B     | 16 | B             |

## TALBOT BS5433 BELOW GROUND STOPCOCK CRUTCH HEAD

### Specification

Talbot BS5433 Stopcock, Gunmetal  
CC491K body, Nitrile/EPDM seals, crutch  
head, PN16



| New Product Code  | Product Code | Pipe dia. MM | Connection | PN | Service Level |
|-------------------|--------------|--------------|------------|----|---------------|
| 1994-33-31-07-110 | E2988        | 20           | Pushfit    | 16 | A             |
| 1994-35-31-07-110 | E2993        | 25           | Pushfit    | 16 | A             |
| 1994-36-31-07-110 | E2996        | 32           | Pushfit    | 16 | A             |
| 1994-37-31-07-110 | E2998        | 50           | Pushfit    | 16 | B             |
| 1994-38-31-07-110 | E3000        | 63           | Pushfit    | 16 | B             |
| 1994-12-31-07-111 | E2982        | ½"           | Pushfit    | 16 | B             |
| 1994-13-31-07-111 | E2983        | ¾"           | Pushfit    | 16 | B             |

## TALBOT BS5433 BELOW GROUND STOPCOCK SQUARE HEAD

### Specification

Talbot BS5433 Stopcock, Gunmetal  
CC491K body, Nitrile/EPDM seals, square  
head, PN16



| New Product Code  | Product Code | Pipe dia. MM | Connection | PN | Service Level |
|-------------------|--------------|--------------|------------|----|---------------|
| 1994-33-31-07-150 | E2990        | 20           | Pushfit    | 16 | C             |
| 1994-35-31-07-150 | E2995        | 25           | Pushfit    | 16 | C             |
| 1994-36-31-07-150 | E2997        | 32           | Pushfit    | 16 | C             |
| 1994-12-31-08-151 | E2987        | ½" Irish HG  | Pushfit    | 16 | C             |



## TALBOT BS5433 BELOW GROUND STOPCOCK CRUTCH HEAD

### Specification

Talbot BS5433 Stopcock, Acetal or PP body, EPDM seals, crutch head, KIWA UK Reg 4 approved product, PN16



| New Product Code  | Product Code | Pipe dia. MM | Connection | PN | Service Level |
|-------------------|--------------|--------------|------------|----|---------------|
| 1994-33-10-07-110 | E5252        | 20           | Pushfit    | 16 | A             |
| 1994-35-10-07-110 | E5874        | 25           | Pushfit    | 16 | A             |
| 1994-36-10-07-110 | E5882        | 32           | Pushfit    | 16 | A             |
| 1994-12-10-07-111 | E6536        | ½"           | Pushfit    | 16 | B             |
| 1994-13-10-07-111 | E6535        | ¾"           | Pushfit    | 16 | B             |
| 1994-14-10-07-111 | E6534        | 1"           | Pushfit    | 16 | B             |
| 1994-12-10-08-111 | E8444        | ½" Irish HG  | Pushfit    | 16 | C             |
| 1994-13-10-08-111 | E9901        | ¾" Irish HG  | Pushfit    | 16 | C             |
| 1994-14-10-08-111 | E9902        | 1" Irish HG  | Pushfit    | 16 | C             |

## EBCO BS1010 ABOVE GROUND STOPVALVE

### Specification

EBCO BS1010 Stopvalve, Brass body, crutch head, WRAS approved product, PN16



| New Product Code  | Product Code | Pipe dia. MM | Connection  | PN | Service Level |
|-------------------|--------------|--------------|-------------|----|---------------|
| 1994-32-20-02-111 | SV1015CCR    | 15           | Compression | 16 | A             |
| 1994-34-20-02-111 | SV1022CCR    | 22           | Compression | 16 | A             |

## EBCO BS1010 ABOVE GROUND STOPVALVE CRUTCH HEAD

### Specification

EBCO BS1010 Stopvalve, Gunmetal  
CC491K body, crutch head, PN16



| New Product Code  | Product Code | Pipe dia. MM | Connection | PN | Service Level |
|-------------------|--------------|--------------|------------|----|---------------|
| 1994-12-30-01-111 | SV1002FCRK   | ½"           | Female BSP | 16 | B             |
| 1994-15-30-01-111 | SV1005FCRK   | 1 ¼"         | Female BSP | 16 | B             |

## EBCO LEVER BALL VALVE

### Specification

EBCO Lever Ball Valve, DZR brass body, ¼  
turn lever, press sockets, PN25



| New Product Code  | Product Code | Pipe dia. MM | Connection       | PN | Service Level |
|-------------------|--------------|--------------|------------------|----|---------------|
| 1994-32-40-06-741 | LBVC15       | 15           | Press fit socket | 25 | A             |
| 1994-34-40-06-741 | LBVC22       | 22           | Press fit socket | 25 | A             |

## EBCO BS1010 ABOVE GROUND SPHERICAL BALL VALVE 1/4 TURN

### Specification

EBCO BS1010 Spherical Ball Valve,  
Gunmetal CC491K body, EPDM seals, 1/4  
turn, WRAS approved product, PN16



| New Product Code  | Product Code | Pipe dia. MM | Connection | PN | Service Level |
|-------------------|--------------|--------------|------------|----|---------------|
| 1994-13-50-01-121 | GA21003AM    | 3/4"         | Female BSP | 10 | A             |
| 1994-14-50-01-121 | GA21004AM    | 1"           | Female BSP | 10 | A             |
| 1994-16-50-01-121 | GA21006AM    | 1 1/2"       | Female BSP | 10 | A             |
| 1994-17-50-01-121 | GA21008AM    | 2"           | Female BSP | 10 | A             |
| 1994-35-50-03-120 | SPH92525     | 25           | Pushfit    | 10 | A             |
| 1994-36-50-03-120 | GA23504AM    | 32           | Pushfit    | 10 | A             |

## EBCO BS1010 ABOVE GROUND SPHERICAL BALL VALVE 360 TURN

### Specification

EBCO BS1010 Spherical Ball Valve,  
Gunmetal CC491K body, EPDM seals, 360  
turn, WRAS approved product, PN16



| New Product Code  | Product Code | Pipe dia. MM | Connection | PN | Service Level |
|-------------------|--------------|--------------|------------|----|---------------|
| 1994-13-50-01-131 | GA21003BM    | 3/4"         | Female BSP | 10 | B             |
| 1994-14-50-01-131 | GA21004BM    | 1"           | Female BSP | 10 | B             |
| 1994-16-50-01-131 | GA21006BM    | 1 1/2"       | Female BSP | 10 | B             |
| 1994-17-50-01-131 | GA21008BM    | 2"           | Female BSP | 10 | B             |
| 1994-35-50-03-130 | SPH02525     | 25           | Pushfit    | 10 | A             |
| 1994-36-50-03-130 | GA23504BM    | 32           | Pushfit    | 10 | A             |

## EBCO BS1010 ABOVE GROUND BIB TAP

### Specification

EBCO BS1010 Bib Tap, Gunmetal/Brass, PN16



| New Product Code | Product Code | Pipe dia. MM | Connection | PN | Service Level |
|------------------|--------------|--------------|------------|----|---------------|
| --               | HBIB02       | ½"           | Male BSP   | 16 | C             |

## TALBOT TALFLO VALVE

### Specification

Talbot Talflo Valve, Nickel plated mild steel body, galvanised iron elbow, Nitrile/EPDM seals, PN16



| New Product Code | Product Code | Pipe dia. MM | Connection | PN | Service Level |
|------------------|--------------|--------------|------------|----|---------------|
| 1995-12-71-01-1  | E3336        | ½"           | Female BSP | 16 | C             |
| 1995-13-71-01-1  | E3337        | ¾"           | Female BSP | 16 | A             |

## TALBOT TALFLO SPARES

| New Product Code | Product Code | Spare                          | Service Level |
|------------------|--------------|--------------------------------|---------------|
| 1995-00-72-00-9  | E3339        | Talflo Single Seal Spares Pack | C             |

## EBCO SAMPLING TAP

|               |                                                |
|---------------|------------------------------------------------|
| Specification | EBCO Sampling Tap, Chromium Plated Brass, PN16 |
|---------------|------------------------------------------------|



| New Product Code | Product Code | Pipe dia. MM | Connection | PN | Service Level |
|------------------|--------------|--------------|------------|----|---------------|
| 1995-12-66-01-1  | SVSAMP       | ½"           | Male BSP   | 16 | A             |



# TALBOT INTERNAL METER CARRIER

For quick and easy fitting of a concentric water meter inside a property. The carrier comes complete with a non-return valve and drain-off point, for simple and compact fitting and exchange of the meter. The range features different connection sizes for PE and/or copper pipe to fit every installation situation.



## ADVANTAGES

### EASY INSTALLATION

Simple to install and fit or exchange a meter.

### PROTECTS THE PROPERTY

Integrated non-return valve protects the water network from backflow contamination.

### DRAIN OFF POINT

Integrated drain valve to make it easy to drain the whole property.

### FLEXIBLE CONNECTIONS

Variants for copper or PE connection in different sizes.



# Talbot Pushfit

# PUSH. FIT. DONE.

**No tools  
required**



Reliable, tool free pipe connections  
for water professionals -  
engineered by Atplas



No Tools



Fast Install



WRAS  
Approved

[www.atplas.co.uk](http://www.atplas.co.uk)

[enquiries@atplas.co.uk](mailto:enquiries@atplas.co.uk)

# SERVICE FITTINGS

---

|                                    |     |
|------------------------------------|-----|
| TALBOT PUSHFIT AND TALBOT GRIPPA   | 076 |
| TALBOT SPARES AND ACCESSORIES      | 100 |
| UNIVERSAL FITTINGS                 | 102 |
| PE PVC PIPE SPARES AND ACCESSORIES | 104 |
| EBCO- B                            | 107 |
| EBCO- S                            | 114 |
| EBCO BSP                           | 118 |
| EBCO HEXAGON HOSE CONNECTORS       | 121 |



## TALBOT PUSHFIT CONNECTORS

Specification

Talbot Pushfit Equal Connector for PE pipe, PP/Acetal body, EPDM o-ring, PN16, WRAS approved




WATCH OUR  
TALBOT PUSHFIT VIDEO





### CONNECTORS FOR METRIC PE PIPE (NO LINER)

| New Product Code  | Product Code | D1 (MM) | D2 (MM) | Service Level |
|-------------------|--------------|---------|---------|---------------|
| 1907-016016-10-01 | E7652        | 16      | 16      | B             |
| 1907-020020-10-01 | E6507        | 20      | 20      | A             |
| 1907-025025-10-01 | E6075        | 25      | 25      | A             |
| 1907-032032-10-01 | E6073        | 32      | 32      | A             |
| 1907-040040-10-01 | E6510        | 40      | 40      | A             |
| 1907-050050-10-01 | E6078        | 50      | 50      | A             |
| 1907-063063-10-01 | E6077        | 63      | 63      | A             |

### CONNECTORS FOR METRIC PE PIPE (LINER AND DUST CAP)

|                |       |    |    |   |
|----------------|-------|----|----|---|
| 1907-020020-10 | E2822 | 20 | 20 | A |
| 1907-025025-10 | E2825 | 25 | 25 | A |
| 1907-032032-10 | E2826 | 32 | 32 | A |
| 1907-040040-10 | E8452 | 40 | 40 | B |
| 1907-050050-10 | E3520 | 50 | 50 | A |
| 1907-063063-10 | E3521 | 63 | 63 | A |

### CONNECTORS FOR IMPERIAL PE PIPE

|                   |       |        |        |   |
|-------------------|-------|--------|--------|---|
| 1907-038038-10-01 | E4340 | 3/8"   | 3/8"   | B |
| 1907-012012-10-01 | E2801 | 1/2"   | 1/2"   | A |
| 1907-034034-10-01 | E2802 | 3/4"   | 3/4"   | B |
| 1907-100100-10-01 | E2803 | 1"     | 1"     | B |
| 1907-114114-10-01 | E6511 | 1 1/4" | 1 1/4" | B |
| 1907-112112-10-01 | E4002 | 1 1/2" | 1 1/2" | B |
| 1907-200200-10-01 | E4007 | 2"     | 2"     | B |

### CONNECTORS FOR IRISH PE PIPE SIZES

|                   |        |               |               |   |
|-------------------|--------|---------------|---------------|---|
| 1907-N12N12-10-01 | E10158 | 1/2" Irish NG | 1/2" Irish NG | B |
| 1907-N34N34-10-01 | E10159 | 3/4" Irish NG | 3/4" Irish NG | B |
| 1907-N10N10-10-01 | E4638  | 1" Irish NG   | 1" Irish NG   | B |
| 1907-H12H12-10-01 | E2813  | 1/2" Irish HG | 1/2" Irish HG | B |
| 1907-H34H34-10-01 | E9724  | 3/4" Irish HG | 3/4" Irish HG | B |
| 1907-H10H10-10-01 | E9726  | 1" Irish HG   | 1" Irish HG   | B |



# TALBOT PUSHFIT REDUCING CONNECTORS

Specification

Talbot Pushfit Reducing Connector for PE pipe, PP/Acetal body, EPDM o-ring, PN16, WRAS approved






## REDUCING CONNECTORS FOR METRIC PE PIPE (NO LINER)

| New Product Code  | Product Code | D1 (MM) | D2 (MM) | Service Level |
|-------------------|--------------|---------|---------|---------------|
| 1907-020016-15-01 | E7653        | 20      | 16      | B             |
| 1907-025016-15-01 | E7654        | 25      | 16      | B             |
| 1907-025020-15-01 | E6463        | 25      | 20      | B             |
| 1907-032020-15-01 | E6465        | 32      | 20      | B             |
| 1907-032025-15-01 | E6060        | 32      | 25      | B             |
| 1907-040025-15-01 | E9014        | 40      | 25      | B             |
| 1907-040032-15-01 | E6516        | 40      | 32      | B             |
| 1907-050020-15-01 | E6466        | 50      | 20      | B             |
| 1907-050025-15-01 | E6467        | 50      | 25      | B             |
| 1907-050032-15-01 | E6061        | 50      | 32      | B             |
| 1907-050040-15-01 | E7790        | 50      | 40      | B             |
| 1907-063020-15-01 | E6468        | 63      | 20      | B             |
| 1907-063025-15-01 | E6469        | 63      | 25      | B             |
| 1907-063032-15-01 | E6470        | 63      | 32      | B             |
| 1907-063040-15-01 | E8118        | 63      | 40      | B             |
| 1907-063050-15-01 | E6076        | 63      | 50      | B             |

## REDUCING CONNECTORS FOR METRIC PE PIPE (LINER AND DUST CAP)

|                |        |    |    |   |
|----------------|--------|----|----|---|
| 1907-020016-15 | E10295 | 20 | 16 | B |
| 1907-025016-15 | E4344  | 25 | 16 | A |
| 1907-025020-15 | E2829  | 25 | 20 | A |
| 1907-032020-15 | E2831  | 32 | 20 | A |
| 1907-032025-15 | E2833  | 32 | 25 | A |
| 1907-040025-15 | E9015  | 40 | 25 | B |
| 1907-040032-15 | E8455  | 40 | 32 | B |
| 1907-050020-15 | E3522  | 50 | 20 | A |
| 1907-050025-15 | E3523  | 50 | 25 | A |
| 1907-050032-15 | E3995  | 50 | 32 | A |
| 1907-050040-15 | E8274  | 50 | 40 | B |



## TALBOT PUSHFIT REDUCING CONNECTORS

| New Product Code | Product Code | D1 (MM) | D2 (MM) | Service Level |
|------------------|--------------|---------|---------|---------------|
| 1907-063020-15   | E3524        | 63      | 20      | A             |
| 1907-063025-15   | E3525        | 63      | 25      | A             |
| 1907-063032-15   | E7386        | 63      | 32      | B             |
| 1907-063040-15   | E8531        | 63      | 40      | B             |
| 1907-063050-15   | E3996        | 63      | 50      | A             |

### REDUCING CONNECTORS FOR IMPERIAL PE PIPE

|                   |       |      |      |   |
|-------------------|-------|------|------|---|
| 1907-012038-15-01 | E4346 | ½"   | ¾"   | B |
| 1907-034038-15-01 | E4345 | ¾"   | ¾"   | B |
| 1907-034012-15-01 | E2817 | ¾"   | ½"   | B |
| 1907-100012-15-01 | E3408 | 1"   | ½"   | B |
| 1907-100034-15-01 | E2818 | 1"   | ¾"   | B |
| 1907-114034-15-01 | E9982 | 1 ¼" | ¾"   | B |
| 1907-114100-15-01 | E9983 | 1 ¼" | 1"   | B |
| 1907-112012-15-01 | E3999 | 1 ½" | ½"   | B |
| 1907-112034-15-01 | E4000 | 1 ½" | ¾"   | B |
| 1907-112100-15-01 | E4001 | 1 ½" | 1"   | B |
| 1907-112114-15-01 | E7793 | 1 ½" | 1 ¼" | B |
| 1907-200012-15-01 | E4003 | 2"   | ½"   | B |
| 1907-200034-15-01 | E4004 | 2"   | ¾"   | B |
| 1907-200100-15-01 | E7402 | 2"   | 1"   | B |
| 1907-200114-15-01 | E8610 | 2"   | 1 ¼" | B |
| 1907-200112-15-01 | E4006 | 2"   | 1 ½" | B |

### REDUCING CONNECTORS FOR IRISH PE PIPE SIZES

|                   |        |             |             |   |
|-------------------|--------|-------------|-------------|---|
| 1907-N34N12-15-01 | E10160 | ¾" Irish NG | ½" Irish NG | B |
| 1907-N10N12-15-01 | E9348  | 1" Irish NG | ½" Irish NG | B |
| 1907-N10N34-15-01 | E9349  | 1" Irish NG | ¾" Irish NG | B |
| 1907-H34H12-15-01 | E9732  | ¾" Irish HG | ½" Irish HG | B |
| 1907-H10H12-15-01 | E9733  | 1" Irish HG | ½" Irish HG | B |
| 1907-H10H34-15-01 | E9731  | 1" Irish HG | ¾" Irish HG | B |
| 1907-H12N12-15-01 | E9449  | ½" Irish NG | ½" Irish HG | B |
| 1907-H34N12-15-01 | E10662 | ½" Irish NG | ¾" Irish HG | B |
| 1907-N10H12-15-01 | E10245 | 1" Irish NG | ½" Irish HG | B |
| 1907-N10H34-15-01 | E10142 | 1" Irish NG | ¾" Irish HG | B |
| 1907-H10N10-15-01 | E10141 | 1" Irish NG | 1" Irish HG | B |
| 1907-020H12-15-01 | E10237 | ½" Irish HG | 20          | B |
| 1907-025H12-15-01 | E4683  | ½" Irish HG | 25          | A |

## TALBOT PUSHFIT REDUCING CONNECTORS

| New Product Code  | Product Code | D1 (MM)     | D2 (MM) | Service Level |
|-------------------|--------------|-------------|---------|---------------|
| 1907-032H12-15-01 | E9886        | ½" Irish HG | 32      | B             |
| 1907-050H12-15-01 | E11193       | ½" Irish HG | 50      | B             |
| 1907-063H12-15-01 | E11194       | ½" Irish HG | 63      | B             |
| 1907-020H34-15-01 | E10144       | ¾" Irish HG | 20      | B             |
| 1907-025H34-15-01 | E9998        | ¾" Irish HG | 25      | B             |
| 1907-032H34-15-01 | E10077       | ¾" Irish HG | 32      | B             |
| 1907-025H10-15-01 | E10146       | 1" Irish HG | 25      | B             |
| 1907-032H10-15-01 | E9999        | 1" Irish HG | 32      | B             |

## TALBOT PUSHFIT CONNECTORS METRIC TO IMPERIAL

### Specification

Talbot Pushfit Connector for metric to imperial PE pipe, PP/Acetal body, EPDM o-ring, caps and liners on metric side, PN16, WRAS approved



### CONNECTORS FOR METRIC PE PIPE TO IMPERIAL PE PIPE

| New Product Code | Product Code | D1 (MM) | D2   | Service Level |
|------------------|--------------|---------|------|---------------|
| 1907-020038-15   | E4341        | 20      | ¾"   | A             |
| 1907-020012-15   | E2824        | 20      | ½"   | A             |
| 1907-025016-15   | E4344        | 25      | ¾"   | B             |
| 1907-025012-15   | E4136        | 25      | ½"   | A             |
| 1907-025034-15   | E2834        | 25      | ¾"   | A             |
| 1907-025114-15   | E9492        | 25      | 1"   | A             |
| 1907-025114-15   | E9129        | 25      | 1 ¼" | A             |
| 1907-032100-15   | E2835        | 32      | 1"   | A             |
| 1907-032114-15   | E7101        | 32      | 1 ¼" | A             |
| 1907-050114-15   | E7792        | 50      | 1 ¼" | A             |
| 1907-050112-15   | E4383        | 50      | 1 ½" | A             |
| 1907-050200-15   | E9716        | 50      | 2"   | A             |
| 1907-063114-15   | E8608        | 63      | 1 ¼" | A             |
| 1907-063200-15   | E4382        | 63      | 2"   | A             |

## TALBOT GRIPPA

THE UNIVERSAL SERVICE ADAPTOR

### Specification

Talbot Grippa Connector for PE pipe to metal pipe, PP/Acetal body, EPDM o-ring, PN16



#### GRIPPA ADAPTOR FOR METRIC PE PIPE TO METAL PIPE (NO LINER)

| New Product Code  | Product Code | D1 (MM) | D2             | Service Level |
|-------------------|--------------|---------|----------------|---------------|
| 1907-020038-60-01 | E7471        | 20      | 3/8" (15-21mm) | B             |
| 1907-020012-60-01 | E7470        | 20      | 1/2" (21-27mm) | B             |
| 1907-020034-60-01 | E7472        | 20      | 3/4" (27-34mm) | B             |
| 1907-025038-60-01 | E7469        | 25      | 3/8" (15-21mm) | B             |
| 1907-025012-60-01 | E7468        | 25      | 1/2" (21-27mm) | B             |
| 1907-025034-60-01 | E7467        | 25      | 3/4" (27-34mm) | B             |

#### GRIPPA ADAPTOR FOR METRIC PE PIPE TO METAL PIPE (LINER AND DUST CAP)

|                |       |    |                |   |
|----------------|-------|----|----------------|---|
| 1907-020038-60 | E5172 | 20 | 3/8" (15-21mm) | A |
| 1907-020012-60 | E5175 | 20 | 1/2" (21-27mm) | A |
| 1907-020034-60 | E5178 | 20 | 3/4" (27-34mm) | A |
| 1907-025038-60 | E4811 | 25 | 3/8" (15-21mm) | A |
| 1907-025012-60 | E4752 | 25 | 1/2" (21-27mm) | A |
| 1907-025034-60 | E4812 | 25 | 3/4" (27-34mm) | A |

# TALBOT PUSHFIT ADAPTORS

## PUSHFIT PE - COPPER

Specification

Talbot Pushfit Copper Adaptor for PE pipe, PP/Acetal body, EPDM o-ring, PN16, WRAS approved






### STRAIGHT ADAPTOR FOR METRIC PE PIPE TO COPPER PIPE (NO LINER)

| New Product Code  | Product Code | Talbot Pushfit D1 (MM) | Copper Pipe D2 (MM) | Service Level |
|-------------------|--------------|------------------------|---------------------|---------------|
| 1907-020015-20-01 | E7605        | 20                     | 15                  | B             |
| 1907-025015-20-01 | E7606        | 25                     | 15                  | B             |
| 1907-025022-20-01 | E7607        | 25                     | 22                  | B             |

### STRAIGHT ADAPTOR FOR METRIC PE PIPE TO COPPER PIPE (LINER AND DUST CAP)

|                |       |    |    |   |
|----------------|-------|----|----|---|
| 1907-020015-20 | E4145 | 20 | 15 | A |
| 1907-025015-20 | E4147 | 25 | 15 | A |
| 1907-025022-20 | E5182 | 25 | 22 | A |

### STRAIGHT ADAPTOR FOR IMPERIAL PE PIPE TO COPPER PIPE

|                   |       |    |    |   |
|-------------------|-------|----|----|---|
| 1907-012015-20-01 | E4142 | ½" | 15 | B |
| 1907-034015-20-01 | E4150 | ¾" | 15 | B |
| 1907-034022-20-01 | E5183 | ¾" | 22 | B |

### STRAIGHT ADAPTOR FOR PE PIPE TO COPPER PIPE - IRISH PIPE SIZES

|                   |        |             |                 |   |
|-------------------|--------|-------------|-----------------|---|
| 1907-H12C12-20-01 | E9717  | ½" Irish HG | ½" Irish Copper | B |
| 1907-020C12-20-01 | E9574  | 20          | ½" Irish Copper | B |
| 1907-025C12-20-01 | E10254 | 25          | ½" Irish Copper | B |
| 1907-025C34-20-01 | E9571  | 25          | ¾" Irish Copper | B |

## TALBOT PUSHFIT MALE THREADED ADAPTORS

### Specification

Talbot Pushfit Male Adaptor for PE pipe, PP/Acetal body, EPDM o-ring, PN16, WRAS approved



### STRAIGHT ADAPTOR FOR METRIC PE PIPE TO BSP MALE THREAD (NO LINER) - PLASTIC

| New Product Code  | Product Code | D1 (MM) | Thread D2 | Service Level |
|-------------------|--------------|---------|-----------|---------------|
| 1907-016012-21-01 | E7655        | 16      | ½"        | B             |
| 1907-020012-21-01 | E6483        | 20      | ½"        | B             |
| 1907-020034-21-01 | E7600        | 20      | ¾"        | B             |
| 1907-025012-21-01 | E7601        | 25      | ½"        | B             |
| 1907-025034-21-01 | E6484        | 25      | ¾"        | B             |
| 1907-032012-21-01 | E7602        | 32      | ½"        | B             |
| 1907-032034-21-01 | E7271        | 32      | ¾"        | A             |
| 1907-032100-21-01 | E6485        | 32      | 1"        | A             |
| 1907-032200-21-01 | E9161        | 32      | 2"        | B             |
| 1907-040114-21-01 | E6517        | 40      | 1 ¼"      | B             |
| 1907-040112-21-01 | E11087       | 40      | 1 ½"      | B             |
| 1907-040200-21-01 | E9162        | 40      | 2"        | B             |
| 1907-050112-21-01 | E6486        | 50      | 1 ½"      | B             |
| 1907-050200-21-01 | E10424       | 50      | 2"        | B             |
| 1907-063200-21-01 | E6487        | 63      | 2"        | A             |

### STRAIGHT ADAPTOR FOR METRIC PE PIPE TO BSP MALE THREAD (NO LINER) - GUNMETAL

| New Product Code  | Product Code | D1 (MM) | Thread D2 | Service Level |
|-------------------|--------------|---------|-----------|---------------|
| 1908-025034-21-01 | E3453        | 25      | 4"        | C             |
| 1908-025200-21-01 | E11867       | 25      | 2"        | C             |
| 1908-032012-21-01 | E10238       | 32      | ½"        | C             |
| 1908-032034-21-01 | E10367       | 32      | ¾"        | C             |
| 1908-032100-21-01 | E6488        | 32      | 1"        | C             |
| 1908-032200-21-01 | E11866       | 32      | 2"        | C             |

### STRAIGHT ADAPTOR FOR METRIC PE PIPE TO BSP MALE THREAD (LINER AND DUST CAP)


|                |        |    |      |   |
|----------------|--------|----|------|---|
| 1907-020012-21 | E2729  | 20 | ½"   | A |
| 1907-020034-21 | E6581  | 20 | ¾"   | A |
| 1907-025012-21 | E6580  | 25 | ½"   | A |
| 1907-025100-21 | E2731  | 25 | ¾"   | A |
| 1907-032012-21 | E6579  | 32 | ½"   | A |
| 1907-032034-21 | E6582  | 32 | ¾"   | A |
| 1907-032100-21 | E2732  | 32 | 1"   | A |
| 1907-032200-21 | E9128  | 32 | 2"   | A |
| 1907-040114-21 | E8457  | 40 | 1 ¼" | B |
| 1907-040112-21 | E11081 | 40 | 1 ½" | B |
| 1907-040200-21 | E11224 | 40 | 2"   | B |
| 1907-050112-21 | E3515  | 50 | 1 ½" | A |
| 1907-050200-21 | E10423 | 50 | 2"   | A |
| 1907-063200-21 | E3516  | 63 | 2"   | A |



# TALBOT PUSHFIT MALE THREADED ADAPTORS

## Specification

Talbot Pushfit Male Adaptor for PE pipe, PP/Acetal body, EPDM o-ring, PN16, WRAS approved



GUNMETAL



PLASTIC

## STRAIGHT ADAPTOR FOR IMPERIAL PE PIPE TO BSP MALE THREAD - PLASTIC

| New Product Code  | Product Code | D1     | Thread D2 | Service Level |
|-------------------|--------------|--------|-----------|---------------|
| 1907-038012-21-01 | E4342        | 3/8"   | 1/2"      | B             |
| 1907-012012-21-01 | E1932        | 1/2"   | 1/2"      | A             |
| 1907-012034-21-01 | E6609        | 1/2"   | 3/4"      | B             |
| 1907-034012-21-01 | E6610        | 3/4"   | 1/2"      | B             |
| 1907-034034-21-01 | E1933        | 3/4"   | 3/4"      | B             |
| 1907-100012-21-01 | E4699        | 1"     | 1/2"      | B             |
| 1907-100034-21-01 | E6611        | 1"     | 3/4"      | B             |
| 1907-100100-21-01 | E2715        | 1"     | 1"        | A             |
| 1907-114114-21-01 | E6518        | 1 1/4" | 1 1/4"    | B             |
| 1907-112112-21-01 | E7408        | 1 1/2" | 1 1/2"    | B             |
| 1907-200200-21-01 | E4016        | 2"     | 2"        | B             |

## STRAIGHT ADAPTOR FOR IMPERIAL PE PIPE TO BSP MALE THREAD - GUNMETAL

| New Product Code  | Product Code | D1   | Thread D2 | Service Level |
|-------------------|--------------|------|-----------|---------------|
| 1908-034034-21-01 | E2744        | 3/4" | 3/4"      | C             |
| 1908-100100-21-01 | E9185        | 1"   | 1"        | C             |

## STRAIGHT ADAPTOR FOR IRISH SIZE PE PIPE TO BSP MALE THREAD

| New Product Code  | Product Code | D1            | Thread D2 | Service Level |
|-------------------|--------------|---------------|-----------|---------------|
| 1907-N12012-21-01 | E10161       | 1/2" Irish NG | 1/2"      | B             |
| 1907-N34034-21-01 | E10162       | 3/4" Irish NG | 1/2"      | B             |
| 1907-N10012-21-01 | E9361        | 1" Irish NG   | 1/2"      | B             |
| 1907-N10034-21-01 | E9362        | 1" Irish NG   | 3/4"      | B             |
| 1907-N10100-21-01 | E9363        | 1" Irish NG   | 1"        | B             |
| 1907-N10200-21-01 | E9364        | 1" Irish NG   | 2"        | B             |
| 1907-H12012-21-01 | E2727        | 1/2" Irish HG | 1/2"      | B             |
| 1907-H12034-21-01 | E9887        | 1/2" Irish HG | 3/4"      | B             |
| 1907-H34012-21-01 | E9918        | 3/4" Irish HG | 1/2"      | B             |
| 1907-H34034-21-01 | E9916        | 3/4" Irish HG | 3/4"      | B             |
| 1907-H10012-21-01 | E9919        | 1" Irish HG   | 1/2"      | B             |
| 1907-H10034-21-01 | E9920        | 1" Irish HG   | 3/4"      | B             |
| 1907-H10100-21-01 | E9917        | 1" Irish HG   | 1"        | B             |
| 1907-H10200-21-01 | E10049       | 1" Irish HG   | 2"        | B             |

## TALBOT PUSHFIT TANK CONNECTORS

### Specification

Talbot Pushfit Tank Connector for PE pipe,  
PP/Acetal body, EPDM o-ring, PN16, WRAS  
approved



STRAIGHT ADAPTOR FOR METRIC PE PIPE TO TANK CONNECTOR (LINER & DUST CAP)

| New Product Code | Product Code | D1 | Thread D2 | Service Level |
|------------------|--------------|----|-----------|---------------|
| 1907-025034-22   | E7248        | 25 | 3/4"      | A             |

# TALBOT PUSHFIT FEMALE THREADED ADAPTORS

## Specification

Talbot Pushfit Female Adaptor for PE pipe, taper thread, PP/Acetal body, EPDM o-ring, PN16, WRAS approved



### STRAIGHT ADAPTOR FOR METRIC PE PIPE TO BSP FEMALE THREAD TAPER (NO LINER)

| New Product Code  | Product Code | D1 (MM) | Thread D2 | Service Level |
|-------------------|--------------|---------|-----------|---------------|
| 1907-016012-25-01 | E6478        | 16      | ½"        | B             |
| 1907-020012-25-01 | E6479        | 20      | ½"        | B             |
| 1907-020034-25-01 | E11088       | 20      | ¾"        | B             |
| 1907-025034-25-01 | E7137        | 25      | ¾"        | B             |
| 1907-032012-25-01 | E7730        | 32      | ½"        | B             |
| 1907-032034-25-01 | E7270        | 32      | ¾"        | B             |
| 1907-032100-25-01 | E7269        | 32      | 1"        | B             |
| 1907-050112-25-01 | E7373        | 50      | 1 ½"      | B             |
| 1907-063200-25-01 | E7375        | 63      | 2"        | B             |

### STRAIGHT ADAPTOR FOR METRIC PE PIPE TO BSP FEMALE THREAD PARALLEL (NO LINER)

| New Product Code  | Product Code | D1 (MM) | Thread D2 | Service Level |
|-------------------|--------------|---------|-----------|---------------|
| 1907-025012-26-01 | E8114        | 25      | ½"        | B             |
| 1907-025034-26-01 | E7567        | 25      | ¾"        | B             |
| 1907-025100-26-01 | E7566        | 25      | 1"        | B             |
| 1907-032034-26-01 | E7694        | 32      | ¾"        | B             |
| 1907-032100-26-01 | E7568        | 32      | 1"        | B             |
| 1907-040100-26-01 | E11542       | 40      | 1"        | B             |
| 1907-040114-26-01 | E6519        | 40      | 1 ¼"      | B             |
| 1907-040112-26-01 | E9153        | 40      | 1 ½"      | B             |
| 1907-050112-26-01 | E6480        | 50      | 1 ½"      | B             |
| 1907-050200-26-01 | E8116        | 50      | 2"        | B             |
| 1907-063200-26-01 | E6481        | 63      | 2"        | B             |

## TALBOT PUSHFIT FEMALE THREADED ADAPTORS

### STRAIGHT ADAPTOR FOR METRIC PE PIPE TO BSP FEMALE THREAD TAPER (LINER AND DUST CAP)

| New Product Code | Product Code | D1 (MM) | Thread D2 | Service Level |
|------------------|--------------|---------|-----------|---------------|
| 1907-020012-25   | E2730        | 20      | ½"        | A             |
| 1907-020034-25   | E11082       | 20      | ¾"        | A             |
| 1907-025034-25   | E2735        | 25      | ¾"        | A             |
| 1907-032012-25   | E5094        | 32      | ½"        | A             |
| 1907-032034-25   | E5098        | 32      | ¾"        | A             |
| 1907-032100-25   | E2736        | 32      | 1"        | A             |
| 1907-050100-25   | E5095        | 50      | 1"        | A             |
| 1907-050112-25   | E3578        | 50      | 1 ½"      | A             |
| 1907-063114-25   | E5092        | 63      | 1 ¼"      | A             |
| 1907-063112-25   | E5096        | 63      | 1 ½"      | A             |
| 1907-063200-25   | E3517        | 63      | 2"        | A             |

### STRAIGHT ADAPTOR FOR METRIC PE PIPE TO BSP FEMALE THREAD PARALLEL (LINER AND DUST CAP)

| New Product Code | Product Code | D1 (MM) | Thread D2 | Service Level |
|------------------|--------------|---------|-----------|---------------|
| 1907-025012-26   | E8532        | 25      | ½"        | A             |
| 1907-025034-26   | E8625        | 25      | ¾"        | A             |
| 1907-025100-26   | E6588        | 25      | 1"        | A             |
| 1907-032034-26   | E8533        | 32      | ¾"        | A             |
| 1907-040100-26   | E11524       | 40      | 1"        | B             |
| 1907-040112-26   | E11222       | 40      | 1 ½"      | B             |
| 1907-050112-26   | E8534        | 50      | 1 ½"      | A             |
| 1907-050200-26   | E8535        | 50      | 2"        | A             |
| 1907-063200-26   | E8536        | 63      | 2"        | A             |

### STRAIGHT ADAPTOR FOR IMPERIAL PE PIPE TO BSP FEMALE THREAD TAPER

| New Product Code  | Product Code | D1 (MM) | Thread D2 | Service Level |
|-------------------|--------------|---------|-----------|---------------|
| 1907-038012-25-01 | E4343        | ¾"      | ½"        | B             |
| 1907-012012-25-01 | E2722        | ½"      | ½"        | B             |
| 1907-012034-25-01 | E11084       | ½"      | ¾"        | B             |
| 1907-034034-25-01 | E2723        | ¾"      | ¾"        | B             |
| 1907-100012-25-01 | E6612        | 1"      | ½"        | B             |
| 1907-100034-25-01 | E6613        | 1"      | ¾"        | B             |
| 1907-100100-25-01 | E2724        | 1"      | 1"        | B             |
| 1907-114114-25-01 | E6520        | 1 ¼"    | 1 ¼"      | B             |
| 1907-112112-25-01 | E7409        | 1 ½"    | 1 ½"      | B             |
| 1907-200200-25-01 | E4014        | 2"      | 2"        | B             |

## TALBOT PUSHFIT FEMALE THREADED ADAPTORS

### STRAIGHT ADAPTOR FOR IRISH SIZE PE PIPE TO BSP FEMALE THREAD TAPER

| New Product Code  | Product Code | D1 (MM)     | Thread D2 | Service Level |
|-------------------|--------------|-------------|-----------|---------------|
| 1907-N12012-25-01 | E10163       | ½" Irish NG | 1½"       | B             |
| 1907-N10012-25-01 | E10234       | 1" Irish NG | ½"        | B             |
| 1907-N10100-25-01 | E9366        | 1" Irish NG | 1"        | B             |
| 1907-H12012-25-01 | E2728        | ½" Irish HG | ½"        | B             |
| 1907-H12034-25-01 | E11227       | ½" Irish HG | ¾"        | B             |
| 1907-H34034-25-01 | E10020       | ¾" Irish HG | ¾"        | B             |
| 1907-H10012-25-01 | E10023       | 1" Irish HG | ½"        | B             |
| 1907-H10034-25-01 | E10024       | 1" Irish HG | ¾"        | B             |
| 1907-H10100-25-01 | E10025       | 1" Irish HG | 1"        | B             |

### STRAIGHT ADAPTOR FOR IRISH SIZE PE PIPE TO BSP FEMALE THREAD PARALLEL

| New Product Code  | Product Code | D1 (MM)     | Thread D2 | Service Level |
|-------------------|--------------|-------------|-----------|---------------|
| 1907-N34034-26-01 | E10164       | ¾" Irish NG | ¾"        | B             |
| 1907-N34100-26-01 | E10233       | ¾" Irish NG | 1"        | B             |
| 1907-N10034-26-01 | E9365        | 1" Irish NG | ¾"        | B             |
| 1907-H34100-26-01 | E10021       | ¾" Irish HG | 1"        | B             |

## TALBOT PUSHFIT STOP ENDS

### Specification

Talbot Pushfit Stop End for PE pipe, PP/Acetal body, EPDM o-ring, PN16, WRAS approved



### STOP END FOR METRIC PE PIPE (NO LINER)

| New Product Code  | Product Code | D1 (MM) | Service Level |
|-------------------|--------------|---------|---------------|
| 1907-020000-27-01 | E6489        | 20      | B             |
| 1907-025000-27-01 | E6490        | 25      | B             |
| 1907-032000-27-01 | E6491        | 32      | B             |
| 1907-040000-27-01 | E8571        | 40      | B             |
| 1907-050000-27-01 | E7268        | 50      | B             |
| 1907-063000-27-01 | E7267        | 63      | B             |

## TALBOT PUSHFIT STOP ENDS

### STOP END FOR METRIC PE PIPE (LINER AND DUST CAP)

| New Product Code | Product Code | D1 (MM) | Service Level |
|------------------|--------------|---------|---------------|
| 1907-016000-27   | E10300       | 16      | B             |
| 1907-020000-27   | E3364        | 20      | A             |
| 1907-025000-27   | E3365        | 25      | A             |
| 1907-032000-27   | E3366        | 32      | A             |
| 1907-040000-27   | E8573        | 40      | B             |
| 1907-050000-27   | E5097        | 50      | A             |
| 1907-063000-27   | E4375        | 63      | A             |

### STOP END FOR IMPERIAL PE PIPE

| New Product Code  | Product Code | D1 (MM) | Service Level |
|-------------------|--------------|---------|---------------|
| 1907-038000-27-01 | E8449        | ¾"      | B             |
| 1907-012000-27-01 | E3367        | ½"      | B             |
| 1907-034000-27-01 | E3368        | ¾"      | B             |
| 1907-100000-27-01 | E3369        | 1"      | B             |
| 1907-112000-27-01 | E5027        | 1 ½"    | B             |
| 1907-200000-27-01 | E6614        | 2"      | B             |

### STOP END FOR IRISH SIZE PE PIPE

| New Product Code  | Product Code | D1 (MM)     | Service Level |
|-------------------|--------------|-------------|---------------|
| 1907-N12000-27-01 | E10165       | ½" Irish NG | B             |
| 1907-N34000-27-01 | E10166       | ¾" Irish NG | B             |
| 1907-N10000-27-01 | E9353        | 1" Irish NG | B             |
| 1907-H12000-27-01 | E9097        | ½" Irish HG | B             |
| 1907-H34000-27-01 | E9905        | ¾" Irish HG | B             |
| 1907-H10000-27-01 | E9906        | 1" Irish HG | B             |



# TALBOT PUSHFIT FEMALE SWIVEL ADAPTORS

## Specification

Talbot Pushfit Female swivel adaptor for metric to imperial PE pipe, PP/Acetal body, EPDM o-ring, caps and liners on metric side, PN16, WRAS approved



### SWIVEL ADAPTORS FOR METRIC PE PIPE TO BSP FEMALE THREAD (NO LINER)

| New Product Code  | Product Code | D1 (MM) | Thread D2 | Service Level |
|-------------------|--------------|---------|-----------|---------------|
| 1907-020012-28-01 | E7628        | 20      | ½"        | B             |
| 1907-020034-28-01 | E5044        | 20      | ¾"        | B             |
| 1907-025012-28-01 | E7629        | 25      | ½"        | B             |
| 1907-025034-28-01 | E7630        | 25      | ¾"        | B             |
| 1907-025100-28-01 | E7494        | 25      | 1"        | B             |
| 1907-032100-28-01 | E7631        | 32      | 1"        | B             |

### SWIVEL ADAPTORS FOR METRIC PE PIPE TO BSP FEMALE THREAD (LINER AND DUST CAP)

| New Product Code | Product Code | D1 (MM) | Thread D2 | Service Level |
|------------------|--------------|---------|-----------|---------------|
| 1907-020012-28   | E5055        | 20      | ½"        | A             |
| 1907-020034-28   | E5054        | 20      | ¾"        | A             |
| 1907-025012-28   | E5053        | 25      | ½"        | A             |
| 1907-025034-28   | E5052        | 25      | ¾"        | A             |
| 1907-025100-28   | E5051        | 25      | 1"        | B             |
| 1907-032100-28   | E5050        | 32      | 1"        | A             |
| 1907-032114-28   | E5049        | 32      | 1 ¼"      | B             |

### SWIVEL ADAPTORS FOR IRISH SIZE PE PIPE TO BSP FEMALE THREAD

| New Product Code  | Product Code | D1 (MM)     | Thread D2 | Service Level |
|-------------------|--------------|-------------|-----------|---------------|
| 1907-H12012-28-01 | E7211        | ½" Irish HG | ½"        | B             |
| 1907-H12034-28-01 | E2971        | ½" Irish HG | ¾"        | B             |
| 1907-H34034-28-01 | E10018       | ¾" Irish HG | ¾"        | B             |

## TALBOT PUSHFIT 90 DEGREE ELBOWS

### Specification

Talbot Pushfit 90 Degree Elbow for PE pipe, PP/Acetal body, EPDM o-ring, PN16, WRAS approved



### 90 DEGREE ELBOWS FOR METRIC PE PIPE (NO LINER)

| New Product Code  | Product Code | D1 (MM) | D2 (MM) | Service Level |
|-------------------|--------------|---------|---------|---------------|
| 1907-020020-30-01 | E6461        | 20      | 20      | B             |
| 1907-025020-30-01 | E8537        | 25      | 20      | B             |
| 1907-025025-30-01 | E6471        | 25      | 25      | A             |
| 1907-032025-30-01 | E9009        | 32      | 25      | B             |
| 1907-032032-30-01 | E6472        | 32      | 32      | A             |
| 1907-040040-30-01 | E6514        | 40      | 40      | B             |
| 1907-050050-30-01 | E6473        | 50      | 50      | A             |
| 1907-063063-30-01 | E6474        | 63      | 63      | A             |

### 90 DEGREE ELBOWS FOR METRIC PE PIPE (LINER AND DUST CAP)

| New Product Code | Product Code | D1 (MM) | D2 (MM) | Service Level |
|------------------|--------------|---------|---------|---------------|
| 1907-016016-30   | E10297       | 16      | 16      | B             |
| 1907-020020-30   | E2781        | 20      | 20      | A             |
| 1907-025020-30   | E7734        | 25      | 20      | A             |
| 1907-025025-30   | E2783        | 25      | 25      | A             |
| 1907-032025-30   | E9010        | 32      | 25      | A             |
| 1907-032032-30   | E2784        | 32      | 32      | A             |
| 1907-040040-30   | E8453        | 40      | 40      | B             |
| 1907-050050-30   | E3518        | 50      | 50      | A             |
| 1907-063063-30   | E3519        | 63      | 63      | A             |

### 90 DEGREE ELBOWS FOR IMPERIAL PE PIPE

| New Product Code  | Product Code | D1 (MM) | D2 (MM) | Service Level |
|-------------------|--------------|---------|---------|---------------|
| 1907-012012-30-01 | E2769        | ½"      | ½"      | B             |
| 1907-034034-30-01 | E2770        | ¾"      | ¾"      | B             |
| 1907-100100-30-01 | E2771        | 1"      | 1"      | B             |
| 1907-114114-30-01 | E6515        | 1 ¼"    | 1 ¼"    | B             |
| 1907-112112-30-01 | E7404        | 1 ½"    | 1 ½"    | B             |
| 1907-200200-30-01 | E4009        | 2"      | 2"      | B             |

## TALBOT PUSHFIT 90 DEGREE ELBOWS

### 90 DEGREE ELBOWS FOR IRISH SIZE PE PIPE

| New Product Code  | Product Code | D1 (MM)     | D2 (MM)     | Service Level |
|-------------------|--------------|-------------|-------------|---------------|
| 1907-N12N12-30-01 | E10167       | ½" Irish NG | ½" Irish NG | B             |
| 1907-N34N12-30-01 | E9352        | ¾" Irish NG | ½" Irish NG | B             |
| 1907-N34N34-30-01 | E10168       | ¾" Irish NG | ¾" Irish NG | B             |
| 1907-N10N34-30-01 | E9351        | 1" Irish NG | ¾" Irish NG | B             |
| 1907-N10N10-30-01 | E9350        | 1" Irish NG | 1" Irish NG | B             |
| 1907-H12H12-30-01 | E2779        | ½" Irish HG | ½" Irish HG | B             |
| 1907-H34H12-30-01 | E10042       | ¾" Irish HG | ½" Irish HG | B             |
| 1907-H34H34-30-01 | E9727        | ¾" Irish HG | ¾" Irish HG | B             |
| 1907-H10H34-30-01 | E10043       | 1" Irish HG | ¾" Irish HG | B             |
| 1907-H10H10-30-01 | E9728        | 1" Irish HG | 1" Irish HG | B             |
| 1907-025N12-30-01 | E11140       | ½" Irish NG | 25          | B             |
| 1907-025N10-30-01 | E10241       | 1" Irish NG | 25          | B             |
| 1907-H12N12-30-01 | E10404       | ½" Irish HG | ½" Irish NG | B             |
| 1907-025H12-30-01 | E11150       | ½" Irish HG | 25          | B             |
| 1907-020H34-30-01 | E10082       | ¾" Irish HG | 20          | B             |
| 1907-025H34-30-01 | E9942        | ¾" Irish HG | 25          | B             |
| 1907-025H10-30-01 | E9963        | 1" Irish HG | 25          | B             |

## TALBOT PUSHFIT 90 DEGREE ELBOWS METRIC TO IMPERIAL

### Specification

Talbot Pushfit 90 Degree Bend for metric to imperial PE pipe, PP/Acetal body, EPDM o-ring, caps and liners on metric side, PN16, WRAS approved



### 90 DEGREE ELBOWS FOR METRIC PE PIPE TO IMPERIAL PE PIPE

| New Product Code | Product Code | D1 (MM) | D2 (MM) | Service Level |
|------------------|--------------|---------|---------|---------------|
| 1907-016038-30   | E6148        | 16      | ¾"      | B             |
| 1907-020012-30   | E5978        | 20      | ½"      | A             |
| 1907-025012-30   | E11841       | 25      | ½"      | A             |
| 1907-025034-30   | E11842       | 25      | ¾"      | A             |
| 1907-032100-30   | E10510       | 32      | 1"      | A             |
| 1907-050112-30   | E19906       | 50      | 1 ½"    | A             |
| 1907-063200-30   | E19905       | 63      | 2"      | A             |

## TALBOT PUSHFIT MALE THREADED ELBOWS

### Specification

Talbot Pushfit Male Threaded Elbow for PE pipe, PP/Acetal body, EPDM o-ring, PN16, WRAS approved



### 90 DEGREE ELBOW ADAPTOR FOR METRIC PE PIPE TO BSP MALE THREAD (NO LINER)

| New Product Code  | Product Code | D1 (MM) | D2 | Service Level |
|-------------------|--------------|---------|----|---------------|
| 1907-025034-45-01 | E6236        | 25      | ¾" | B             |
| 1907-032100-45-01 | E6237        | 32      | 1" | B             |

### 90 DEGREE ELBOW ADAPTOR FOR METRIC PE PIPE TO BSP MALE THREAD (LINER AND DUST CAP)

| New Product Code | Product Code | D1 (MM) | D2 | Service Level |
|------------------|--------------|---------|----|---------------|
| 1907-025034-45   | E4670        | 25      | ¾" | A             |
| 1907-032100-45   | E4671        | 32      | 1" | A             |

### 90 DEGREE ELBOW ADAPTOR FOR IMPERIAL PE PIPE TO BSP MALE THREAD

| New Product Code  | Product Code | D1 (MM) | D2 | Service Level |
|-------------------|--------------|---------|----|---------------|
| 1907-034034-45-01 | E4874        | ¾"      | ¾" | B             |
| 1907-100100-45-01 | E4875        | 1"      | 1" | B             |

### 90 DEGREE ELBOW ADAPTOR FOR IRISH SIZE PE PIPE TO BSP MALE THREAD

| New Product Code  | Product Code | D1 (MM)     | D2 | Service Level |
|-------------------|--------------|-------------|----|---------------|
| 1907-N34034-45-01 | E10169       | ¾" Irish NG | ¾" | B             |
| 1907-N10100-45-01 | E9367        | 1" Irish NG | 1" | B             |
| 1907-H34034-45-01 | E10027       | ¾" Irish HG | ¾" | B             |
| 1907-H10100-45-01 | E10028       | 1" Irish HG | 1" | B             |

# TALBOT PUSHFIT FEMALE THREADED ELBOWS

## Specification

Talbot Pushfit Female Threaded Elbow for PE pipe, taper thread, PP/Acetal body, EPDM o-ring, PN16, WRAS approved



### 90 DEGREE ELBOW ADAPTOR FOR METRIC PE PIPE TO BSP FEMALE THREAD - TAPER (NO LINER)

| New Product Code  | Product Code | D1 (MM) | D2   | Service Level |
|-------------------|--------------|---------|------|---------------|
| 1907-020012-46-01 | E6282        | 20      | ½"   | B             |
| 1907-025012-46-01 | E6276        | 25      | ½"   | B             |
| 1907-025034-46-01 | E6277        | 25      | ¾"   | B             |
| 1907-032100-46-01 | E6280        | 32      | 1"   | A             |
| 1907-050112-46-01 | E7473        | 50      | 1 ½" | B             |
| 1907-063200-46-01 | E7474        | 63      | 2"   | B             |

### 90 DEGREE ELBOW ADAPTOR FOR METRIC PE PIPE TO BSP FEMALE THREAD - PARALLEL (NO LINER)

| New Product Code  | Product Code | D1 (MM) | D2   | Service Level |
|-------------------|--------------|---------|------|---------------|
| 1907-020012-47-01 | E6475        | 20      | 1 ½" | B             |
| 1907-025012-47-01 | E6476        | 25      | ½"   | B             |
| 1907-025034-47-01 | E6477        | 25      | ¾"   | B             |
| 1907-032100-47-01 | E6462        | 32      | 1"   | B             |
| 1907-050112-47-01 | E8780        | 50      | 1 ½" | B             |
| 1907-063200-47-01 | E8781        | 63      | 2"   | B             |

### 90 DEGREE ELBOW ADAPTOR FOR METRIC PE PIPE TO BSP FEMALE THREAD - TAPER (LINER AND DUST CAP)

| New Product Code | Product Code | D1 (MM) | D2   | Service Level |
|------------------|--------------|---------|------|---------------|
| 1907-020012-46   | E6151        | 20      | ½"   | A             |
| 1907-025012-46   | E6152        | 25      | ½"   | A             |
| 1907-025034-46   | E6153        | 25      | ¾"   | A             |
| 1907-032100-46   | E6154        | 32      | 1"   | A             |
| 1907-050112-46   | E4353        | 50      | 1 ½" | A             |
| 1907-063200-46   | E4354        | 63      | 2"   | A             |

## TALBOT PUSHFIT FEMALE THREADED ELBOWS

### 90 DEGREE ELBOW ADAPTOR FOR METRIC PE PIPE TO BSP FEMALE THREAD - PARALLEL (LINER AND DUST CAP)

| New Product Code | Product Code | D1 (MM) | Thread D2 | Service Level |
|------------------|--------------|---------|-----------|---------------|
| 1907-020012-47   | E2782        | 20      | ½"        | A             |
| 1907-025012-47   | E2789        | 25      | ½"        | A             |
| 1907-025034-47   | E2787        | 25      | ¾"        | A             |
| 1907-032100-47   | E2788        | 32      | 1"        | A             |

### 90 DEGREE ELBOW ADAPTOR FOR IMPERIAL PE PIPE TO BSP FEMALE THREAD - TAPER ½" (NO LINER)

| New Product Code  | Product Code | D1 (MM) | Thread D2 | Service Level |
|-------------------|--------------|---------|-----------|---------------|
| 1907-012012-46-01 | E6281        | ½"      | ½"        | B             |
| 1907-034012-46-01 | E6275        | ¾"      | ½"        | B             |
| 1907-034034-46-01 | E6278        | ¾"      | ¾"        | B             |
| 1907-100100-46-01 | E6279        | 1"      | 1"        | B             |
| 1907-112112-46-01 | E6564        | 1 ½"    | 1 ½"      | B             |
| 1907-200200-46-01 | E6563        | 2"      | 2"        | B             |

### 90 DEGREE ELBOW ADAPTOR FOR IMPERIAL PE PIPE TO BSP FEMALE THREAD - PARALLEL (NO LINER)

| New Product Code  | Product Code | D1 (MM) | Thread D2 | Service Level |
|-------------------|--------------|---------|-----------|---------------|
| 1907-012012-47-01 | E2776        | ½"      | ½"        | B             |
| 1907-034012-47-01 | E2780        | ¾"      | ½"        | B             |
| 1907-034034-47-01 | E2777        | ¾"      | ¾"        | B             |
| 1907-100100-47-01 | E3406        | 1"      | 1"        | B             |

### 90 DEGREE ELBOW ADAPTOR FOR IRISH SIZE PE PIPE TO BSP FEMALE THREAD - TAPER

| New Product Code  | Product Code | D1 (MM)     | Thread D2 | Service Level |
|-------------------|--------------|-------------|-----------|---------------|
| 1907-N12012-46-01 | E10170       | ½" Irish NG | ½"        | B             |
| 1907-N10100-46-01 | E9368        | 1" Irish NG | 1"        | B             |
| 1907-H12012-46-01 | E5026        | ½" Irish HG | ½"        | B             |
| 1907-H34012-46-01 | E10030       | ¾" Irish HG | ½"        | B             |
| 1907-H34034-46-01 | E10031       | ¾" Irish HG | ¾"        | B             |
| 1907-H10100-46-01 | E10032       | 1" Irish HG | 1"        | B             |

### 90 DEGREE ELBOW ADAPTOR FOR IRISH SIZE PE PIPE TO BSP FEMALE THREAD - PARALLEL

| New Product Code  | Product Code | D1 (MM)     | Thread D2 | Service Level |
|-------------------|--------------|-------------|-----------|---------------|
| 1907-N34012-47-01 | E10171       | ¾" Irish NG | ½"        | B             |
| 1907-N34034-47-01 | E10172       | ¾" Irish NG | ¾"        | B             |



# TALBOT PUSHFIT SWIVEL ADAPTOR BENT

## Specification

Talbot Pushfit Swivel Adaptor Bent for PE pipe, PP/Acetal body, EPDM o-ring, PN16, WRAS approved



### SWIVEL ADAPTOR BEND FOR PE PIPE (NO LINER)

| New Product Code  | Product Code | D1 (MM) | D2 | Service Level |
|-------------------|--------------|---------|----|---------------|
| 1907-020012-40-01 | E7632        | 20      | ½" | B             |
| 1907-020034-40-01 | E5031        | 20      | ¾" | B             |
| 1907-025012-40-01 | E7633        | 25      | ½" | B             |
| 1907-025034-40-01 | E7634        | 25      | ¾" | B             |
| 1907-025100-40-01 | E7495        | 25      | 1" | B             |
| 1907-032100-40-01 | E7635        | 32      | 1" | B             |

### SWIVEL ADAPTOR BEND FOR PE PIPE (LINER AND DUST CAP)

| New Product Code | Product Code | D1 (MM) | D2   | Service Level |
|------------------|--------------|---------|------|---------------|
| 1907-020012-40   | E5042        | 20      | ½"   | A             |
| 1907-020034-40   | E5041        | 20      | ¾"   | B             |
| 1907-025012-40   | E5040        | 25      | ½"   | A             |
| 1907-025034-40   | E5039        | 25      | ¾"   | A             |
| 1907-025100-40   | E5038        | 25      | 1"   | B             |
| 1907-032034-40   | E5036        | 32      | ¾"   | B             |
| 1907-032100-40   | E5037        | 32      | 1"   | A             |
| 1907-032114-40   | E5237        | 32      | 1 ¼" | B             |

### SWIVEL ADAPTOR BEND FOR IRISH SIZE PE PIPE

| New Product Code  | Product Code | D1 (MM)     | D2 | Service Level |
|-------------------|--------------|-------------|----|---------------|
| 1907-H12012-40-01 | E7212        | ½" Irish HG | ½" | B             |
| 1907-H12034-40-01 | E3831        | ½" Irish HG | ¾" | B             |

## TALBOT PUSHFIT WALL PLATE ELBOW

### Specification

Talbot Pushfit Wall Plate Elbow for PE pipe, PP/Acetal body, EPDM o-ring, PN16, WRAS approved



### WALL PLATE ELBOWS FOR METRIC PE PIPE (NO LINER)

| New Product Code  | Product Code | D1 (MM) | D2 | Service Level |
|-------------------|--------------|---------|----|---------------|
| 1907-016012-48-01 | E8245        | 16      | ½" | B             |
| 1907-020012-48-01 | E7609        | 20      | ½" | B             |
| 1907-025012-48-01 | E7610        | 25      | ½" | B             |
| 1907-025034-48-01 | E7611        | 25      | ¾" | B             |

### WALL PLATE ELBOWS FOR METRIC PE PIPE (LINER AND DUST CAP)

| New Product Code | Product Code | D1 (MM) | D2 | Service Level |
|------------------|--------------|---------|----|---------------|
| 1907-020012-48   | E2798        | 20      | ½" | A             |
| 1907-025012-48   | E2799        | 25      | ½" | A             |
| 1907-025034-48   | E2800        | 25      | ¾" | A             |

### WALL PLATE ELBOWS FOR IRISH SIZE PE PIPE

| New Product Code  | Product Code | D1 (MM)     | D2 | Service Level |
|-------------------|--------------|-------------|----|---------------|
| 1907-N34012-48-01 | E10173       | ¾" Irish NG | ½" | B             |
| 1907-N34034-48-01 | E10174       | ¾" Irish NG | ¾" | B             |
| 1907-H12012-48-01 | E4727        | ½" Irish HG | ½" | B             |
| 1907-H34012-48-01 | E10033       | ¾" Irish HG | ½" | B             |
| 1907-H34034-48-01 | E10034       | ¾" Irish HG | ¾" | B             |

# TALBOT PUSHFIT EQUAL TEES

## Specification

Talbot Pushfit Equal Tee for PE pipe, PP/Acetal body, EPDM o-ring, PN16, WRAS approved



### EQUAL TEES FOR METRIC PE PIPE (NO LINER)

| New Product Code  | Product Code | D1 (MM) | D2 (MM) | D3 (MM) | Service Level |
|-------------------|--------------|---------|---------|---------|---------------|
| 1907-016016-50-01 | E7657        | 16      | 16      | 16      | B             |
| 1907-020020-50-01 | E6492        | 20      | 20      | 20      | B             |
| 1907-025025-50-01 | E6493        | 25      | 25      | 25      | B             |
| 1907-032032-50-01 | E6494        | 32      | 32      | 32      | B             |
| 1907-040040-50-01 | E6512        | 40      | 40      | 40      | B             |
| 1907-050050-50-01 | E6495        | 50      | 50      | 50      | B             |
| 1907-063063-50-01 | E6496        | 63      | 63      | 63      | B             |

### EQUAL TEES FOR METRIC PE PIPE (LINER AND DUST CAP)

|                |       |    |    |    |   |
|----------------|-------|----|----|----|---|
| 1907-020020-50 | E3032 | 20 | 20 | 20 | A |
| 1907-025025-50 | E3037 | 25 | 25 | 25 | A |
| 1907-032032-50 | E3042 | 32 | 32 | 32 | A |
| 1907-040040-50 | E8454 | 40 | 40 | 40 | B |
| 1907-050050-50 | E3537 | 50 | 50 | 50 | A |
| 1907-063063-50 | E3538 | 63 | 63 | 63 | A |

### EQUAL TEES FOR IMPERIAL PE PIPE

|                   |       |        |        |        |   |
|-------------------|-------|--------|--------|--------|---|
| 1907-038038-50-01 | E4448 | 3/8"   | 3/8"   | 3/8"   | B |
| 1907-012012-50-01 | E3016 | 1/2"   | 1/2"   | 1/2"   | B |
| 1907-034034-50-01 | E3019 | 3/4"   | 3/4"   | 3/4"   | B |
| 1907-100100-50-01 | E3022 | 1"     | 1"     | 1"     | B |
| 1907-114114-50-01 | E6513 | 1 1/4" | 1 1/4" | 1 1/4" | B |
| 1907-112112-50-01 | E4010 | 1 1/2" | 1 1/2" | 1 1/2" | B |
| 1907-200200-50-01 | E4011 | 2"     | 2"     | 2"     | B |

### EQUAL TEES FOR IRISH SIZE PE PIPE

|                   |        |               |               |               |   |
|-------------------|--------|---------------|---------------|---------------|---|
| 1907-N12N12-50-01 | E10175 | 1/2" Irish NG | 1/2" Irish NG | 1/2" Irish NG | B |
| 1907-N34N34-50-01 | E10176 | 3/4" Irish NG | 3/4" Irish NG | 3/4" Irish NG | B |
| 1907-N10N10-50-01 | E9354  | 1" Irish NG   | 1" Irish NG   | 1" Irish NG   | B |
| 1907-H12H12-50-01 | E3024  | 1/2" Irish HG | 1/2" Irish HG | 1/2" Irish HG | B |
| 1907-H34H34-50-01 | E9729  | 3/4" Irish HG | 3/4" Irish HG | 3/4" Irish HG | B |
| 1907-H10H10-50-01 | E9730  | 1" Irish HG   | 1" Irish HG   | 1" Irish HG   | B |

## TALBOT PUSHFIT UNEQUAL TEES

### Specification

Talbot Pushfit Unequal Tee for PE pipe, PP/Acetal body, EPDM o-ring, PN16, WRAS approved



### UNEQUAL TEES FOR METRIC PE PIPE (NO LINER)

| New Product Code  | Product Code | D1 (MM) | D2 (MM) | D3 (MM) | Service Level |
|-------------------|--------------|---------|---------|---------|---------------|
| 1907-020032-52-01 | E7613        | 20      | 20      | 32      | B             |
| 1907-025020-52-01 | E6497        | 25      | 25      | 20      | B             |
| 1907-025032-52-01 | E7614        | 25      | 25      | 32      | B             |
| 1907-322020-52-01 | E7612        | 32      | 20      | 20      | B             |
| 1907-032020-52-01 | E6498        | 32      | 32      | 20      | B             |
| 1907-032025-52-01 | E6499        | 32      | 32      | 25      | B             |
| 1907-063020-52-01 | E7615        | 63      | 63      | 20      | B             |
| 1907-063025-52-01 | E6500        | 63      | 63      | 25      | B             |
| 1907-063032-52-01 | E6501        | 63      | 63      | 32      | B             |

### UNEQUAL TEES FOR METRIC PE PIPE (LINER AND DUST CAP)

| New Product Code | Product Code | D1 (MM) | D2 (MM) | D3 (MM) | Service Level |
|------------------|--------------|---------|---------|---------|---------------|
| 1907-020032-52   | E3033        | 20      | 20      | 32      | A             |
| 1907-025020-52   | E3036        | 25      | 25      | 20      | A             |
| 1907-025032-52   | E3363        | 25      | 25      | 32      | A             |
| 1907-322020-52   | E3038        | 32      | 20      | 20      | A             |
| 1907-322032-52   | E3039        | 32      | 20      | 32      | A             |
| 1907-032020-52   | E3040        | 32      | 32      | 20      | A             |
| 1907-032025-52   | E3041        | 32      | 32      | 25      | A             |
| 1907-063020-52   | E6326        | 63      | 63      | 20      | B             |
| 1907-063025-52   | E3998        | 63      | 63      | 25      | A             |
| 1907-063032-52   | E3997        | 63      | 63      | 32      | A             |

### UNEQUAL TEES FOR IMPERIAL PE PIPE

| New Product Code  | Product Code | D1 (MM) | D2 (MM) | D3 (MM) | Service Level |
|-------------------|--------------|---------|---------|---------|---------------|
| 1907-012100-52-01 | E3416        | ½"      | ½"      | 1"      | B             |
| 1907-034012-52-01 | E3023        | ¾"      | ¾"      | ½"      | B             |
| 1907-034100-52-01 | E3419        | ¾"      | ¾"      | 1"      | B             |
| 1907-101212-52-01 | E3417        | 1"      | ½"      | ½"      | B             |
| 1907-100012-52-01 | E3403        | 1"      | 1"      | ½"      | B             |
| 1907-100034-52-01 | E3405        | 1"      | 1"      | ¾"      | B             |
| 1907-200034-52-01 | E4013        | 2"      | 2"      | ¾"      | B             |
| 1907-200100-52-01 | E4012        | 2"      | 2"      | 1"      | B             |

## TALBOT PUSHFIT UNEQUAL TEES

### UNEQUAL TEES FOR IRISH SIZE PE PIPE

| New Product Code  | Product Code | D1 (MM)     | D2 (MM)     | D3 (MM)     | Service Level |
|-------------------|--------------|-------------|-------------|-------------|---------------|
| 1907-N12N10-52-01 | E9357        | ½" Irish NG | ½" Irish NG | 1" Irish NG | B             |
| 1907-N34N12-52-01 | E9355        | ¾" Irish NG | ¾" Irish NG | ½" Irish NG | B             |
| 1907-N34N10-52-01 | E9359        | ¾" Irish NG | ¾" Irish NG | 1" Irish NG | B             |
| 1907-N10N12-52-01 | E9358        | 1" Irish NG | 1" Irish NG | ½" Irish NG | B             |
| 1907-N10N34-52-01 | E9360        | 1" Irish NG | 1" Irish NG | ¾" Irish NG | B             |
| 1907-1N1414-52-01 | E9356        | 1" Irish NG | ½" Irish NG | ½" Irish NG | B             |
| 1907-H12H10-52-01 | E9909        | ½" Irish HG | ½" Irish HG | 1" Irish HG | B             |
| 1907-H34H12-52-01 | E9907        | ¾" Irish HG | ¾" Irish HG | ½" Irish HG | B             |
| 1907-H34H10-52-01 | E9911        | ¾" Irish HG | ¾" Irish HG | 1" Irish HG | B             |
| 1907-1H1313-52-01 | E9908        | 1" Irish HG | ½" Irish HG | ½" Irish HG | B             |
| 1907-H10H12-52-01 | E9910        | 1" Irish HG | 1" Irish HG | ½" Irish HG | B             |
| 1907-H10H34-52-01 | E9912        | 1" Irish HG | 1" Irish HG | ¾" Irish HG | B             |

## TALBOT PUSHFIT FEMALE THREADED TEE

### Specification

Talbot Pushfit Female Threaded Tee for PE pipe, taper thread, PP/Acetal body, EPDM o-ring, PN16, WRAS approved



### FEMALE THREADED TEES FOR METRIC PE PIPE TO BSP - TAPER (NO LINER)

| New Product Code  | Product Code | D1 (MM) | D2 (MM) | D3   | Service Level |
|-------------------|--------------|---------|---------|------|---------------|
| 1907-016012-55-01 | E10299       | 16      | 16      | ½"   | B             |
| 1907-020012-55-01 | E6502        | 20      | 20      | ½"   | B             |
| 1907-025012-55-01 | E6503        | 25      | 25      | ½"   | B             |
| 1907-025034-55-01 | E6504        | 25      | 25      | ¾"   | B             |
| 1907-032100-55-01 | E6505        | 32      | 32      | 1"   | B             |
| 1907-050112-55-01 | E7277        | 50      | 50      | 1 ½" | B             |
| 1907-063200-55-01 | E7044        | 63      | 63      | 2"   | B             |

### FEMALE THREADED TEES FOR METRIC PE PIPE TO BSP - PARALLEL (NO LINER)

| New Product Code  | Product Code | D1 (MM) | D2 (MM) | D3   | Service Level |
|-------------------|--------------|---------|---------|------|---------------|
| 1907-050112-56-01 | E8782        | 50      | 50      | 1 ½" | B             |
| 1907-063200-56-01 | E8783        | 63      | 63      | 2"   | B             |

### FEMALE THREADED TEES FOR METRIC PE PIPE TO BSP - TAPER (LINER AND DUST CAP)

| New Product Code | Product Code | D1 (MM) | D2 (MM) | D3   | Service Level |
|------------------|--------------|---------|---------|------|---------------|
| 1907-020012-55   | E3035        | 20      | 20      | ½"   | A             |
| 1907-025012-55   | E3043        | 25      | 25      | ½"   | A             |
| 1907-025034-55   | E3044        | 25      | 25      | ¾"   | A             |
| 1907-032100-55   | E3045        | 32      | 32      | 1"   | A             |
| 1907-050112-55   | E4355        | 50      | 50      | 1 ½" | A             |
| 1907-063200-55   | E4356        | 63      | 63      | 2"   | A             |

### FEMALE THREADED TEES FOR METRIC PE PIPE TO BSP - PARALLEL (LINER AND DUST CAP)

| New Product Code | Product Code | D1 (MM) | D2 (MM) | D3   | Service Level |
|------------------|--------------|---------|---------|------|---------------|
| 1907-020012-56   | E8313        | 20      | 20      | ½"   | B             |
| 1907-025012-56   | E8310        | 25      | 25      | ½"   | B             |
| 1907-025034-56   | E8311        | 25      | 25      | ¾"   | B             |
| 1907-032100-56   | E8312        | 32      | 32      | 1"   | B             |
| 1907-050112-56   | E8633        | 50      | 50      | 1 ½" | B             |
| 1907-063200-56   | E8634        | 63      | 63      | 2"   | B             |



## TALBOT PUSHFIT FEMALE THREADED TEE

### FEMALE THREADED TEES FOR IMPERIAL PE PIPE TO BSP - TAPER

| New Product Code  | Product Code | D1 (MM) | D2 (MM) | D3   | Service Level |
|-------------------|--------------|---------|---------|------|---------------|
| 1907-012012-55-01 | E3017        | ½"      | ½"      | ½"   | B             |
| 1907-034012-55-01 | E3020        | ¾"      | ¾"      | ½"   | B             |
| 1907-034034-55-01 | E3021        | ¾"      | ¾"      | ¾"   | B             |
| 1907-100100-55-01 | E3404        | 1"      | 1"      | 1"   | B             |
| 1907-112112-55-01 | E6573        | 1 ½"    | 1 ½"    | 1 ½" | B             |
| 1907-200200-55-01 | E6574        | 2"      | 2"      | 2"   | B             |

### FEMALE THREADED TEES FOR IRISH SIZE PE PIPE TO BSP - TAPER

| New Product Code  | Product Code | D1 (MM)     | D2 (MM)     | D3 | Service Level |
|-------------------|--------------|-------------|-------------|----|---------------|
| 1907-N12012-55-01 | E10177       | ½" Irish NG | ½" Irish NG | ½" | B             |
| 1907-N34012-55-01 | E10178       | ¾" Irish NG | ¾" Irish NG | ½" | B             |
| 1907-N34034-55-01 | E10179       | ¾" Irish NG | ¾" Irish NG | ¾" | B             |
| 1907-N10100-55-01 | E9369        | 1" Irish NG | 1" Irish NG | 1" | B             |
| 1907-H12012-55-01 | E9110        | ½" Irish HG | ½" Irish HG | ½" | B             |
| 1907-H34012-55-01 | E10035       | ¾" Irish HG | ¾" Irish HG | ½" | B             |
| 1907-H34034-55-01 | E10036       | ¾" Irish HG | ¾" Irish HG | ¾" | B             |
| 1907-H10100-55-01 | E10037       | 1" Irish HG | 1" Irish HG | 1" | B             |

## TALBOT PUSHFIT DOUBLE CHECK VALVE

### Specification

Talbot Pushfit Double Check Valve for PE pipe, PP/Acetal body, EPDM o-ring, PN16, KIWA UK Reg 4 approved



### DOUBLE CHECK VALVE FOR METRIC PE PIPE (LINER AND DUST CAP)

| New Product Code | Product Code | D1 (MM) | D2 (MM) | Service Level |
|------------------|--------------|---------|---------|---------------|
| 1907-020020-81   | E3783        | 20      | 20      | A             |
| 1907-025025-81   | E3785        | 25      | 25      | A             |

## TALBOT PUSHFIT REPAIR CONNECTORS

### Specification

Talbot Pushfit Repair Connector for PE pipe, PP/Acetal body, EPDM o-ring, PN16, WRAS approved



### REPAIR CONNECTORS FOR METRIC PE PIPE (NO LINER)

| New Product Code  | Product Code | D1 (MM) | D2 (MM) | Service Level |
|-------------------|--------------|---------|---------|---------------|
| 1907-025025-70-01 | E7776        | 25      | 25      | A             |
| 1907-032032-70-01 | E7779        | 32      | 32      | B             |

### REPAIR CONNECTORS FOR METRIC PE PIPE (LINER AND DUST CAP)

| New Product Code | Product Code | D1 (MM) | D2 (MM) | Service Level |
|------------------|--------------|---------|---------|---------------|
| 1907-025025-70   | E7777        | 25      | 25      | A             |
| 1907-032032-70   | E7778        | 32      | 32      | A             |

## TALBOT PUSHFIT SPARES AND ACCESSORIES



### TALBOT PUSHFIT PLASTIC EXTRACTORS

| New Product Code  | Product Code | D1 (MM) | Service Level |
|-------------------|--------------|---------|---------------|
| 1907-020000-90-01 | E2946        | 20 / ½" | A             |
| 1907-025000-90-01 | E2947        | 25 / ¾" | A             |
| 1907-032000-90-01 | E2948        | 32 / 1" | A             |



### TALBOT PUSHFIT METAL EXTRACTORS

| New Product Code  | Product Code | D1 (MM)   | Service Level |
|-------------------|--------------|-----------|---------------|
| 1907-020000-91-01 | E2935        | 20 / ½"   | A             |
| 1907-025000-91-01 | E2936        | 25 / ¾"   | A             |
| 1907-032000-91-01 | E2937        | 32 / 1"   | A             |
| 1907-040000-91-01 | E2554        | 40 / 1 ¼" | A             |
| 1907-050000-91-01 | E2938        | 50 / 1 ½" | A             |
| 1907-063000-91-01 | E2939        | 63 / 2"   | A             |



### TALBOT PUSHFIT LINERS

| New Product Code  | Product Code | Size (mm) | Bag Quantity | Service Level |
|-------------------|--------------|-----------|--------------|---------------|
| 1907-020000-97-01 | E1829        | 20        | 40           | A             |
| 1907-025000-97-01 | E1830        | 25        | 40           | A             |
| 1907-032000-97-01 | E1832        | 32        | 40           | A             |
| 1907-040000-97-01 | E8009        | 40        | 18           | A             |
| 1907-050000-97-01 | E4230        | 50        | 12           | A             |
| 1907-063000-97-01 | E4217        | 63        | 6            | A             |

## TALBOT PUSHFIT SPARES AND ACCESSORIES



### TALBOT PUSHFIT GRIP RINGS: METRIC

| New Product Code  | Product Code | Size (mm) | Bag Quantity | Service Level |
|-------------------|--------------|-----------|--------------|---------------|
| 1907-016000-93-01 | 10155        | 16        | 10           | A             |
| 1907-020000-93-01 | 1890         | 20        | 10           | A             |
| 1907-025000-93-01 | 1891         | 25        | 10           | A             |
| 1907-032000-93-01 | 1894         | 32        | 10           | A             |
| 1907-040000-93-01 | 6159N        | 40        | 5            | A             |
| 1907-050000-93-01 | 7745         | 50        | 5            | A             |
| 1907-063000-93-01 | 7746         | 63        | 5            | A             |



### TALBOT PUSHFIT GRIP RINGS: IMPERIAL

| New Product Code  | Product Code | Size (mm) | Bag Quantity | Service Level |
|-------------------|--------------|-----------|--------------|---------------|
| 1907-038000-93-01 | 8336         | 3/8"      | 10           | A             |
| 1907-012000-93-01 | 1884         | 1/2"      | 10           | A             |
| 1907-034000-93-01 | 2634         | 3/4"      | 10           | A             |
| 1907-100000-93-01 | 1887         | 1"        | 10           | A             |
| 1907-114000-93-01 | 6160         | 1 1/4"    | 5            | A             |
| 1907-112000-93-01 | 1889         | 1 1/2"    | 5            | A             |
| 1907-200000-93-01 | 2658         | 2"        | 5            | A             |



### TALBOT PUSHFIT GRIP RINGS: IRISH NG

| New Product Code  | Product Code | Size (mm)     | Bag Quantity | Service Level |
|-------------------|--------------|---------------|--------------|---------------|
| 1907-N12000-93-01 | 10154        | 1/2" Irish NG | 10           | B             |
| 1907-N34000-93-01 | 10156        | 3/4" Irish NG | 10           | B             |
| 1907-N10000-93-01 | 10157        | 1" Irish NG   | 10           | B             |



### TALBOT PUSHFIT GRIP RINGS: IRISH HG

| New Product Code  | Product Code | Size (mm)     | Bag Quantity | Service Level |
|-------------------|--------------|---------------|--------------|---------------|
| 1907-H12000-93-01 | 9760         | 1/2" Irish HG | 10           | B             |
| 1907-H34000-93-01 | 9723         | 3/4" Irish HG | 10           | B             |
| 1907-H10000-93-01 | 9725         | 1" Irish HG   | 10           | B             |

## TALBOT PUSHFIT SPARES AND ACCESSORIES



### TALBOT PUSHFIT O-RINGS

| New Product Code  | Product Code | Size (mm)   | Bag Quantity | Service Level |
|-------------------|--------------|-------------|--------------|---------------|
| 1907-016000-94-01 | 3355         | 16          | 10           | A             |
| 1907-020000-94-01 | 1861         | 20          | 10           | A             |
| 1907-025000-94-01 | 1862         | 25          | 10           | A             |
| 1907-032000-94-01 | 1863         | 32          | 10           | A             |
| 1907-040000-94-01 | 7315         | 40          | 5            | A             |
| 1907-050000-94-01 | 1864         | 50          | 5            | A             |
| 1907-063000-94-01 | 1865         | 63          | 5            | A             |
| 1907-012000-94-01 | 1856         | ½"          | 10           | A             |
| 1907-034000-94-01 | 1857         | ¾"          | 10           | A             |
| 1907-100000-94-01 | 1859         | 1"          | 10           | A             |
| 1907-114000-94-01 | 6251         | 1 ¼"        | 5            | A             |
| 1907-112000-94-01 | 1860         | 1 ½"        | 5            | A             |
| 1907-200000-94-01 | 2598         | 2"          | 5            | A             |
| 1907-016000-94-01 | 3355         | ½" Irish NG | 10           | A             |
| 1907-025000-94-01 | 1862         | ¾" Irish NG | 10           | A             |
| 1907-N10000-94-01 | 2599         | 1" Irish NG | 10           | B             |
| 1907-H12000-94-01 | 1855         | ½" Irish HG | 10           | B             |
| 1907-034000-94-01 | 1857         | ¾" Irish HG | 10           | A             |
| 1907-100000-94-01 | 1859         | 1" Irish HG | 10           | A             |



### TALBOT PUSHFIT CONVERTER PUSHFIT TO FEMALE THREAD

| New Product Code  | Product Code | D1 (MM) | D2   | Service Level |
|-------------------|--------------|---------|------|---------------|
| 1907-020012-80-01 | E5062        | 20      | ½"   | B             |
| 1907-020034-80-01 | E5061        | 20      | ¾"   | B             |
| 1907-025012-80-01 | E5060        | 25      | ½"   | B             |
| 1907-025034-80-01 | E5058        | 25      | ¾"   | A             |
| 1907-025100-80-01 | E5059        | 25      | 1"   | B             |
| 1907-032100-80-01 | E5057        | 32      | 1"   | B             |
| 1907-032114-80-01 | E5056        | 32      | 1 ¼" | B             |

## UNIVERSAL X PE COUPLER

### Specification

Universal x PE Coupler Polypropylene body, nut, thrusting ring, Polyacetal grip ring with stainless steel teeth, EPDM Seals, Mechanical operation, WIS 4-32-11, WRAS approved, PN16, Supplied with liner for PE80 pipe



| New Product Code | Product Code | D1 (MM)    | Service Level |
|------------------|--------------|------------|---------------|
| 1909-201521-2010 | E19925       | 20 x 15-21 | A             |
| 1909-251521-2010 | E19926       | 25 x 15-21 | A             |
| 1909-252127-2010 | E19927       | 25 x 21-27 | A             |
| 1909-252735-2010 | E19928       | 25 x 27-35 | A             |
| 1909-322127-2010 | E19929       | 32 x 21-27 | A             |
| 1909-322735-2010 | E19930       | 32 x 27-35 | A             |

## UNIVERSAL X PE 90 DEGREE ELBOW

### Specification

Universal x PE 90 degree Elbow Polypropylene body, nut, thrusting ring, Polyacetal grip ring with stainless steel teeth, EPDM Seals, Mechanical operation, WIS 4-32-11, WRAS approved, PN16, Supplied with liner for PE80 pipe



| New Product Code | Product Code | D1 (MM)    | Service Level |
|------------------|--------------|------------|---------------|
| 1909-251521-2110 | E19935       | 25 x 15-21 | A             |
| 1909-322127-2110 | E19936       | 32 x 21-27 | A             |



## UNIVERSAL X UNIVERSAL COUPLER

### Specification

Universal x Universal Coupler Polypropylene body, nut, thrusting ring, Polyacetal grip ring with stainless steel teeth, EPDM Seals, Mechanical operation, WIS 4-32-11, WRAS approved, PN16



| New Product Code  | Product Code | D1 (MM)       | Service Level |
|-------------------|--------------|---------------|---------------|
| 1110-015021-22-10 | --           | 15-21 x 15-21 | A             |
| 1110-021027-22-10 | --           | 21-27 x 21-27 | A             |
| 1110-027035-22-10 | --           | 27-35 x 27-35 | A             |
| 1110-152127-22-10 | --           | 15-21 x 21-27 | A             |
| 1110-212735-22-10 | --           | 21-27 x 27-35 | A             |

## UNIVERSAL X UNIVERSAL 90 DEGREE ELBOW

### Specification

Universal x Universal 90 degree Elbow Polypropylene body, nut, thrusting ring, Polyacetal grip ring with stainless steel teeth, EPDM Seals, Mechanical operation, WIS 4-32-11, WRAS approved, PN16



| New Product Code  | Product Code | D1 (MM)       | Service Level |
|-------------------|--------------|---------------|---------------|
| 1110-015021-23-10 | --           | 15-21 x 15-21 | A             |
| 1110-021027-23-10 | --           | 21-27 x 21-27 | A             |
| 1110-027035-23-10 | --           | 27-27 x 27-35 | A             |

## TALBOT PUSHFIT SPARES AND ACCESSORIES



TALBOT PUSHFIT CHAMFER TOOL 20-63MM

| New Product Code  | Product Code | Service Level |
|-------------------|--------------|---------------|
| 1907-020063-95-01 | PC2063AP     | A             |



TALBOT PUSHFIT CHAMFER TOOL SPARE BLADES PACK OF 10

| New Product Code  | Product Code | Service Level |
|-------------------|--------------|---------------|
| 1907-020063-96-01 | PC2063BP     | A             |



THUMB SCREW SQUEEZE OFF TOOL 16-32MM

| New Product Code  | Product Code | Service Level |
|-------------------|--------------|---------------|
| 1907-000001-99-01 | E11934       | A             |



MINI SQUEEZE OFF TOOL 16-32MM

| New Product Code  | Product Code | Service Level |
|-------------------|--------------|---------------|
| 1907-000002-99-01 | E11935       | A             |



SQUEEZE OFF TOOL 20-63MM

| New Product Code  | Product Code | Service Level |
|-------------------|--------------|---------------|
| 1907-000003-99-01 | E11936       | A             |



#### REROUNDING TOOL MULTI SIZE 20MM/25MM/32MM

| New Product Code  | Product Code | Service Level |
|-------------------|--------------|---------------|
| 1907-000004-99-01 | E11937       | A             |



#### HOSE CUTTER 36MM

| New Product Code  | Product Code | Service Level |
|-------------------|--------------|---------------|
| 1907-000005-99-01 | E11938       | A             |



#### PE PIPE CUTTER 42MM

| New Product Code  | Product Code | Service Level |
|-------------------|--------------|---------------|
| 1907-000006-99-01 | E11939       | A             |



#### PE PIPE CUTTER 63MM SHORT HANDLE

| New Product Code  | Product Code | Service Level |
|-------------------|--------------|---------------|
| 1907-000008-99-01 | E11941       | A             |

## TALBOT PUSHFIT SPARES AND ACCESSORIES



PE PIPE CUTTER 63MM LONG HANDLE

| New Product Code  | Product Code | Service Level |
|-------------------|--------------|---------------|
| 1907-000009-99-01 | E11942       | A             |



SPARE BLADES FOR 63MM CUTTER LONG HANDLE

| New Product Code  | Product Code | Service Level |
|-------------------|--------------|---------------|
| 1907-000010-99-01 | E11943       | A             |

## EBCO-B CONNECTORS

### Specification

EBCO-B Compression Connector for PE pipe, Gunmetal CC491K body, EPDM/nitrile compression gland, PP friction washer, copper insert, WRAS approved, PN16



### CONNECTORS FOR METRIC PE PIPE

| New Product Code   | Product Code | D1 (MM) | D2 (MM) | Service Level |
|--------------------|--------------|---------|---------|---------------|
| 1991-020020-10-010 | GCB20        | 20      | 20      | C             |
| 1991-025025-10-010 | GCB25        | 25      | 25      | C             |
| 1991-032032-10-010 | GCB32        | 32      | 32      | B             |
| 1991-050050-10-010 | GCB50        | 50      | 50      | A             |
| 1991-063063-10-010 | GCB63        | 63      | 63      | B             |

### CONNECTORS FOR IMPERIAL PE PIPE

| New Product Code   | Product Code | D1 (MM) | D2 (MM) | Service Level |
|--------------------|--------------|---------|---------|---------------|
| 1991-012012-10-010 | GCB02        | ½"      | ½"      | C             |
| 1991-034034-10-010 | GCB03        | ¾"      | ¾"      | C             |
| 1991-100100-10-010 | GCB04        | 1"      | 1"      | B             |
| 1991-112112-10-010 | GCB06        | 1 ½"    | 1 ½"    | C             |

## EBCO-B REDUCING CONNECTORS

### Specification

EBCO-B Compression Reducing Connector for PE pipe, Gunmetal CC491K body, EPDM/nitrile compression gland, PP friction washer, copper insert, WRAS approved, PN16



### REDUCING CONNECTORS FOR METRIC PE PIPES

| New Product Code   | Product Code | D1 (MM) | D2 (MM) | Service Level |
|--------------------|--------------|---------|---------|---------------|
| 1991-025020-15-010 | GCB2025      | 25      | 20      | C             |
| 1991-032020-15-010 | GCB2032      | 32      | 20      | C             |
| 1991-032025-15-010 | GCB2532      | 32      | 25      | C             |
| 1991-050025-15-010 | GCB2550      | 50      | 25      | C             |
| 1991-063032-15-010 | GCB3263      | 32      | 63      | C             |
| 1991-050020-15-010 | GCB5020      | 50      | 20      | C             |
| 1991-050032-15-010 | GCB5032      | 50      | 32      | C             |
| 1991-063020-15-010 | GCB6320      | 63      | 20      | C             |
| 1991-063025-15-010 | GCB6325      | 63      | 25      | C             |
| 1991-063050-15-010 | GCB6350      | 63      | 50      | C             |



## EBCO-B MALE ADAPTORS

### Specification

EBCO-B Compression Male Adaptor for PE pipe, Gunmetal CC491K body, EPDM/nitrile compression gland, PP friction washer, copper insert, WRAS approved, PN16



### MALE ADAPTOR FOR METRIC PE PIPE

| New Product Code   | Product Code | D1 (MM) | D2   | Service Level |
|--------------------|--------------|---------|------|---------------|
| 1991-020012-21-010 | GAB2M20      | 20      | ½"   | A             |
| 1991-025034-21-010 | GAB3M25      | 25      | ¾"   | A             |
| 1991-032100-21-010 | GAB4M32      | 32      | 1"   | A             |
| 1991-050112-21-010 | GAB6M50      | 50      | 1 ½" | A             |
| 1991-063200-21-010 | GAB8M63      | 63      | 2"   | A             |

### MALE ADAPTOR FOR IMPERIAL PE PIPE

| New Product Code   | Product Code | D1 (MM) | D2   | Service Level |
|--------------------|--------------|---------|------|---------------|
| 1991-012012-21-010 | GAB2M02      | ½"      | ½"   | B             |
| 1991-034034-21-010 | GAB3M03      | ¾"      | ¾"   | B             |
| 1991-100100-21-010 | GAB4M04      | 1"      | 1"   | B             |
| 1991-112112-21-010 | GAB6M06      | 1 ½"    | 1 ½" | B             |
| 1991-200200-21-010 | GAB8M08      | 2"      | 2"   | B             |

## EBCO-B FEMALE ADAPTORS

### Specification

EBCO-B Compression Female Adaptor for PE pipe, Gunmetal CC491K body, EPDM/nitrile compression gland, PP friction washer, copper insert, WRAS approved, PN16



### FEMALE ADAPTOR FOR METRIC PE PIPE

| New Product Code   | Product Code | D1 (MM) | D2   | Service Level |
|--------------------|--------------|---------|------|---------------|
| 1991-020012-25-010 | GAB2F20      | 20      | ½"   | B             |
| 1991-025034-25-010 | GAB3F25      | 25      | ¾"   | B             |
| 1991-032100-25-010 | GAB4F32      | 32      | 1"   | B             |
| 1991-050112-25-010 | GAB6F50      | 50      | 1 ½" | C             |
| 1991-063200-25-010 | GAB8F63      | 63      | 2"   | C             |

### FEMALE ADAPTOR FOR IMPERIAL PE PIPE

| New Product Code   | Product Code | D1 (MM) | D2   | Service Level |
|--------------------|--------------|---------|------|---------------|
| 1991-012012-25-010 | GAB2F02      | ½"      | ½"   | C             |
| 1991-034034-25-010 | GAB3F03      | ¾"      | ¾"   | C             |
| 1991-100100-25-010 | GAB4F04      | 1"      | 1"   | C             |
| 1991-112112-25-010 | GAB6F06      | 1 ½"    | 1 ½" | C             |
| 1991-200200-25-010 | GAB8F08      | 2"      | 2"   | C             |

# EBCO-B ELBOWS

Specification

EBCO-B Compression Elbow for PE pipe, Gunmetal CC491K body, EPDM/nitrile compression gland, PP friction washer, copper insert, WRAS approved, PN16





## ELBOW FOR METRIC PE PIPE

| New Product Code   | Product Code | D1 (MM) | D2 (MM) | Service Level |
|--------------------|--------------|---------|---------|---------------|
| 1991-020020-30-010 | GEB20        | 20      | 20      | C             |
| 1991-025025-30-010 | GEB25        | 25      | 25      | C             |
| 1991-032032-30-010 | GEB32        | 32      | 32      | A             |
| 1991-032025-30-010 | GEB3225R     | 32      | 25      | C             |
| 1991-050050-30-010 | GEB50        | 50      | 50      | A             |
| 1991-063063-30-010 | GEB63        | 63      | 63      | A             |

## EBCO-B EQUAL TEES

### Specification

EBCO-B Compression Equal Tee for PE pipe, Gunmetal CC491K body, EPDM/nitrile compression gland, PP friction washer, copper insert, WRAS approved, PN16



### EQUAL TEE FOR METRIC PE PIPE

| New Product Code   | Product Code | D1 (MM) | D2 (MM) | D3 (MM) | Service Level |
|--------------------|--------------|---------|---------|---------|---------------|
| 1991-020020-50-010 | GTB20        | 20      | 20      | 20      | C             |
| 1991-025025-50-010 | GTB25        | 25      | 25      | 25      | C             |
| 1991-032032-50-010 | GTB32        | 32      | 32      | 32      | C             |
| 1991-050050-50-010 | GTB50        | 50      | 50      | 50      | B             |
| 1991-063063-50-010 | GTB63        | 63      | 63      | 63      | B             |

### EQUAL TEE FOR IMPERIAL PE PIPE

| New Product Code   | Product Code | D1 (MM) | D2 (MM) | D3 (MM) | Service Level |
|--------------------|--------------|---------|---------|---------|---------------|
| 1991-034034-50-010 | GTB03        | ¾"      | ¾"      | ¾"      | C             |
| 1991-100100-50-010 | GTB04        | 1"      | 1"      | 1"      | C             |
| 1991-112112-50-010 | GTB06        | 1 ½"    | 1 ½"    | 1 ½"    | C             |

## EBCO-B UNEQUAL TEES

### Specification

EBCO-B Compression Unequal Tee for PE pipe, Gunmetal CC491K body, EPDM/nitrile compression gland, PP friction washer, copper insert, WRAS approved, PN16



| New Product Code   | Product Code | D1 (MM) | D2 (MM) | D3 (MM) | Service Level |
|--------------------|--------------|---------|---------|---------|---------------|
| 1991-025020-52-010 | GTB2520R     | 25      | 25      | 20      | C             |
| 1991-032020-52-010 | GTB3220R     | 32      | 32      | 20      | C             |
| 1991-032025-52-010 | GTB3225R     | 32      | 32      | 25      | C             |
| 1991-050020-52-010 | GTB5020R     | 50      | 50      | 20      | C             |
| 1991-050025-52-010 | GTB5025R     | 50      | 50      | 25      | C             |
| 1991-050032-52-010 | GTB5032R     | 50      | 50      | 32      | C             |
| 1991-063032-52-010 | GTB6332R     | 63      | 63      | 32      | C             |
| 1991-063050-52-010 | GTB6350R     | 63      | 63      | 50      | C             |

## EBCO-S CONNECTORS

### Specification

EBCO-S Compression Connector for half hard copper tube, Gunmetal CC491K body, PN16



| New Product Code   | Product Code | Size | Service Level |
|--------------------|--------------|------|---------------|
| 1992-015015-10-010 | GAC15S15S    | 15mm | C             |
| 1992-022022-10-010 | GAC22S22S    | 22mm | C             |
| 1992-028028-10-010 | GAC28S28S    | 28mm | C             |
| 1992-042042-10-010 | GAC42S42S    | 42mm | C             |
| 1992-054054-10-010 | GAC54S54S    | 54mm | C             |

## EBCO-S REDUCING CONNECTORS

### Specification

EBCO-S Compression Reducing Connector for half hard copper tube, Gunmetal CC491K body, PN16



| New Product Code   | Product Code | Size    | Service Level |
|--------------------|--------------|---------|---------------|
| 1992-022015-15-010 | GAC22S15S    | 22x15mm | C             |
| 1992-028015-15-010 | GAC28S15S    | 28x15mm | C             |
| 1992-028022-15-010 | GAC28S22S    | 28x22mm | C             |
| 1992-042022-15-010 | GAC42S22S    | 42x22mm | C             |
| 1992-042028-15-010 | GAC42S28S    | 42x28mm | C             |
| 1992-054022-15-010 | GAC54S22S    | 54x22mm | C             |
| 1992-054028-15-010 | GAC54S28S    | 54x28mm | C             |
| 1992-054042-15-010 | GAC54S42S    | 54x42mm | C             |



## EBCO-S MALE ADAPTORS

### Specification

EBCO-S Compression Male Adaptor for half hard copper tube, Gunmetal CC491K body, PN16



| New Product Code   | Product Code | Size            | Service Level |
|--------------------|--------------|-----------------|---------------|
| 1992-015012-21-010 | GAC02M15S    | 15mm x 1/2" M   | C             |
| 1992-022034-21-010 | GAC03M22S    | 22mm x 3/4" M   | C             |
| 1992-028100-21-010 | GAC04M28S    | 28mm x 1" M     | C             |
| 1992-042112-21-010 | GAC06M42S    | 42mm x 1 1/2" M | C             |
| 1992-054200-21-010 | GAC08M54S    | 54mm x 2" M     | C             |

## EBCO-S FEMALE ADAPTORS

### Specification

EBCO-S Compression Female Adaptor for half hard copper tube, Gunmetal CC491K body, PN16



| New Product Code   | Product Code | Size            | Service Level |
|--------------------|--------------|-----------------|---------------|
| 1992-015012-25-010 | GAC02F15S    | 15mm x 1/2" F   | C             |
| 1992-022034-25-010 | GAC03F22S    | 22mm x 3/4" F   | C             |
| 1992-028100-25-010 | GAC04F28S    | 28mm x 1" F     | C             |
| 1992-042112-25-010 | GAC06F42S    | 42mm x 1 1/2" F | C             |
| 1992-054200-25-010 | GAC08F54S    | 54mm x 2" F     | C             |

## EBCO-S ELBOWS

### Specification

EBCO-S Compression Elbows for half hard copper tube, Gunmetal CC491K body, PN16



| New Product Code   | Product Code | Size | Service Level |
|--------------------|--------------|------|---------------|
| 1992-015015-30-010 | GACE15S15S   | 15mm | C             |
| 1992-022022-30-010 | GACE22S22S   | 22mm | C             |
| 1992-028028-30-010 | GACE28S28S   | 28mm | C             |
| 1992-042042-30-010 | GACE42S42S   | 42mm | C             |
| 1992-054054-30-010 | GACE54S54S   | 54mm | C             |

## EBCO-S ELBOW MALE ADAPTORS

### Specification

EBCO-S Compression Elbow Male Adaptors for half hard copper tube, Gunmetal CC491K body, PN16



| New Product Code   | Product Code | Size            | Service Level |
|--------------------|--------------|-----------------|---------------|
| 1992-015012-45-010 | GACE02M15S   | 15mm x 1/2" M   | C             |
| 1992-022034-45-010 | GACE03M22S   | 22mm x 3/4" M   | C             |
| 1992-028100-45-010 | GACE04M28S   | 28mm x 1" M     | C             |
| 1992-042112-45-010 | GACE06M42S   | 42mm x 1 1/2" M | C             |
| 1992-054200-45-010 | GACE08M54S   | 54mm x 2" M     | C             |

## EBCO-S ELBOW FEMALE ADAPTORS

### Specification

EBCO-S Compression Elbow Female  
Adaptors for half hard copper tube,  
Gunmetal CC491K body, PN16



| New Product Code   | Product Code | Size          | Service Level |
|--------------------|--------------|---------------|---------------|
| 1992-015012-46-010 | GACE02F15S   | 15mm x ½" F   | C             |
| 1992-022034-46-010 | GACE03F22S   | 22mm x ¾" F   | C             |
| 1992-028100-46-010 | GACE04F28S   | 28mm x 1" F   | C             |
| 1992-042112-46-010 | GACE06F42S   | 42mm x 1 ½" F | C             |
| 1992-054200-46-010 | GACE08F54S   | 54mm x 2" F   | C             |

## EBCO BSP 90° EQUAL ELBOW FEMALE X FEMALE

### Specification

EBCO BSP 90° Equal Elbow Female x Female for Threaded Pipe, Gunmetal, BSP threads to EN10226-1, PN16



| New Product Code   | Product Code | D1     | D2     | Gunmetal Grade | Service Level |
|--------------------|--------------|--------|--------|----------------|---------------|
| 1990-038038-10-110 | BSPE015F     | 3/8"   | 3/8"   | CC499K         | B             |
| 1990-012012-10-010 | BSPE02F      | 1/2"   | 1/2"   | CC491K         | B             |
| 1990-034034-10-010 | BSPE03F      | 3/4"   | 3/4"   | CC491K         | B             |
| 1990-100100-10-010 | BSPE04F      | 1"     | 1"     | CC491K         | B             |
| 1990-112112-10-010 | BSPE06F      | 1 1/2" | 1 1/2" | CC491K         | B             |
| 1990-200200-10-010 | BSPE08F      | 2"     | 2"     | CC491K         | B             |

## EBCO BSP 90° EQUAL ELBOW MALE X FEMALE

### Specification

EBCO BSP 90° Equal Elbow Male x Female for Threaded Pipe, Gunmetal, BSP threads to EN10226-1, PN16



| New Product Code   | Product Code | D1     | D2     | Gunmetal Grade | Service Level |
|--------------------|--------------|--------|--------|----------------|---------------|
| 1990-014014-15-110 | BSPE01MF     | 1/4"   | 1/4"   | CC499K         | B             |
| 1990-038038-15-110 | BSPE015MF    | 3/8"   | 3/8"   | CC499K         | B             |
| 1990-012012-15-010 | BSPE02MF     | 1/2"   | 1/2"   | CC491K         | B             |
| 1990-034034-15-010 | BSPE03MF     | 3/4"   | 3/4"   | CC491K         | B             |
| 1990-100100-15-010 | BSPE04MF     | 1"     | 1"     | CC491K         | B             |
| 1990-112112-15-010 | BSPE06MF     | 1 1/2" | 1 1/2" | CC491K         | B             |
| 1990-200200-15-010 | BSPE08MF     | 2"     | 2"     | CC491K         | B             |

## EBCO BSP EQUAL TEE FEMALE ALL ENDS

### Specification

EBCO BSP Equal Tee Female All Ends for Threaded Pipe, Gunmetal, BSP threads to EN10226-1, PN16



| New Product Code   | Product Code | D1     | D2     | D3     | Gunmetal Grade | Service Level |
|--------------------|--------------|--------|--------|--------|----------------|---------------|
| 1990-038038-20-110 | BSPT015F     | 3/8"   | 3/8"   | 3/8"   | CC499K         | B             |
| 1990-012012-20-110 | BSPT02F      | 1/2"   | 1/2"   | 1/2"   | CC499K         | B             |
| 1990-034034-20-110 | BSPT03F      | 3/4"   | 3/4"   | 3/4"   | CC499K         | B             |
| 1990-100100-20-010 | BSPT04F      | 1"     | 1"     | 1"     | CC491K         | B             |
| 1990-112112-20-110 | BSPT06F      | 1 1/2" | 1 1/2" | 1 1/2" | CC499K         | B             |
| 1990-200200-20-110 | BSPT08F      | 2"     | 2"     | 2"     | CC499K         | B             |

## EBCO BSP EQUAL SOCKET FEMALE X FEMALE

### Specification

EBCO BSP Equal Socket Female x Female for Threaded Pipe, Gunmetal, BSP threads to EN10226-1, PN16



| New Product Code   | Product Code | D1     | D2     | Gunmetal Grade | Service Level |
|--------------------|--------------|--------|--------|----------------|---------------|
| 1990-012012-30-010 | BSPS02F      | 1/2"   | 1/2"   | CC491K         | B             |
| 1990-034034-30-010 | BSPS03F      | 3/4"   | 3/4"   | CC491K         | B             |
| 1990-100100-30-010 | BSPS04F      | 1"     | 1"     | CC491K         | B             |
| 1990-114114-30-110 | BSPS05F      | 1 1/4" | 1 1/4" | CC499K         | B             |
| 1990-112112-30-010 | BSPS06F      | 1 1/2" | 1 1/2" | CC491K         | B             |
| 1990-200200-30-010 | BSPS08F      | 2"     | 2"     | CC491K         | B             |

## EBCO BSP REDUCING SOCKET FEMALE X FEMALE

### Specification

EBCO BSP Reducing Socket Female x Female for Threaded Pipe, Gunmetal, BSP threads to EN10226-1, PN16



| New Product Code   | Product Code | D1     | D2     | Gunmetal Grade | Service Level |
|--------------------|--------------|--------|--------|----------------|---------------|
| 1990-038014-30-110 | BSPS01501F   | 3/8"   | 1/4"   | CC499K         | B             |
| 1990-012038-30-110 | BSPS02015F   | 1/2"   | 3/8"   | CC499K         | B             |
| 1990-034012-30-010 | BSPS0302F    | 3/4"   | 1/2"   | CC491K         | B             |
| 1990-100012-30-010 | BSPS0402F    | 1"     | 1/2"   | CC491K         | B             |
| 1990-100034-30-010 | BSPS0403F    | 1"     | 3/4"   | CC491K         | B             |
| 1990-114100-30-110 | BSPS0504F    | 1 1/4" | 1"     | CC499K         | B             |
| 1990-112034-30-010 | BSPS0603F    | 1 1/2" | 3/4"   | CC491K         | B             |
| 1990-112100-30-010 | BSPS0604F    | 1 1/2" | 1"     | CC491K         | B             |
| 1990-200034-30-010 | BSPS0803F    | 2"     | 3/4"   | CC491K         | B             |
| 1990-200100-30-010 | BSPS0804F    | 2"     | 1"     | CC491K         | B             |
| 1990-200112-30-010 | BSPS0806F    | 2"     | 1 1/2" | CC491K         | B             |

## EBCO BSP REDUCING HEXAGON BUSH

### Specification

EBCO BSP Reducing Hexagon Bush for Threaded Pipe, Gunmetal, BSP threads to EN10226-1, PN16



| New Product Code   | Product Code | D1     | D2     | Gunmetal Grade | Service Level |
|--------------------|--------------|--------|--------|----------------|---------------|
| 1990-034014-40-110 | BSPB0100     | 3/8"   | 1/4"   | CC499K         | B             |
| 1990-012014-40-110 | BSPB0200     | 1/2"   | 1/4"   | CC499K         | B             |
| 1990-012038-40-110 | BSPB02015    | 1/2"   | 3/8"   | CC499K         | B             |
| 1990-034012-40-010 | BSPB0302     | 3/4"   | 1/2"   | CC491K         | B             |
| 1990-100012-40-010 | BSPB0402     | 1"     | 1/2"   | CC491K         | B             |
| 1990-100034-40-010 | BSPB0403     | 1"     | 3/4"   | CC491K         | B             |
| 1990-114012-40-110 | BSPB0502     | 1 1/4" | 1/2"   | CC499K         | B             |
| 1990-114034-40-110 | BSPB0503     | 1 1/4" | 3/4"   | CC499K         | B             |
| 1990-114100-40-110 | BSPB0504     | 1 1/4" | 1"     | CC499K         | B             |
| 1990-112012-40-010 | BSPB0602     | 1 1/2" | 1/2"   | CC491K         | B             |
| 1990-112034-40-010 | BSPB0603     | 1 1/2" | 3/4"   | CC491K         | B             |
| 1990-112100-40-010 | BSPB0604     | 1 1/2" | 1"     | CC491K         | B             |
| 1990-112114-40-110 | BSPB0605     | 1 1/2" | 1 1/4" | CC499K         | B             |
| 1990-200012-40-110 | BSPB0802     | 2"     | 1/2"   | CC499K         | B             |
| 1990-200034-40-010 | BSPB0803     | 2"     | 3/4"   | CC491K         | B             |
| 1990-200100-40-010 | BSPB0804     | 2"     | 1"     | CC491K         | B             |
| 1990-200114-40-010 | BSPB0805     | 2"     | 1 1/4" | CC491K         | B             |
| 1990-200112-40-010 | BSPB0806     | 2"     | 1 1/2" | CC491K         | B             |



## EBCO BSP EQUAL HEXAGON NIPPLE

### Specification

EBCO BSP Equal Hexagon Nipple for Threaded Pipe, Gunmetal, BSP threads to EN10226-1, PN16



| New Product Code   | Product Code | D1     | D2     | Gunmetal Grade | Service Level |
|--------------------|--------------|--------|--------|----------------|---------------|
| 1990-014014-50-110 | BSPN01       | 1/4"   | 1/4"   | CC499K         | B             |
| 1990-038038-50-110 | BSPN015      | 3/8"   | 3/8"   | CC499K         | B             |
| 1990-012012-50-010 | BSPN02       | 1/2"   | 1/2"   | CC491K         | B             |
| 1990-034034-50-010 | BSPN03       | 3/4"   | 3/4"   | CC491K         | B             |
| 1990-100100-50-010 | BSPN04       | 1"     | 1"     | CC491K         | B             |
| 1990-114114-50-110 | BSPN05       | 1 1/4" | 1 1/4" | CC499K         | B             |
| 1990-112112-50-010 | BSPN06       | 1 1/2" | 1 1/2" | CC491K         | B             |
| 1990-200200-50-010 | BSPN08       | 2"     | 2"     | CC491K         | B             |

## EBCO BSP BARREL NIPPLE

### Specification

EBCO BSP Barrel Nipple for Threaded Pipe, Gunmetal, BSP threads to EN10226-1, PN16



| New Product Code   | Product Code | D1     | Gunmetal Grade | Service Level |
|--------------------|--------------|--------|----------------|---------------|
| 1990-012012-55-110 | BSPBN02M     | 1/2"   | CC499K         | B             |
| 1990-034034-55-110 | BSPBN03M     | 3/4"   | CC499K         | B             |
| 1990-100100-55-110 | BSPBN04M     | 1"     | CC499K         | B             |
| 1990-112112-55-010 | BSPBN06M     | 1 1/2" | CC491K         | B             |
| 1990-200200-55-010 | BSPBN08M     | 2"     | CC491K         | B             |

## EBCO BSP REDUCING HEXAGON NIPPLE

### Specification

EBCO BSP Reducing Hexagon Nipple for Threaded Pipe, Gunmetal, BSP threads to EN10226-1, PN16



| New Product Code   | Product Code | D1   | D2   | Gunmetal Grade | Service Level |
|--------------------|--------------|------|------|----------------|---------------|
| 1990-034012-50-010 | BSPN0302     | ¾"   | ½"   | CC491K         | B             |
| 1990-100034-50-010 | BSPN0403     | 1"   | ¾"   | CC491K         | B             |
| 1990-114100-50-110 | BSPN0504     | 1 ¼" | 1"   | CC499K         | B             |
| 1990-112100-50-010 | BSPN0604     | 1 ½" | 1"   | CC491K         | B             |
| 1990-200112-50-010 | BSPN0806     | 2"   | 1 ½" | CC491K         | B             |

## EBCO BSP TAPER PLUG

### Specification

EBCO BSP Plain Plug Male for Threaded Pipe, Gunmetal, BSP threads to EN10226-1, PN16



| New Product Code   | Product Code | D1   | Gunmetal Grade | Service Level |
|--------------------|--------------|------|----------------|---------------|
| 1990-038000-60-010 | BSPP015M     | ⅜"   | CC491K         | B             |
| 1990-012000-60-010 | BSPP02M      | ½"   | CC491K         | B             |
| 1990-034000-60-010 | BSPP03M      | ¾"   | CC491K         | B             |
| 1990-100000-60-010 | BSPP04M      | 1"   | CC491K         | B             |
| 1990-114000-60-110 | BSPP05M      | 1 ¼" | CC499K         | B             |
| 1990-112000-60-010 | BSPP06M      | 1 ½" | CC491K         | B             |
| 1990-200000-60-010 | BSPP08M      | 2"   | CC491K         | B             |

## EBCO HEXAGON HOSE CONNECTORS - MALE

### Specification

EBCO Hexagon Hose Connector - Male,  
Gunmetal CC491K, PN16



| New Product Code   | Product Code | D1   | D2   | Service Level |
|--------------------|--------------|------|------|---------------|
| 1990-012012-80-010 | H12B0202     | ½"   | ½"   | B             |
| 1990-034034-80-010 | H12B0303     | ¾"   | ¾"   | B             |
| 1990-100100-80-010 | H12B0404     | 1"   | 1"   | B             |
| 1990-114114-80-010 | H12B0505     | 1 ¼" | 1 ¼" | B             |
| 1990-112112-80-010 | H12B0606     | 1 ½" | 1 ½" | B             |
| 1990-200200-80-010 | H12B0808     | 2"   | 2"   | B             |
| 1990-212212-80-010 | H12B1010     | 2 ½" | 2 ½" | B             |
| 1990-300300-80-010 | H12B1212     | 3"   | 3"   | B             |
| 1990-400400-80-010 | H12B1616     | 4"   | 4"   | B             |

## EBCO BENT HEXAGON HOSE CONNECTORS - MALE

### Specification

EBCO Hexagon Bent Hose Connector -  
Male, Gunmetal CC491K, PN16



| New Product Code   | Product Code | D1   | D2   | Service Level |
|--------------------|--------------|------|------|---------------|
| 1990-012012-85-010 | HBHS02M      | ½"   | ½"   | B             |
| 1990-034034-85-010 | HBHS03M      | ¾"   | ¾"   | B             |
| 1990-100100-85-010 | HBHS04M      | 1"   | 1"   | B             |
| 1990-114114-85-010 | HBHS05M      | 1 ¼" | 1 ¼" | B             |
| 1990-112112-85-010 | HBHS06M      | 1 ½" | 1 ½" | B             |
| 1990-200200-85-010 | HBHS08M      | 2"   | 2"   | B             |







# TAPPING SYSTEMS

---

|                                           |     |
|-------------------------------------------|-----|
| FLAT BOSS SADDLES                         | 128 |
| SWIVEL FERRULES                           | 133 |
| GUNMETAL SELF TAPPING<br>FERRULE STRAPS   | 142 |
| COMBINED SADDLE FERRULES                  | 150 |
| ABSP SERVICE VALVES                       | 154 |
| RETAINING STRAPS FOR ABSP                 | 155 |
| TAPPING SYSTEMS SPARES AND<br>ACCESSORIES | 156 |



## FLAT BOSS SADDLES FOR METRIC AND IMPERIAL PE/PVC PIPE

### Specification

Flat Boss Saddle for PE/PVC Pipe.  
Gunmetal CC491K to BS EN 1982:2008.  
PN16, temperature up to 23°C. Seal to BS  
EN 681-1. Made from WRAS approved  
materials.

Suitable for the following  
pipe materials

**PVC**  
Poly Vinyl  
Chloride

**PE**  
Polyethylene



### FOR PVC/PE PIPES

| New Product Code | Product Code | Pipe   | Nom Size           | Strap Size | Drilling  | Service Level |
|------------------|--------------|--------|--------------------|------------|-----------|---------------|
| 1922-058-000-00  | SBFP002T0    | PE/PVC | 2" (DN50)          | 58-62mm    | Undrilled | C             |
| 1922-058-012-00  | SBFP002T2    | PE/PVC | 2" (DN50)          | 58-62mm    | ½"        | C             |
| 1922-058-034-00  | SBFP002T3    | PE/PVC | 2" (DN50)          | 58-62mm    | ¾"        | C             |
| 1922-088-000-00  | SBFP003T0    | PE/PVC | 90mm / 3" (DN80)   | 88-92mm    | Undrilled | C             |
| 1922-088-012-00  | SBFP003T2    | PE/PVC | 90mm / 3" (DN80)   | 88-92mm    | ½"        | C             |
| 1922-088-034-00  | SBFP003T3    | PE/PVC | 90mm / 3" (DN80)   | 88-92mm    | ¾"        | C             |
| 1922-088-100-00  | E3238        | PE/PVC | 90mm / 3" (DN80)   | 88-92mm    | 1"        | C             |
| 1922-088-114-00  | E9156        | PE/PVC | 90mm / 3" (DN80)   | 88-92mm    | 1 ¼"      | C             |
| 1922-088-112-00  | E3249        | PE/PVC | 90mm / 3" (DN80)   | 88-92mm    | 1 ½"      | C             |
| 1922-110-000-00  | SBFP004T0    | PE/PVC | 110mm / 4" (DN100) | 110-115mm  | Undrilled | C             |
| 1922-110-012-00  | SBFP004T2    | PE/PVC | 110mm / 4" (DN100) | 110-115mm  | ½"        | C             |
| 1922-110-034-00  | SBFP004T3    | PE/PVC | 110mm / 4" (DN100) | 110-115mm  | ¾"        | C             |
| 1922-110-100-00  | SBFP004T4    | PE/PVC | 110mm / 4" (DN100) | 110-115mm  | 1"        | C             |
| 1922-110-114-00  | E7685        | PE/PVC | 110mm / 4" (DN100) | 110-115mm  | 1 ¼"      | C             |
| 1922-110-112-00  | E3250        | PE/PVC | 110mm / 4" (DN100) | 110-115mm  | 1 ½"      | C             |
| 1922-110-200-00  | E3256        | PE/PVC | 110mm / 4" (DN100) | 110-115mm  | 2"        | C             |
| 1922-165-000-00  | SBFP006T0    | PE/PVC | 160mm / 6" (DN150) | 165-173mm  | Undrilled | C             |
| 1922-165-038-00  | SBFP006T1ANG | PE/PVC | 160mm / 6" (DN150) | 165-173mm  | ⅜"        | C             |
| 1922-165-012-00  | SBFP006T2    | PE/PVC | 160mm / 6" (DN150) | 165-173mm  | ½"        | C             |
| 1922-165-034-00  | SBFP006T3    | PE/PVC | 160mm / 6" (DN150) | 165-173mm  | ¾"        | C             |
| 1922-165-100-00  | SBFP006T4    | PE/PVC | 160mm / 6" (DN150) | 165-173mm  | 1"        | C             |
| 1922-165-114-00  | E3993        | PE/PVC | 160mm / 6" (DN150) | 165-173mm  | 1 ¼"      | C             |
| 1922-165-200-00  | E3257        | PE/PVC | 160mm / 6" (DN150) | 165-173mm  | 2"        | C             |
| 1922-218-000-00  | SBFP008T0    | PE/PVC | 225mm / 8" (DN200) | 218-226mm  | Undrilled | C             |
| 1922-218-012-00  | SBFP008T2    | PE/PVC | 225mm / 8" (DN200) | 218-226mm  | ½"        | C             |
| 1922-218-034-00  | SBFP008T3    | PE/PVC | 225mm / 8" (DN200) | 218-226mm  | ¾"        | C             |
| 1922-218-100-00  | SBFP008T4    | PE/PVC | 225mm / 8" (DN200) | 218-226mm  | 1"        | C             |



FOR PVC/PE PIPES

| New Product Code | Product Code | Pipe   | Nom Size           | Strap Size | Drilling  | Service Level |
|------------------|--------------|--------|--------------------|------------|-----------|---------------|
| 1922-218-114-00  | E5230        | PE/PVC | 225mm / 8" (DN200) | 218-226mm  | 1 ¼ "     | C             |
| 1922-218-112-00  | E3254        | PE/PVC | 225mm / 8" (DN200) | 218-226mm  | 1 ½ "     | C             |
| 1922-218-200-00  | E3258        | PE/PVC | 225mm / 8" (DN200) | 218-226mm  | 2"        | C             |
| 1922-268-000-00  | SBFP010T0    | PE/PVC | 10" (DN250)        | 268-276mm  | Undrilled | C             |
| 1922-268-012-00  | SBFP010T2    | PE/PVC | 10" (DN250)        | 268-276mm  | ½ "       | C             |
| 1922-268-034-00  | SBFP010T3    | PE/PVC | 10" (DN250)        | 268-276mm  | ¾ "       | C             |
| 1922-268-100-00  | SBFP010T4    | PE/PVC | 10" (DN250)        | 268-276mm  | 1"        | C             |
| 1922-322-000-00  | SBFP012T0    | PE/PVC | 12" (DN300)        | 322-330mm  | Undrilled | C             |
| 1922-322-012-00  | SBFP012T2    | PE/PVC | 12" (DN300)        | 322-330mm  | ½ "       | C             |
| 1922-322-034-00  | SBFP012T3    | PE/PVC | 12" (DN300)        | 322-330mm  | ¾ "       | C             |
| 1922-322-100-00  | SBFP012T4    | PE/PVC | 12" (DN300)        | 322-330mm  | 1"        | C             |
| 1922-322-114-00  | E4588        | PE/PVC | 12" (DN300)        | 322-330mm  | 1 ¼ "     | C             |
| 1922-322-112-00  | E4861        | PE/PVC | 12" (DN300)        | 322-330mm  | 1 ½ "     | C             |

## FLAT BOSS SADDLES FOR ASBESTOS CEMENT OR CAST IRON PIPE

### Specification

Flat Boss Saddle for Asbestos Cement or Cast Iron Pipe. Gunmetal CC491K to BS EN 1982:2008. PN16, temperature up to 23°C. Seal to BS EN 681-1. Made from WRAS approved materials.

Suitable for the following pipe materials



### FOR ASBESTOS CEMENT / CAST IRON PIPES

| New Product Code | Product Code | Pipe  | Nom Size    | Strap Size | Drilling  | Service Level |
|------------------|--------------|-------|-------------|------------|-----------|---------------|
| 1922-074-000-00  | SBFA002T0    | AC/CI | 2" (DN50)   | 74-78mm    | Undrilled | C             |
| 1922-074-012-00  | SBFA002T2    | AC/CI | 2" (DN50)   | 74-78mm    | 1/2"      | C             |
| 1922-074-034-00  | SBFA002T3    | AC/CI | 2" (DN50)   | 74-78mm    | 3/4"      | C             |
| 1922-074-100-00  | SBFA002T4    | AC/CI | 2" (DN50)   | 74-78mm    | 1"        | C             |
| 1922-096-000-00  | SBFA003T0    | AC/CI | 3" (DN80)   | 96-101mm   | Undrilled | C             |
| 1922-096-038-00  | SBFD080T1    | AC/CI | 3" (DN80)   | 96-101mm   | 3/8"      | C             |
| 1922-096-012-00  | SBFA003T2    | AC/CI | 3" (DN80)   | 96-101mm   | 1/2"      | C             |
| 1922-096-034-00  | SBFA003T3    | AC/CI | 3" (DN80)   | 96-101mm   | 3/4"      | C             |
| 1922-096-100-00  | SBFA003T4    | AC/CI | 3" (DN80)   | 96-101mm   | 1"        | C             |
| 1922-122-000-00  | SBFA004T0    | AC/CI | 4" (DN100)  | 122-130mm  | Undrilled | B             |
| 1922-122-012-00  | SBFA004T2    | AC/CI | 4" (DN100)  | 122-130mm  | 1/2"      | C             |
| 1922-122-034-00  | SBFA004T3    | AC/CI | 4" (DN100)  | 122-130mm  | 3/4"      | B             |
| 1922-122-100-00  | SBFA004T4    | AC/CI | 4" (DN100)  | 122-130mm  | 1"        | C             |
| 1922-122-200-00  | E6101        | AC/CI | 4" (DN100)  | 122-130mm  | 2"        | C             |
| 1922-177-000-00  | SBFA006T0    | AC/CI | 6" (DN150)  | 177-185mm  | Undrilled | B             |
| 1922-177-012-00  | SBFA006T2    | AC/CI | 6" (DN150)  | 177-185mm  | 1/2"      | C             |
| 1922-177-034-00  | SBFA006T3    | AC/CI | 6" (DN150)  | 177-185mm  | 3/4"      | B             |
| 1922-177-100-00  | SBFA006T4    | AC/CI | 6" (DN150)  | 177-185mm  | 1"        | C             |
| 1922-177-114-00  | SBFA006T5    | AC/CI | 6" (DN150)  | 177-185mm  | 1 1/4"    | C             |
| 1922-229-000-00  | SBFA008T0    | AC/CI | 8" (DN200)  | 229-237mm  | Undrilled | C             |
| 1922-229-012-00  | SBFA008T2    | AC/CI | 8" (DN200)  | 229-237mm  | 1/2"      | C             |
| 1922-229-034-00  | SBFA008T3    | AC/CI | 8" (DN200)  | 229-237mm  | 3/4"      | C             |
| 1922-229-100-00  | SBFA008T4    | AC/CI | 8" (DN200)  | 229-237mm  | 1"        | C             |
| 1922-229-114-00  | SBFA008T5    | AC/CI | 8" (DN200)  | 229-237mm  | 1 1/4"    | C             |
| 1922-286-000-00  | SBFA010T0    | AC/CI | 10" (DN250) | 286-294mm  | Undrilled | C             |
| 1922-286-012-00  | SBFA010T2    | AC/CI | 10" (DN250) | 286-294mm  | 1/2"      | C             |
| 1922-286-034-00  | SBFA010T3    | AC/CI | 10" (DN250) | 286-294mm  | 3/4"      | C             |
| 1922-286-100-00  | SBFA010T4    | AC/CI | 10" (DN250) | 286-294mm  | 1"        | C             |

# FOR ASBESTOS CEMENT / CAST IRON PIPES

| New Product Code | Product Code | Pipe  | Nom Size    | Strap Size | Drilling  | Service Level |
|------------------|--------------|-------|-------------|------------|-----------|---------------|
| 1922-344-000-00  | E3220        | AC/CI | 12" (DN300) | 344-352mm  | Undrilled | C             |
| 1922-344-012-00  | SBFA012T2    | AC/CI | 12" (DN300) | 344-352mm  | ½"        | C             |
| 1922-344-034-00  | SBFA012T3    | AC/CI | 12" (DN300) | 344-352mm  | ¾"        | C             |
| 1922-344-100-00  | SBFA012T4    | AC/CI | 12" (DN300) | 344-352mm  | 1"        | C             |

## FLAT BOSS SADDLES FOR DUCTILE IRON PIPE

### Specification

Flat Boss Saddle for Ductile Iron Pipe.  
Gunmetal CC491K to BS EN 1982:2008.  
PN16, temperature up to 23°C. Seal to BS  
EN 681-1. Made from WRAS approved  
materials.

Suitable for the following  
pipe materials



Ductile Iron



# FOR DUCTILE IRON PIPES

| New Product Code | Product Code | Pipe | Nom Size   | Strap Size | Drilling  | Service Level |
|------------------|--------------|------|------------|------------|-----------|---------------|
| 1922-096-000-00  | SBFA003T0    | DI   | 3" (DN80)  | 96-101mm   | Undrilled | C             |
| 1922-096-012-00  | SBFA003T2    | DI   | 3" (DN80)  | 96-101mm   | ½"        | C             |
| 1922-096-034-00  | SBFA003T3    | DI   | 3" (DN80)  | 96-101mm   | ¾"        | C             |
| 1922-096-100-00  | SBFA003T4    | DI   | 3" (DN80)  | 96-101mm   | 1"        | C             |
| 1922-096-112-00  | E4191        | DI   | 3" (DN80)  | 96-101mm   | 1 ½"      | C             |
| 1922-113-000-00  | SBFD100      | DI   | 4" (DN100) | 113-118mm  | Undrilled | C             |
| 1922-113-038-00  | SBFD100T1    | DI   | 4" (DN100) | 113-118mm  | ⅜"        | C             |
| 1922-113-012-00  | SBFD100T2    | DI   | 4" (DN100) | 113-118mm  | ½"        | C             |
| 1922-113-034-00  | SBFD100T3    | DI   | 4" (DN100) | 113-118mm  | ¾"        | C             |
| 1922-113-200-00  | E11997       | DI   | 4" (DN100) | 113-118mm  | 2"        | C             |
| 1922-165-000-00  | SBFP006T0    | DI   | 6" (DN150) | 165-173mm  | Undrilled | C             |
| 1922-165-012-00  | SBFP006T2    | DI   | 6" (DN150) | 165-173mm  | ½"        | C             |
| 1922-165-034-00  | SBFP006T3    | DI   | 6" (DN150) | 165-173mm  | ¾"        | C             |
| 1922-165-100-00  | SBFP006T4    | DI   | 6" (DN150) | 165-173mm  | 1"        | C             |
| 1922-165-114-00  | E3993        | DI   | 6" (DN150) | 165-173mm  | 1 ¼"      | C             |
| 1922-165-200-00  | E3257        | DI   | 6" (DN150) | 165-173mm  | 2"        | C             |
| 1922-218-000-00  | SBFP008T0    | DI   | 8" (DN200) | 218-226mm  | Undrilled | C             |
| 1922-218-012-00  | SBFP008T2    | DI   | 8" (DN200) | 218-226mm  | ½"        | C             |
| 1922-218-034-00  | SBFP008T3    | DI   | 8" (DN200) | 218-226mm  | ¾"        | C             |
| 1922-218-100-00  | SBFP008T4    | DI   | 8" (DN200) | 218-226mm  | 1"        | C             |
| 1922-218-114-00  | E5230        | DI   | 8" (DN200) | 218-226mm  | 1 ¼"      | C             |
| 1922-218-112-00  | E3254        | DI   | 8" (DN200) | 218-226mm  | 1 ½"      | C             |
| 1922-218-200-00  | E3258        | DI   | 8" (DN200) | 218-226mm  | 2"        | C             |

# TAPPING SYSTEMS

## FOR DUCTILE IRON PIPES

| New Product Code | Product Code | Pipe | Nom Size    | Strap Size | Drilling  | Service Level |
|------------------|--------------|------|-------------|------------|-----------|---------------|
| 1922-268-000-00  | SBFP010T0    | DI   | 10" (DN250) | 268-276mm  | Undrilled | C             |
| 1922-268-012-00  | SBFP010T2    | DI   | 10" (DN250) | 268-276mm  | ½"        | C             |
| 1922-268-034-00  | SBFP010T3    | DI   | 10" (DN250) | 268-276mm  | ¾"        | C             |
| 1922-268-100-00  | SBFP010T4    | DI   | 10" (DN250) | 268-276mm  | 1"        | C             |
| 1922-322-200-00  | E11445       | DI   | 12" (DN300) | 322-330mm  | 2"        | C             |
| 1922-373-000-10  | E11443       | DI   | 14" (DN350) | 373-381mm  | Undrilled | C             |
| 1922-429-000-00  | E4064        | DI   | 16" (DN400) | 429-439mm  | Undrilled | C             |
| 1922-532-000-10  | E11480       | DI   | 20" (DN500) | 532-540mm  | Undrilled | C             |
| 1922-630-000-10  | E11442       | DI   | 24" (DN600) | 630-637mm  | Undrilled | C             |

## FLAT BOSS SADDLES FOR GRE PIPE

### Specification

Flat Boss Saddle for GRE Pipe. Gunmetal CC491K to BS EN 1982:2008. PN16, temperature up to 23°C. Seal to BS EN 681-1. Made from WRAS approved materials.

Suitable for the following pipe materials



## FOR GRE PIPES

| New Product Code | Product Code | Pipe | Nom Size | Strap Size | Drilling  | Service Level |
|------------------|--------------|------|----------|------------|-----------|---------------|
| 1922-107-000-10  | E11800       | GRE  | DN100    | 107-115mm  | Undrilled | C             |
| 1922-107-100-10  | E11806       | GRE  | DN100    | 107-115mm  | 1"        | C             |
| 1922-157-000-10  | E11801       | GRE  | DN150    | 157-165mm  | Undrilled | C             |
| 1922-157-100-10  | E11807       | GRE  | DN150    | 157-165mm  | 1"        | B             |
| 1922-209-000-10  | E11802       | GRE  | DN200    | 209-217mm  | Undrilled | C             |
| 1922-209-100-10  | E11808       | GRE  | DN200    | 209-217mm  | 1"        | C             |
| 1922-232-000-10  | E11803       | GRE  | DN225    | 232-240mm  | Undrilled | C             |
| 1922-232-100-10  | E11809       | GRE  | DN225    | 232-240mm  | 1"        | C             |
| 1922-306-000-10  | E11804       | GRE  | DN300    | 306-314mm  | Undrilled | C             |
| 1922-306-100-10  | E11810       | GRE  | DN300    | 306-314mm  | 1"        | C             |
| 1922-460-000-10  | E11805       | GRE  | DN450    | 460-468mm  | Undrilled | C             |
| 1922-460-100-10  | E11811       | GRE  | DN450    | 460-468mm  | 1"        | C             |

# SWIVEL FERRULES - STANDARD PATTERN PLASTIC TALBOT PUSHFIT

## Specification

Swivel Ferrules Gunmetal CC491K EPDM  
Seals, Plastic banjo, Pushfit outlet for PE  
pipe PN16

Suitable for the following  
pipe materials



\*Plastic pipes require a flat boss strap



| New Product Code      | Product Code | Inlet | Outlet (mm) | Outlet Type    | Banjo Material | Liner | Service Level |
|-----------------------|--------------|-------|-------------|----------------|----------------|-------|---------------|
| 1923-012-10-10-020000 | E3835        | ½"    | 20          | Talbot Pushfit | Plastic        | yes   | A             |
| 1923-012-10-10-025000 | E3961        | ½"    | 25          | Talbot Pushfit | Plastic        | yes   | A             |
| 1923-034-10-10-025000 | E3964        | ¾"    | 25          | Talbot Pushfit | Plastic        | yes   | A             |
| 1923-034-10-10-032000 | E3870        | ¾"    | 32          | Talbot Pushfit | Plastic        | yes   | B             |
| 1923-100-10-10-032000 | E3871        | 1"    | 32          | Talbot Pushfit | Plastic        | yes   | A             |
| 1923-112-10-10-050000 | E6540        | 1½"   | 50          | Talbot Pushfit | Plastic        | yes   | B             |
| 1923-112-10-10-063000 | E6541        | 1½"   | 63          | Talbot Pushfit | Plastic        | yes   | C             |
| 1923-200-10-10-063000 | E6542        | 2"    | 63          | Talbot Pushfit | Plastic        | yes   | B             |

| New Product Code      | Product Code | Inlet | Outlet (mm) | Outlet Type    | Banjo Material | Liner | Service Level |
|-----------------------|--------------|-------|-------------|----------------|----------------|-------|---------------|
| 1923-012-10-10-012010 | E6067        | ½"    | ½"          | Talbot Pushfit | Plastic        | no    | C             |
| 1923-012-10-10-034010 | E3967        | ½"    | ¾"          | Talbot Pushfit | Plastic        | no    | C             |
| 1923-034-10-10-034010 | E3968        | ¾"    | ¾"          | Talbot Pushfit | Plastic        | no    | C             |
| 1923-100-10-10-100010 | E3901        | 1"    | 1"          | Talbot Pushfit | Plastic        | no    | C             |
| 1923-012-10-10-123010 | E3837        | ½"    | ½"          | Talbot Pushfit | Plastic        | no    | B             |
| 1923-034-10-10-127010 | E9903        | ¾"    | ¾" Irish HG | Talbot Pushfit | Plastic        | no    | B             |
| 1923-100-10-10-134010 | E9904        | 1"    | 1" Irish HG | Talbot Pushfit | Plastic        | no    | B             |

## SWIVEL FERRULES - STANDARD PATTERN GUNMETAL TALBOT PUSHFIT

### Specification

Swivel Ferrules Gunmetal CC491K EPDM  
Seals, Pushfit outlet for PE pipe PN16

Suitable for the following  
pipe materials

AC

Fibre  
Cement

CI

Cast Iron

DI

Ductile Iron

PVC

Poly Vinyl  
Chloride

PE

Polyethylene

\*Plastic pipes require a flat boss strap



| New Product Code      | Product Code | Inlet | Outlet (mm) | Outlet Type    | Banjo Material | Liner | Service Level |
|-----------------------|--------------|-------|-------------|----------------|----------------|-------|---------------|
| 1923-012-20-10-020000 | E2885        | ½"    | 20          | Talbot Pushfit | Gunmetal       | yes   | C             |
| 1923-012-20-10-025000 | E2887        | ½"    | 25          | Talbot Pushfit | Gunmetal       | yes   | C             |
| 1923-034-20-10-025000 | E2888        | ¾"    | 25          | Talbot Pushfit | Gunmetal       | yes   | B             |
| 1923-100-20-10-032000 | E2890        | 1"    | 32          | Talbot Pushfit | Gunmetal       | yes   | C             |
| 1923-112-20-10-050000 | E2891        | 1½"   | 50          | Talbot Pushfit | Gunmetal       | yes   | C             |
| 1923-112-20-10-063000 | E2892        | 1½"   | 63          | Talbot Pushfit | Gunmetal       | yes   | C             |
| 1923-200-20-10-063000 | E2893        | 2"    | 63          | Talbot Pushfit | Gunmetal       | yes   | C             |
| 1923-012-20-10-020010 | E2879        | ½"    | 20          | Talbot Pushfit | Gunmetal       | no    | C             |
| 1923-034-20-10-025010 | E2880        | ¾"    | 25          | Talbot Pushfit | Gunmetal       | no    | C             |
| 1923-100-20-10-032010 | E2881        | 1"    | 32          | Talbot Pushfit | Gunmetal       | no    | B             |
| 1923-112-20-10-050010 | E4455        | 1½"   | 50          | Talbot Pushfit | Gunmetal       | no    | C             |
| 1923-112-20-10-063010 | E9212        | 1½"   | 63          | Talbot Pushfit | Gunmetal       | no    | C             |
| 1923-200-20-10-063010 | E4877        | 2"    | 63          | Talbot Pushfit | Gunmetal       | no    | C             |
| 1923-012-20-10-012010 | E8599        | ½"    | ½"          | Talbot Pushfit | Gunmetal       | no    | C             |
| 1923-012-20-10-034010 | E2877        | ½"    | ¾"          | Talbot Pushfit | Gunmetal       | no    | C             |
| 1923-034-20-10-012010 | E4137        | ¾"    | ½"          | Talbot Pushfit | Gunmetal       | no    | C             |
| 1923-034-20-10-034010 | E2876        | ¾"    | ¾"          | Talbot Pushfit | Gunmetal       | no    | A             |
| 1923-100-20-10-100010 | E3774        | 1"    | 1"          | Talbot Pushfit | Gunmetal       | no    | C             |
| 1923-200-20-10-200010 | E9215        | 2"    | 2"          | Talbot Pushfit | Gunmetal       | no    | C             |
| 1923-012-20-10-123010 | E2878        | ½"    | ½" Irish HG | Talbot Pushfit | Gunmetal       | no    | B             |
| 1923-034-20-10-123010 | E5948        | ¾"    | ½" Irish HG | Talbot Pushfit | Gunmetal       | no    | B             |

## SWIVEL FERRULES - STANDARD PATTERN PLASTIC EBCO PUSHFIT

### Specification

Swivel Ferrules Gunmetal CC491K EPDM Seals, Plastic banjo, Pushfit outlet for PE pipe PN16

Suitable for the following pipe materials



\*Plastic pipes require a flat boss strap



| New Product Code      | Product Code | Inlet | Outlet (mm) | Outlet Type  | Banjo Material | Liner | Service Level |
|-----------------------|--------------|-------|-------------|--------------|----------------|-------|---------------|
| 1923-012-30-10-025000 | SFR225Z/P    | ½"    | 25          | EBCO Pushfit | Plastic        | yes   | A             |
| 1923-034-30-10-025000 | SFR325Z/P    | ¾"    | 25          | EBCO Pushfit | Plastic        | yes   | A             |
| 1923-100-30-10-032000 | SFR432Z/P    | 1"    | 32          | EBCO Pushfit | Plastic        | yes   | A             |

## SWIVEL FERRULES - STANDARD PATTERN GUNMETAL EBCO PUSHFIT

### Specification

Swivel Ferrules Gunmetal CC491K EPDM Seals, Pushfit outlet for PE pipe PN16

Suitable for the following pipe materials



\*Plastic pipes require a flat boss strap



| New Product Code      | Product Code | Inlet | Outlet (mm) | Outlet Type  | Banjo Material | Liner | Service Level |
|-----------------------|--------------|-------|-------------|--------------|----------------|-------|---------------|
| 1923-012-40-10-025000 | SFR225Z      | ½"    | 25          | EBCO Pushfit | Gunmetal       | yes   | A             |
| 1923-034-40-10-025000 | SFR325Z      | ¾"    | 25          | EBCO Pushfit | Gunmetal       | yes   | A             |
| 1923-100-40-10-032000 | SFR432Z      | 1"    | 32          | EBCO Pushfit | Gunmetal       | yes   | B             |
| 1923-112-40-10-050000 | SFR650Z      | 1½"   | 50          | EBCO Pushfit | Gunmetal       | yes   | B             |
| 1923-200-40-10-063000 | SFR863Z      | 2"    | 63          | EBCO Pushfit | Gunmetal       | yes   | A             |



## SWIVEL FERRULES - STANDARD PATTERN EBCO-B

### Specification

Swivel Ferrules Gunmetal CC491K EPDM  
Seals, Compression outlet for PE pipe PN16

Suitable for the following  
pipe materials

AC

Fibre  
Cement

CI

Cast Iron

DI

Ductile Iron

PVC

Poly Vinyl  
Chloride

PE

Polyethylene

\*Plastic pipes require a flat boss strap



| New Product Code      | Product Code | Inlet | Outlet (mm) | Outlet Type | Banjo Material | Liner | Service Level |
|-----------------------|--------------|-------|-------------|-------------|----------------|-------|---------------|
| 1923-112-50-10-020010 | SFR220B      | ½"    | 20          | EBCO-B      | Gunmetal       | -     | C             |
| 1923-034-50-10-025010 | SFR325B      | ¾"    | 25          | EBCO-B      | Gunmetal       | -     | C             |
| 1923-100-50-10-032010 | SFR432B      | 1"    | 32          | EBCO-B      | Gunmetal       | -     | C             |
| 1923-112-50-10-050010 | SFR650B      | 1½"   | 50          | EBCO-B      | Gunmetal       | -     | C             |
| 1923-112-50-10-063010 | SFR663B      | 1½"   | 63          | EBCO-B      | Gunmetal       | -     | B             |
| 1923-200-50-10-063010 | SFR863B      | 2"    | 63          | EBCO-B      | Gunmetal       | -     | C             |

## SWIVEL FERRULES - STANDARD PATTERN EBCO-S

### Specification

Swivel Ferrules Gunmetal CC491K EPDM  
Seals, Compression outlet for copper pipe,  
PN16

Suitable for the following  
pipe materials

AC

Fibre  
Cement

CI

Cast Iron

DI

Ductile Iron

PVC

Poly Vinyl  
Chloride

PE

Polyethylene

\*Plastic pipes require a flat boss strap



| New Product Code      | Product Code | Inlet | Outlet (mm) | Outlet Type | Banjo Material | Liner | Service Level |
|-----------------------|--------------|-------|-------------|-------------|----------------|-------|---------------|
| 1923-012-70-10-022010 | SFR222S      | ½"    | 22          | EBCO-S      | Gunmetal       | -     | C             |
| 1923-034-70-10-022010 | SFR322S      | ¾"    | 22          | EBCO-S      | Gunmetal       | -     | C             |
| 1923-034-70-10-028010 | SFR328S      | ¾"    | 28          | EBCO-S      | Gunmetal       | -     | C             |
| 1923-100-70-10-028010 | SFR428S      | 1"    | 28          | EBCO-S      | Gunmetal       | -     | C             |
| 1923-112-70-10-042010 | SFR642S      | 1 ½"  | 42          | EBCO-S      | Gunmetal       | -     | C             |
| 1923-200-70-10-054010 | SFR854S      | 2"    | 54          | EBCO-S      | Gunmetal       | -     | C             |

## SWIVEL FERRULES - STANDARD PATTERN BSP FEMALE

### Specification

Swivel Ferrules Gunmetal CC491K EPDM  
Seals, Female BSP outlet PN16

### Suitable for the following pipe materials



Fibre  
Cement



Cast Iron



Ductile Iron



Poly Vinyl  
Chloride



Polyethylene

\*Plastic pipes require a flat boss strap



| New Product Code      | Product Code | Inlet | Outlet (") | Outlet Type | Banjo Material | Liner | Service Level |
|-----------------------|--------------|-------|------------|-------------|----------------|-------|---------------|
| 1923-012-60-10-012010 | SFR202F      | ½"    | ½"         | BSP Female  | Gunmetal       | -     | A             |
| 1923-034-60-10-012010 | SFR302F      | ¾"    | ½"         | BSP Female  | Gunmetal       | -     | C             |
| 1923-034-60-10-034010 | SFR303F      | ¾"    | ¾"         | BSP Female  | Gunmetal       | -     | A             |
| 1923-034-61-10-034010 | SFR9D03F     | ¾"    | 2 ¾"       | BSP Female  | Gunmetal       | -     | C             |
| 1923-034-60-10-100010 | SFR304F      | ¾"    | 1"         | BSP Female  | Gunmetal       | -     | C             |
| 1923-100-60-10-100010 | SFR404F      | 1"    | 1"         | BSP Female  | Gunmetal       | -     | B             |
| 1923-112-60-10-112010 | SFR606F      | 1½"   | 1½"        | BSP Female  | Gunmetal       | -     | C             |
| 1923-200-60-10-200010 | SFR808F      | 2"    | 2"         | BSP Female  | Gunmetal       | -     | A             |

## SWIVEL FERRULES - SCREWDOWN PATTERN TALBOT PUSHFIT

### Specification

Screwdown Ferrules Gunmetal CC491K  
EPDM Seals, Pushfit outlet for PE pipe,  
PN16

### Suitable for the following pipe materials

**AC**

Fibre  
Cement

**CI**

Cast Iron

**DI**

Ductile Iron

**PVC**

Poly Vinyl  
Chloride

**PE**

Polyethylene

\*Plastic pipes require a flat boss strap



| New Product Code      | Product Code | Inlet | Outlet (mm) | Outlet Type    | Banjo Material | Liner | Service Level |
|-----------------------|--------------|-------|-------------|----------------|----------------|-------|---------------|
| 1923-012-20-20-020000 | E2886        | ½"    | 20          | Talbot Pushfit | Gunmetal       | yes   | C             |
| 1923-034-20-20-025000 | E2894        | ¾"    | 25          | Talbot Pushfit | Gunmetal       | yes   | C             |
| 1923-100-20-20-032000 | E2896        | 1"    | 32          | Talbot Pushfit | Gunmetal       | yes   | C             |
| 1923-112-20-20-050000 | E7013        | 1½"   | 50          | Talbot Pushfit | Gunmetal       | yes   | C             |
| 1923-200-20-20-063000 | E7275        | 2"    | 63          | Talbot Pushfit | Gunmetal       | yes   | C             |
| 1923-012-20-20-020010 | E4214        | ½"    | 20          | Talbot Pushfit | Gunmetal       | no    | C             |
| 1923-034-20-20-025010 | E2882        | ¾"    | 25          | Talbot Pushfit | Gunmetal       | no    | B             |
| 1923-100-20-20-032010 | E2883        | 1"    | 32          | Talbot Pushfit | Gunmetal       | no    | A             |
| 1923-112-20-20-050010 | E9477        | 1½"   | 50          | Talbot Pushfit | Gunmetal       | no    | C             |
| 1923-200-20-20-063010 | E4062        | 2"    | 63          | Talbot Pushfit | Gunmetal       | no    | C             |

## SWIVEL FERRULES - SCREWDOWN PATTERN EBCO-B

|               |                                            |
|---------------|--------------------------------------------|
| Specification | Swivel Ferrules Gunmetal CC491K EPDM       |
|               | Seals, Compression outlet for PE pipe PN16 |

Suitable for the following pipe materials



\*Plastic pipes require a flat boss strap



| New Product Code      | Product Code | Inlet | Outlet (MM) | Outlet Type | Banjo Material | Liner | Service Level |
|-----------------------|--------------|-------|-------------|-------------|----------------|-------|---------------|
| 1923-012-50-20-020010 | SFS220B      | ½"    | 20          | EBCO-B      | Gunmetal       | -     | C             |
| 1923-034-50-20-025010 | SFS325B      | ¾"    | 25          | EBCO-B      | Gunmetal       | -     | B             |
| 1923-100-50-20-032010 | SFS432B      | 1"    | 32          | EBCO-B      | Gunmetal       | -     | B             |
| 1923-112-50-20-050010 | SFS650B      | 1½"   | 50          | EBCO-B      | Gunmetal       | -     | B             |
| 1923-200-50-20-063010 | SFS863B      | 2"    | 63          | EBCO-B      | Gunmetal       | -     | B             |
| 1923-012-50-20-012010 | SFS202B      | ½"    | ½"          | EBCO-B      | Gunmetal       | -     | C             |
| 1923-034-50-20-034010 | SFS303B      | ¾"    | ¾"          | EBCO-B      | Gunmetal       | -     | C             |
| 1923-100-50-20-100010 | SFS404B      | 1"    | 1"          | EBCO-B      | Gunmetal       | -     | C             |
| 1923-112-50-20-112010 | SFS606B      | 1½"   | 1½"         | EBCO-B      | Gunmetal       | -     | C             |
| 1923-200-50-20-200010 | SFS808B      | 2"    | 2"          | EBCO-B      | Gunmetal       | -     | C             |

## SWIVEL FERRULES - SCREWDOWN PATTERN EBCO-S

|               |                                                 |
|---------------|-------------------------------------------------|
| Specification | Swivel Ferrules Gunmetal CC491K EPDM            |
|               | Seals, Compression outlet for copper pipe, PN16 |

Suitable for the following pipe materials



\*Plastic pipes require a flat boss strap



| New Product Code      | Product Code | Inlet | Outlet (mm) | Outlet Type | Banjo Material | Liner | Service Level |
|-----------------------|--------------|-------|-------------|-------------|----------------|-------|---------------|
| 1923-100-70-20-022010 | SFS3225S     | ¾"    | 22          | EBCO-S      | Gunmetal       | -     | C             |
| 1923-100-70-20-028010 | SFS428S      | 1"    | 28          | EBCO-S      | Gunmetal       | -     | C             |
| 1923-112-70-20-042010 | SFS642S      | 1 ½"  | 42          | EBCO-S      | Gunmetal       | -     | C             |
| 1923-200-70-20-054010 | SFS854S      | 2"    | 54          | EBCO-S      | Gunmetal       | -     | C             |

## SELF TAPPING FERRULE STRAPS FOR PVC/PE PIPE - PLASTIC TALBOT PUSHFIT

### Specification

Self-tapping Ferrule Straps, Gunmetal  
CC491K straps, Plastic Banjo, EPDM Seals,  
PN16

Suitable for the following  
pipe materials

PVC

Poly Vinyl  
Chloride

PE

Polyethylene



| New Product Code     | Product Code | Pipe   | Nom Size           | Strap Size (MM) | Outlet Size | Outlet Type    | Banjo   | Service Level |
|----------------------|--------------|--------|--------------------|-----------------|-------------|----------------|---------|---------------|
| 1921-029-10-10-02500 | E3952        | PVC/PE | 32mm / 1" (DN25)   | 29-34           | 25mm        | Talbot Pushfit | Plastic | B             |
| 1921-047-10-10-02000 | E3857        | PVC/PE | 50mm / 1 ½" (DN40) | 47-51           | 20mm        | Talbot Pushfit | Plastic | B             |
| 1921-047-10-10-02500 | E3921        | PVC/PE | 50mm / 1 ½" (DN40) | 47-51           | 25mm        | Talbot Pushfit | Plastic | B             |
| 1921-060-10-10-02000 | E7225        | PVC/PE | 63mm / 2" (DN50)   | 60-64           | 20mm        | Talbot Pushfit | Plastic | B             |
| 1921-060-10-10-02500 | E3950        | PVC/PE | 63mm / 2" (DN50)   | 60-64           | 25mm        | Talbot Pushfit | Plastic | B             |
| 1921-060-10-10-03200 | E4788        | PVC/PE | 63mm / 2" (DN50)   | 60-64           | 32mm        | Talbot Pushfit | Plastic | B             |
| 1921-088-10-10-02000 | E7200        | PVC/PE | 90mm / 3" (DN80)   | 88-92           | 20mm        | Talbot Pushfit | Plastic | B             |
| 1921-088-10-10-02500 | E5223        | PVC/PE | 90mm / 3" (DN80)   | 88-92           | 25mm        | Talbot Pushfit | Plastic | A             |
| 1921-088-10-10-03200 | E5226        | PVC/PE | 90mm / 3" (DN80)   | 88-92           | 32mm        | Talbot Pushfit | Plastic | A             |
| 1921-110-10-10-02000 | E7304        | PVC/PE | 110mm / 4" (DN100) | 110-115         | 20mm        | Talbot Pushfit | Plastic | B             |
| 1921-110-10-10-02500 | E7305        | PVC/PE | 110mm / 4" (DN100) | 110-115         | 25mm        | Talbot Pushfit | Plastic | A             |
| 1921-110-10-10-03200 | E7306        | PVC/PE | 110mm / 4" (DN100) | 110-115         | 32mm        | Talbot Pushfit | Plastic | B             |
| 1921-122-10-10-02000 | E7201        | PVC/PE | 125mm (DN125)      | 122-130         | 20mm        | Talbot Pushfit | Plastic | B             |
| 1921-122-10-10-02500 | E5224        | PVC/PE | 125mm (DN125)      | 122-130         | 25mm        | Talbot Pushfit | Plastic | A             |
| 1921-122-10-10-03200 | E5227        | PVC/PE | 125mm (DN125)      | 122-130         | 32mm        | Talbot Pushfit | Plastic | A             |
| 1921-155-10-10-02000 | E7307        | PVC/PE | 160mm (DN150)      | 155-163         | 20mm        | Talbot Pushfit | Plastic | B             |
| 1921-155-10-10-02500 | E7308        | PVC/PE | 160mm (DN150)      | 155-163         | 25mm        | Talbot Pushfit | Plastic | A             |
| 1921-155-10-10-03200 | E7309        | PVC/PE | 160mm (DN150)      | 155-163         | 32mm        | Talbot Pushfit | Plastic | B             |
| 1921-165-10-10-02000 | E4798        | PVC/PE | 6" (DN150)         | 165-173         | 20mm        | Talbot Pushfit | Plastic | B             |
| 1921-165-10-10-02500 | E4799        | PVC/PE | 6" (DN150)         | 165-173         | 25mm        | Talbot Pushfit | Plastic | B             |
| 1921-165-10-10-03200 | E4800        | PVC/PE | 6" (DN150)         | 165-173         | 32mm        | Talbot Pushfit | Plastic | B             |
| 1921-177-10-10-02000 | E7202        | PVC/PE | 180mm (DN150)      | 177-185         | 20mm        | Talbot Pushfit | Plastic | B             |
| 1921-177-10-10-02500 | E5225        | PVC/PE | 180mm (DN150)      | 177-185         | 25mm        | Talbot Pushfit | Plastic | A             |
| 1921-177-10-10-03200 | E5228        | PVC/PE | 180mm (DN150)      | 177-185         | 32mm        | Talbot Pushfit | Plastic | B             |
| 1921-195-10-10-02500 | E3928        | PVC/PE | 200mm (DN200)      | 195-203         | 25mm        | Talbot Pushfit | Plastic | C             |
| 1921-195-10-10-03200 | E7970        | PVC/PE | 200mm (DN200)      | 195-203         | 32mm        | Talbot Pushfit | Plastic | C             |
| 1921-218-10-10-02000 | E8326        | PVC/PE | 225mm / 8" (DN200) | 218-226         | 20mm        | Talbot Pushfit | Plastic | C             |
| 1921-218-10-10-02500 | E3926        | PVC/PE | 225mm / 8" (DN200) | 218-226         | 25mm        | Talbot Pushfit | Plastic | B             |

## SELF TAPPING FERRULE STRAPS FOR PVC/PE PIPE - PLASTIC TALBOT PUSHFIT

| New Product Code     | Product Code  | Pipe   | Nom Size           | Strap Size (MM) | Outlet Size | Outlet Type    | Banjo   | Service Level |
|----------------------|---------------|--------|--------------------|-----------------|-------------|----------------|---------|---------------|
| 1921-218-10-10-03200 | E8327         | PVC/PE | 225mm / 8" (DN200) | 218-226         | 32mm        | Talbot Pushfit | Plastic | C             |
| 1921-268-10-10-03200 | E8325         | PVC/PE | 10" (DN250)        | 268-276         | 32mm        | Talbot Pushfit | Plastic | C             |
| 1921-047-10-10-12301 | E11304        | PVC/PE | 50mm / 1 ½" (DN40) | 47-51           | ½" Irish HG | Talbot Pushfit | Plastic | C             |
| 1921-060-10-10-12301 | E3841         | PVC/PE | 63mm / 2" (DN50)   | 60-64           | ½" Irish HG | Talbot Pushfit | Plastic | A             |
| 1921-060-10-10-12701 | E10005        | PVC/PE | 63mm / 2" (DN50)   | 60-64           | ¾" Irish HG | Talbot Pushfit | Plastic | C             |
| 1921-060-10-10-13401 | E10009        | PVC/PE | 63mm / 2" (DN50)   | 60-64           | 1" Irish HG | Talbot Pushfit | Plastic | C             |
| 1921-088-10-10-12301 | E7699         | PVC/PE | 90mm / 3" (DN80)   | 88-92           | ½" Irish HG | Talbot Pushfit | Plastic | A             |
| 1921-088-10-10-12701 | E10006        | PVC/PE | 90mm / 3" (DN80)   | 88-92           | ¾" Irish HG | Talbot Pushfit | Plastic | C             |
| 1921-088-10-10-13401 | E10010        | PVC/PE | 90mm / 3" (DN80)   | 88-92           | 1" Irish HG | Talbot Pushfit | Plastic | C             |
| 1921-110-10-10-12301 | E3851         | PVC/PE | 110mm / 4" (DN100) | 110-115         | ½" Irish HG | Talbot Pushfit | Plastic | A             |
| 1921-110-10-10-12701 | E10007        | PVC/PE | 110mm / 4" (DN100) | 110-115         | ¾" Irish HG | Talbot Pushfit | Plastic | C             |
| 1921-110-10-10-13401 | E10011        | PVC/PE | 110mm / 4" (DN100) | 110-115         | 1" Irish HG | Talbot Pushfit | Plastic | C             |
| 1921-122-10-10-12301 | E10363        | PVC/PE | 125mm (DN125)      | 122-130         | ½" Irish HG | Talbot Pushfit | Plastic | C             |
| 1921-122-10-10-12701 | E11590        | PVC/PE | 125mm (DN125)      | 122-130         | ¾" Irish HG | Talbot Pushfit | Plastic | C             |
| 1921-155-10-10-12301 | E8338         | PVC/PE | 160mm (DN150)      | 155-163         | ½" Irish HG | Talbot Pushfit | Plastic | B             |
| 1921-155-10-10-12701 | E10008        | PVC/PE | 160mm (DN150)      | 155-163         | ¾" Irish HG | Talbot Pushfit | Plastic | C             |
| 1921-155-10-10-13401 | E10012        | PVC/PE | 160mm (DN150)      | 155-163         | 1" Irish HG | Talbot Pushfit | Plastic | C             |
| 1921-177-10-10-12301 | E10364        | PVC/PE | 180mm (DN150)      | 177-185         | ½" Irish HG | Talbot Pushfit | Plastic | C             |
| 1921-195-10-10-12301 | E10236        | PVC/PE | 200mm (DN200)      | 195-203         | ½" Irish HG | Talbot Pushfit | Plastic | B             |
| 1921-195-10-10-12701 | E11271        | PVC/PE | 200mm (DN200)      | 195-203         | ¾" Irish HG | Talbot Pushfit | Plastic | C             |
| 1921-218-10-10-12301 | E3850         | PVC/PE | 225mm / 8" (DN200) | 218-226         | ½" Irish HG | Talbot Pushfit | Plastic | C             |
| 1921-250-10-10-12300 | STP25002HGT/P | PVC/PE | 250mm (DN250)      | 250-258         | ½" Irish HG | Talbot Pushfit | Plastic | C             |
| 1921-268-10-10-12301 | E11026        | PVC/PE | 10" (DN250)        | 268-276         | ½" Irish HG | Talbot Pushfit | Plastic | C             |
| 1921-322-10-10-12300 | E11704        | PVC/PE | 12" (DN300)        | 322-330         | ½" Irish HG | Talbot Pushfit | Plastic | C             |

## SELF TAPPING FERRULE STRAPS FOR PVC/PE PIPE - GUNMETAL TALBOT PUSHFIT

### Specification

Self-tapping Ferrule Straps, Gunmetal  
CC491K straps, Gunmetal Banjo, EPDM  
Seals, PN16 Banjo, EPDM Seals, PN16

Suitable for the following  
pipe materials

**PVC**

Poly Vinyl  
Chloride

**PE**

Polyethylene



| New Product Code     | Product Code | Pipe   | Nom Size             | Strap Size (MM) | Outlet Size   | Outlet Type    | Banjo    | Service Level |
|----------------------|--------------|--------|----------------------|-----------------|---------------|----------------|----------|---------------|
| 1921-029-10-20-02000 | E3051        | PVC/PE | 32mm / 1" (DN25)     | 29-34           | 20mm          | Talbot Pushfit | Gunmetal | C             |
| 1921-029-10-20-02500 | E3057        | PVC/PE | 32mm / 1" (DN25)     | 29-34           | 25mm          | Talbot Pushfit | Gunmetal | C             |
| 1921-047-10-20-02000 | E3052        | PVC/PE | 50mm / 1 1/2" (DN40) | 47-51           | 20mm          | Talbot Pushfit | Gunmetal | C             |
| 1921-047-10-20-02500 | E3058        | PVC/PE | 50mm / 1 1/2" (DN40) | 47-51           | 25mm          | Talbot Pushfit | Gunmetal | C             |
| 1921-060-10-20-02000 | E3053        | PVC/PE | 63mm / 2" (DN50)     | 60-64           | 20mm          | Talbot Pushfit | Gunmetal | B             |
| 1921-060-10-20-02500 | E3059        | PVC/PE | 63mm / 2" (DN50)     | 60-64           | 25mm          | Talbot Pushfit | Gunmetal | B             |
| 1921-060-10-20-03200 | E4789        | PVC/PE | 63mm / 2" (DN50)     | 60-64           | 32mm          | Talbot Pushfit | Gunmetal | A             |
| 1921-088-10-20-02000 | E3076        | PVC/PE | 90mm / 3" (DN80)     | 88-92           | 20mm          | Talbot Pushfit | Gunmetal | C             |
| 1921-088-10-20-02500 | E3083        | PVC/PE | 90mm / 3" (DN80)     | 88-92           | 25mm          | Talbot Pushfit | Gunmetal | B             |
| 1921-088-10-20-03200 | E3087        | PVC/PE | 90mm / 3" (DN80)     | 88-92           | 32mm          | Talbot Pushfit | Gunmetal | C             |
| 1921-110-10-20-02000 | E3077        | PVC/PE | 110mm / 4" (DN100)   | 110-115         | 20mm          | Talbot Pushfit | Gunmetal | C             |
| 1921-110-10-20-02500 | E3084        | PVC/PE | 110mm / 4" (DN100)   | 110-115         | 25mm          | Talbot Pushfit | Gunmetal | C             |
| 1921-110-10-20-03200 | E3088        | PVC/PE | 110mm / 4" (DN100)   | 110-115         | 32mm          | Talbot Pushfit | Gunmetal | A             |
| 1921-122-10-20-02000 | E3055        | PVC/PE | 125mm (DN125)        | 122-130         | 20mm          | Talbot Pushfit | Gunmetal | C             |
| 1921-122-10-20-02500 | E3061        | PVC/PE | 125mm (DN125)        | 122-130         | 25mm          | Talbot Pushfit | Gunmetal | C             |
| 1921-122-10-20-03200 | E3064        | PVC/PE | 125mm (DN125)        | 122-130         | 32mm          | Talbot Pushfit | Gunmetal | C             |
| 1921-155-10-20-02000 | E7197        | PVC/PE | 160mm (DN150)        | 155-163         | 20mm          | Talbot Pushfit | Gunmetal | C             |
| 1921-155-10-20-02500 | E3081        | PVC/PE | 160mm (DN150)        | 155-163         | 25mm          | Talbot Pushfit | Gunmetal | C             |
| 1921-155-10-20-03200 | E4181        | PVC/PE | 160mm (DN150)        | 155-163         | 32mm          | Talbot Pushfit | Gunmetal | C             |
| 1921-165-10-20-02000 | E3078        | PVC/PE | 6" (DN150)           | 165-173         | 20mm          | Talbot Pushfit | Gunmetal | C             |
| 1921-165-10-20-02500 | E3085        | PVC/PE | 6" (DN150)           | 165-173         | 25mm          | Talbot Pushfit | Gunmetal | C             |
| 1921-165-10-20-03200 | E3089        | PVC/PE | 6" (DN150)           | 165-173         | 32mm          | Talbot Pushfit | Gunmetal | B             |
| 1921-177-10-20-02000 | E3056        | PVC/PE | 180mm (DN150)        | 177-185         | 20mm          | Talbot Pushfit | Gunmetal | C             |
| 1921-177-10-20-02500 | E3062        | PVC/PE | 180mm (DN150)        | 177-185         | 25mm          | Talbot Pushfit | Gunmetal | C             |
| 1921-177-10-20-03200 | E3065        | PVC/PE | 180mm (DN150)        | 177-185         | 32mm          | Talbot Pushfit | Gunmetal | C             |
| 1921-195-10-20-02500 | E3082        | PVC/PE | 200mm (DN200)        | 195-203         | 25mm          | Talbot Pushfit | Gunmetal | C             |
| 1921-195-10-20-03200 | E4182        | PVC/PE | 200mm (DN200)        | 195-203         | 32mm          | Talbot Pushfit | Gunmetal | C             |
| 1921-047-10-20-12301 | E19918       | PVC/PE | 50mm / 1 1/2" (DN40) | 47-51           | 1/2" Irish HG | Talbot Pushfit | Gunmetal | C             |



## SELF TAPPING FERRULE STRAPS FOR PVC/PE PIPE - GUNMETAL TALBOT PUSHFIT

| New Product Code     | Product Code | Pipe   | Nom Size           | Strap Size (MM) | Outlet Size | Outlet Type    | Banjo    | Service Level |
|----------------------|--------------|--------|--------------------|-----------------|-------------|----------------|----------|---------------|
| 1921-218-10-20-02000 | E3079        | PVC/PE | 225mm / 8" (DN200) | 218-226         | 20mm        | Talbot Pushfit | Gunmetal | C             |
| 1921-218-10-20-02500 | E3086        | PVC/PE | 225mm / 8" (DN200) | 218-226         | 25mm        | Talbot Pushfit | Gunmetal | C             |
| 1921-218-10-20-03200 | E3090        | PVC/PE | 225mm / 8" (DN200) | 218-226         | 32mm        | Talbot Pushfit | Gunmetal | C             |
| 1921-268-10-20-02000 | E11230       | PVC/PE | 10" (DN250)        | 268-276         | 20mm        | Talbot Pushfit | Gunmetal | C             |
| 1921-268-10-20-02500 | E11149       | PVC/PE | 10" (DN250)        | 268-276         | 25mm        | Talbot Pushfit | Gunmetal | C             |
| 1921-060-10-20-12301 | E3068        | PVC/PE | 63mm / 2" (DN50)   | 60-64           | ½" Irish HG | Talbot Pushfit | Gunmetal | B             |
| 1921-088-10-20-12301 | E4218        | PVC/PE | 90mm / 3" (DN80)   | 88-92           | ½" Irish HG | Talbot Pushfit | Gunmetal | C             |
| 1921-110-10-20-12301 | E3070        | PVC/PE | 110mm / 4" (DN100) | 110-115         | ½" Irish HG | Talbot Pushfit | Gunmetal | B             |
| 1921-122-10-20-12301 | E11307       | PVC/PE | 125mm (DN125)      | 122-130         | ½" Irish HG | Talbot Pushfit | Gunmetal | C             |
| 1921-155-10-20-12301 | E4020        | PVC/PE | 160mm (DN150)      | 155-163         | ½" Irish HG | Talbot Pushfit | Gunmetal | C             |
| 1921-165-10-20-12301 | E4417        | PVC/PE | 6" (DN150)         | 165-173         | ½" Irish HG | Talbot Pushfit | Gunmetal | C             |
| 1921-177-10-20-12301 | E11308       | PVC/PE | 180mm (DN150)      | 177-185         | ½" Irish HG | Talbot Pushfit | Gunmetal | C             |
| 1921-195-10-20-12301 | E3067        | PVC/PE | 200mm (DN200)      | 195-203         | ½" Irish HG | Talbot Pushfit | Gunmetal | C             |
| 1921-218-10-20-12301 | E3071        | PVC/PE | 225mm / 8" (DN200) | 218-226         | ½" Irish HG | Talbot Pushfit | Gunmetal | C             |
| 1921-268-10-20-12301 | E11870       | PVC/PE | 10" (DN250)        | 268-276         | ½" Irish HG | Talbot Pushfit | Gunmetal | C             |

## SELF TAPPING FERRULE STRAPS FOR PVC/PE PIPE - PLASTIC TALBOT PUSHFIT (PLASTIC BANJO, PLASTIC STRAPS)

### Specification

Self-tapping Ferrule Straps, Plastic straps, Plastic Banjo, EPDM Seals, PN16 Banjo, EPDM Seals. Reg 4 & WRAS approvals.



| New Product Code     | Product Code | Pipe   | Nom Size           | Strap Size (MM) | Outlet Size | Outlet Type    | Banjo    | Service Level |
|----------------------|--------------|--------|--------------------|-----------------|-------------|----------------|----------|---------------|
| 1921-063-40-10-02500 | E11910       | PVC/PE | 63mm / 2" (DN50)   | 60-64           | 25mm        | Talbot Pushfit | Plastic  | B             |
| 1921-063-40-10-03200 | E11911       | PVC/PE | 63mm / 2" (DN50)   | 60-64           | 32mm        | Talbot Pushfit | Plastic  | B             |
| 1921-090-40-10-02500 | E11913       | PVC/PE | 90mm / 3" (DN80)   | 88-92           | 25mm        | Talbot Pushfit | Plastic  | A             |
| 1921-090-40-10-03200 | E11914       | PVC/PE | 90mm / 3" (DN80)   | 88-92           | 32mm        | Talbot Pushfit | Plastic  | A             |
| 1921-110-40-10-02500 | E11916       | PVC/PE | 110mm / 4" (DN100) | 110-115         | 25mm        | Talbot Pushfit | Plastic  | A             |
| 1921-110-40-10-03200 | E11917       | PVC/PE | 110mm / 4" (DN100) | 110-115         | 32mm        | Talbot Pushfit | Plastic  | B             |
| 1921-125-40-10-02500 | E11919       | PVC/PE | 125mm (DN125)      | 122-130         | 25mm        | Talbot Pushfit | Plastic  | A             |
| 1921-125-40-10-03200 | E11920       | PVC/PE | 125mm (DN125)      | 122-130         | 32mm        | Talbot Pushfit | Plastic  | A             |
| 1921-063-40-10-12301 | E11982       | PVC/PE | 63mm / 2" (DN50)   | 60-64           | ½" Irish HG | Talbot Pushfit | Plastic  | A             |
| 1921-090-40-10-12301 | E11927       | PVC/PE | 90mm / 3" (DN80)   | 88-92           | ½" Irish HG | Talbot Pushfit | Plastic  | A             |
| 1921-110-40-10-12301 | E11979       | PVC/PE | 110mm / 4" (DN100) | 110-115         | ½" Irish HG | Talbot Pushfit | Plastic  | A             |
| 1921-063-40-60-03401 | E11912       | PVC/PE | 63mm / 2" (DN50)   | 60-64           | ¾"          | BSP Female     | Gunmetal | B             |
| 1921-090-40-60-03401 | E11915       | PVC/PE | 90mm / 3" (DN80)   | 88-92           | ¾"          | BSP Female     | Gunmetal | C             |
| 1921-110-40-60-03401 | E11918       | PVC/PE | 110mm / 4" (DN100) | 110-115         | ¾"          | BSP Female     | Gunmetal | B             |
| 1921-125-40-60-03401 | E11921       | PVC/PE | 125mm (DN125)      | 122-130         | ¾"          | BSP Female     | Gunmetal | C             |

## SELF TAPPING FERRULE STRAPS FOR PVC/PE PIPE - PLASTIC EBCO PUSHFIT

### Specification

Self-tapping Ferrule Straps, Gunmetal  
CC491K straps, Plastic banjo, EPDM Seals,  
PN16

Suitable for the following  
pipe materials

PVC

Poly Vinyl  
Chloride

PE

Polyethylene



| New Product Code     | Product Code | Pipe   | Nom Size             | Strap Size (mm) | Outlet Size | Outlet Type  | Banjo   | Service Level |
|----------------------|--------------|--------|----------------------|-----------------|-------------|--------------|---------|---------------|
| 1921-029-10-30-02500 | STP03225Z/P  | PVC/PE | 32mm / 1" (DN25)     | 29-34           | 25mm        | EBCO Pushfit | Plastic | C             |
| 1921-047-10-30-02500 | STP05025Z/P  | PVC/PE | 50mm / 1 1/2" (DN40) | 47-51           | 25mm        | EBCO Pushfit | Plastic | A             |
| 1921-060-10-30-02500 | STP06325Z/P  | PVC/PE | 63mm / 2" (DN50)     | 60-64           | 25mm        | EBCO Pushfit | Plastic | A             |
| 1921-060-10-30-03200 | STP06332Z/P  | PVC/PE | 63mm / 2" (DN50)     | 60-64           | 32mm        | EBCO Pushfit | Plastic | A             |
| 1921-088-10-30-02500 | STP09025Z/P  | PVC/PE | 90mm / 3" (DN80)     | 88-92           | 25mm        | EBCO Pushfit | Plastic | A             |
| 1921-088-10-30-03200 | STP09032Z/P  | PVC/PE | 90mm / 3" (DN80)     | 88-92           | 32mm        | EBCO Pushfit | Plastic | A             |
| 1921-110-10-30-02500 | STP11025Z/P  | PVC/PE | 110mm / 4" (DN100)   | 110-115         | 25mm        | EBCO Pushfit | Plastic | A             |
| 1921-110-10-30-03200 | STP11032Z/P  | PVC/PE | 110mm / 4" (DN100)   | 110-115         | 32mm        | EBCO Pushfit | Plastic | A             |
| 1921-122-10-30-02500 | STM12525Z/P  | PVC/PE | 125mm (DN125)        | 122-130         | 25mm        | EBCO Pushfit | Plastic | A             |
| 1921-122-10-30-03200 | STM12532Z/P  | PVC/PE | 125mm (DN125)        | 122-130         | 32mm        | EBCO Pushfit | Plastic | A             |
| 1921-155-10-30-02500 | STP16025Z/P  | PVC/PE | 160mm (DN150)        | 155-163         | 25mm        | EBCO Pushfit | Plastic | A             |
| 1921-155-10-30-03200 | STP16032Z/P  | PVC/PE | 160mm (DN150)        | 155-163         | 32mm        | EBCO Pushfit | Plastic | A             |
| 1921-165-10-30-02500 | STP00625Z/P  | PVC/PE | 6" (DN150)           | 165-173         | 25mm        | EBCO Pushfit | Plastic | A             |
| 1921-165-10-30-03200 | STP00632Z/P  | PVC/PE | 6" (DN150)           | 165-173         | 32mm        | EBCO Pushfit | Plastic | B             |
| 1921-177-10-30-02500 | STM18025Z/P  | PVC/PE | 180mm (DN150)        | 177-185         | 25mm        | EBCO Pushfit | Plastic | A             |
| 1921-177-10-30-03200 | STM18032Z/P  | PVC/PE | 180mm (DN150)        | 177-185         | 32mm        | EBCO Pushfit | Plastic | A             |
| 1921-195-10-30-02500 | STP20025Z/P  | PVC/PE | 200mm (DN200)        | 195-203         | 25mm        | EBCO Pushfit | Plastic | A             |
| 1921-195-10-30-03200 | STP20032Z/P  | PVC/PE | 200mm (DN200)        | 195-203         | 32mm        | EBCO Pushfit | Plastic | C             |
| 1921-218-10-30-02500 | STP00825Z/P  | PVC/PE | 225mm / 8" (DN200)   | 218-226         | 25mm        | EBCO Pushfit | Plastic | A             |
| 1921-218-10-30-03200 | STP00832Z/P  | PVC/PE | 225mm / 8" (DN200)   | 218-226         | 32mm        | EBCO Pushfit | Plastic | B             |
| 1921-250-10-30-02500 | STP25025Z/P  | PVC/PE | 250mm (DN250)        | 250-258         | 25mm        | EBCO Pushfit | Plastic | A             |
| 1921-250-10-30-03200 | STP25032Z/P  | PVC/PE | 250mm (DN250)        | 250-258         | 32mm        | EBCO Pushfit | Plastic | C             |
| 1921-268-10-30-02500 | STP01025Z/P  | PVC/PE | 10" (DN250)          | 268-276         | 25mm        | EBCO Pushfit | Plastic | C             |
| 1921-268-10-30-03200 | STP01032Z/P  | PVC/PE | 10" (DN250)          | 268-276         | 32mm        | EBCO Pushfit | Plastic | C             |
| 1921-310-10-30-02500 | STP31525Z/P  | PVC/PE | 315mm (DN300)        | 310-318         | 25mm        | EBCO Pushfit | Plastic | B             |
| 1921-322-10-30-03200 | STP01232Z/P  | PVC/PE | 12" (DN300)          | 322-330         | 32mm        | EBCO Pushfit | Plastic | C             |

## SELF TAPPING FERRULE STRAPS FOR PVC/PE PIPE - GUNMETAL EBCO PUSHFIT

### Specification

Self-tapping Ferrule Straps, Gunmetal  
CC491K straps, Gunmetal banjo, EPDM  
Seals, PN16

Suitable for the following  
pipe materials

PVC

Poly Vinyl  
Chloride

PE

Polyethylene



| New Product Code     | Product Code | Pipe   | Nom Size             | Strap Size (mm) | Outlet Size | Outlet Type  | Banjo    | Service Level |
|----------------------|--------------|--------|----------------------|-----------------|-------------|--------------|----------|---------------|
| 1921-029-10-40-02500 | STP03225Z    | PVC/PE | 32mm / 1" (DN25)     | 29-34           | 25mm        | EBCO Pushfit | Gunmetal | C             |
| 1921-047-10-40-02500 | STP05025Z    | PVC/PE | 50mm / 1 1/2" (DN40) | 47-51           | 25mm        | EBCO Pushfit | Gunmetal | B             |
| 1921-060-10-40-02500 | STP06325Z    | PVC/PE | 63mm / 2" (DN50)     | 60-64           | 25mm        | EBCO Pushfit | Gunmetal | A             |
| 1921-060-10-40-03200 | STP06332Z    | PVC/PE | 63mm / 2" (DN50)     | 60-64           | 32mm        | EBCO Pushfit | Gunmetal | C             |
| 1921-088-10-40-02500 | STP09025Z    | PVC/PE | 90mm / 3" (DN80)     | 88-92           | 25mm        | EBCO Pushfit | Gunmetal | B             |
| 1921-088-10-40-03200 | STP09032Z    | PVC/PE | 90mm / 3" (DN80)     | 88-92           | 32mm        | EBCO Pushfit | Gunmetal | C             |
| 1921-110-10-40-02500 | STP11025Z    | PVC/PE | 110mm / 4" (DN100)   | 110-115         | 25mm        | EBCO Pushfit | Gunmetal | C             |
| 1921-110-10-40-03200 | STP11032Z    | PVC/PE | 110mm / 4" (DN100)   | 110-115         | 32mm        | EBCO Pushfit | Gunmetal | C             |
| 1921-122-10-40-02500 | STM12525Z    | PVC/PE | 125mm (DN125)        | 122-130         | 25mm        | EBCO Pushfit | Gunmetal | B             |
| 1921-122-10-40-03200 | STM12532Z    | PVC/PE | 125mm (DN125)        | 122-130         | 32mm        | EBCO Pushfit | Gunmetal | C             |
| 1921-155-10-40-02500 | STP16025Z    | PVC/PE | 160mm (DN150)        | 155-163         | 25mm        | EBCO Pushfit | Gunmetal | B             |
| 1921-155-10-40-03200 | STP16032Z    | PVC/PE | 160mm (DN150)        | 155-163         | 32mm        | EBCO Pushfit | Gunmetal | C             |
| 1921-165-10-40-02500 | STP00625Z    | PVC/PE | 6" (DN150)           | 165-173         | 25mm        | EBCO Pushfit | Gunmetal | B             |
| 1921-165-10-40-03200 | STP00632Z    | PVC/PE | 6" (DN150)           | 165-173         | 32mm        | EBCO Pushfit | Gunmetal | C             |
| 1921-177-10-40-02500 | STM18025Z    | PVC/PE | 180mm (DN150)        | 177-185         | 25mm        | EBCO Pushfit | Gunmetal | A             |
| 1921-177-10-40-03200 | STM18032Z    | PVC/PE | 180mm (DN150)        | 177-185         | 32mm        | EBCO Pushfit | Gunmetal | C             |
| 1921-195-10-40-02500 | STP20025Z    | PVC/PE | 200mm (DN200)        | 195-203         | 25mm        | EBCO Pushfit | Gunmetal | C             |
| 1921-195-10-40-03200 | STP20032Z    | PVC/PE | 200mm (DN200)        | 195-203         | 32mm        | EBCO Pushfit | Gunmetal | C             |
| 1921-218-10-40-02500 | STP00825Z    | PVC/PE | 225mm / 8" (DN200)   | 218-226         | 25mm        | EBCO Pushfit | Gunmetal | C             |
| 1921-218-10-40-03200 | STP00832Z    | PVC/PE | 225mm / 8" (DN200)   | 218-226         | 32mm        | EBCO Pushfit | Gunmetal | C             |
| 1921-250-10-40-02500 | STP25025Z    | PVC/PE | 250mm (DN250)        | 250-258         | 25mm        | EBCO Pushfit | Gunmetal | C             |
| 1921-250-10-40-03200 | STP25032Z    | PVC/PE | 250mm (DN250)        | 250-258         | 32mm        | EBCO Pushfit | Gunmetal | C             |
| 1921-268-10-40-02500 | STP01025Z    | PVC/PE | 10" (DN250)          | 268-276         | 25mm        | EBCO Pushfit | Gunmetal | C             |
| 1921-310-10-40-02500 | STP31525Z    | PVC/PE | 315mm (DN300)        | 310-318         | 25mm        | EBCO Pushfit | Gunmetal | C             |
| 1921-322-10-40-03200 | STP01232Z    | PVC/PE | 12" (DN300)          | 322-330         | 32mm        | EBCO Pushfit | Gunmetal | C             |

## SELF TAPPING FERRULE STRAPS FOR PVC/PE PIPE - BSP FEMALE

### Specification

Self-tapping Ferrule Straps, Gunmetal  
CC491K straps, Gunmetal banjo, EPDM  
Seals, PN16

Suitable for the following  
pipe materials



| New Product Code     | Product Code | Pipe   | Nom Size             | Strap Size (mm) | Outlet Size | Outlet Type | Banjo    | Service Level |
|----------------------|--------------|--------|----------------------|-----------------|-------------|-------------|----------|---------------|
| 1921-029-10-60-01201 | STP03202F    | PVC/PE | 32mm / 1" (DN25)     | 29-34           | 1/2"        | BSP Female  | Gunmetal | C             |
| 1921-029-10-60-03401 | STP03203F    | PVC/PE | 32mm / 1" (DN25)     | 29-34           | 3/4"        | BSP Female  | Gunmetal | C             |
| 1921-047-10-60-01201 | STP05002F    | PVC/PE | 50mm / 1 1/2" (DN40) | 47-51           | 1/2"        | BSP Female  | Gunmetal | C             |
| 1921-047-10-60-03401 | STP05003F    | PVC/PE | 50mm / 1 1/2" (DN40) | 47-51           | 3/4"        | BSP Female  | Gunmetal | C             |
| 1921-060-10-60-01201 | STP06302F    | PVC/PE | 63mm / 2" (DN50)     | 60-64           | 1/2"        | BSP Female  | Gunmetal | C             |
| 1921-060-10-60-03401 | STP06303F    | PVC/PE | 63mm / 2" (DN50)     | 60-64           | 3/4"        | BSP Female  | Gunmetal | B             |
| 1921-088-10-60-01201 | STP09002F    | PVC/PE | 90mm / 3" (DN80)     | 88-92           | 1/2"        | BSP Female  | Gunmetal | C             |
| 1921-088-10-60-03401 | STP09003F    | PVC/PE | 90mm / 3" (DN80)     | 88-92           | 3/4"        | BSP Female  | Gunmetal | B             |
| 1921-088-10-60-10001 | STP09004F    | PVC/PE | 90mm / 3" (DN80)     | 88-92           | 1"          | BSP Female  | Gunmetal | C             |
| 1921-110-10-60-01201 | STP11002F    | PVC/PE | 110mm / 4" (DN100)   | 110-115         | 1/2"        | BSP Female  | Gunmetal | C             |
| 1921-110-10-60-03401 | STP11003F    | PVC/PE | 110mm / 4" (DN100)   | 110-115         | 3/4"        | BSP Female  | Gunmetal | B             |
| 1921-110-10-60-10001 | STP11004F    | PVC/PE | 110mm / 4" (DN100)   | 110-115         | 1"          | BSP Female  | Gunmetal | C             |
| 1921-122-10-60-03401 | STM12503F    | PVC/PE | 125mm (DN125)        | 122-130         | 3/4"        | BSP Female  | Gunmetal | C             |
| 1921-122-10-60-10001 | STM12504F    | PVC/PE | 125mm (DN125)        | 122-130         | 1"          | BSP Female  | Gunmetal | C             |
| 1921-155-10-60-01201 | STP16002F    | PVC/PE | 160mm (DN150)        | 155-163         | 1/2"        | BSP Female  | Gunmetal | C             |
| 1921-155-10-60-03401 | STP16003F    | PVC/PE | 160mm (DN150)        | 155-163         | 3/4"        | BSP Female  | Gunmetal | C             |
| 1921-155-10-60-10001 | STP16004F    | PVC/PE | 160mm (DN150)        | 155-163         | 1"          | BSP Female  | Gunmetal | C             |
| 1921-165-10-60-01201 | STP00602F    | PVC/PE | 6" (DN150)           | 165-173         | 1/2"        | BSP Female  | Gunmetal | C             |
| 1921-165-10-60-03401 | STP00603F    | PVC/PE | 6" (DN150)           | 165-173         | 3/4"        | BSP Female  | Gunmetal | C             |
| 1921-165-10-60-10001 | STP00604F    | PVC/PE | 6" (DN150)           | 165-173         | 1"          | BSP Female  | Gunmetal | C             |
| 1921-177-10-60-01201 | STM18002F    | PVC/PE | 180mm (DN150)        | 177-185         | 1/2"        | BSP Female  | Gunmetal | C             |
| 1921-177-10-60-03401 | STM18003F    | PVC/PE | 180mm (DN150)        | 177-185         | 3/4"        | BSP Female  | Gunmetal | C             |
| 1921-177-10-60-10001 | STM18004F    | PVC/PE | 180mm (DN150)        | 177-185         | 1"          | BSP Female  | Gunmetal | C             |
| 1921-195-10-60-01201 | STP20002F    | PVC/PE | 200mm (DN200)        | 195-203         | 1/2"        | BSP Female  | Gunmetal | C             |
| 1921-195-10-60-03401 | STP20003F    | PVC/PE | 200mm (DN200)        | 195-203         | 3/4"        | BSP Female  | Gunmetal | C             |
| 1921-195-10-60-10001 | STP20004F    | PVC/PE | 200mm (DN200)        | 195-203         | 1"          | BSP Female  | Gunmetal | C             |
| 1921-218-10-60-01201 | STP00802F    | PVC/PE | 225mm / 8" (DN200)   | 218-226         | 1/2"        | BSP Female  | Gunmetal | C             |
| 1921-218-10-60-03401 | STP22503F    | PVC/PE | 225mm / 8" (DN200)   | 218-226         | 3/4"        | BSP Female  | Gunmetal | C             |
| 1921-218-10-60-10001 | STP00804F    | PVC/PE | 225mm / 8" (DN200)   | 218-226         | 1"          | BSP Female  | Gunmetal | C             |

| New Product Code     | Product Code | Pipe   | Nom Size      | Strap Size (mm) | Outlet Size | Outlet Type | Banjo    | Service Level |
|----------------------|--------------|--------|---------------|-----------------|-------------|-------------|----------|---------------|
| 1921-250-10-60-01201 | STP25002F    | PVC/PE | 250mm (DN250) | 250-258         | ½"          | BSP Female  | Gunmetal | C             |
| 1921-250-10-60-03401 | STP25003F    | PVC/PE | 250mm (DN250) | 250-258         | ¾"          | BSP Female  | Gunmetal | C             |
| 1921-250-10-60-10001 | STP25004F    | PVC/PE | 250mm (DN250) | 250-258         | 1"          | BSP Female  | Gunmetal | C             |
| 1921-268-10-60-10001 | STP01004F    | PVC/PE | 10" (DN250)   | 268-276         | 1"          | BSP Female  | Gunmetal | C             |

## SELF TAPPING FERRULE STRAPS FOR AC PIPE - PLASTIC TALBOT PUSHFIT

### Specification

Self-tapping Ferrule Straps, Gunmetal  
CC491K straps, EPDM Seals, Plastic banjo,  
PN16

Suitable for the following  
pipe materials



| New Product Code     | Product Code | Pipe | Nom Size   | Strap Size (mm) | Outlet Size | Outlet Type    | Banjo   | Service Level |
|----------------------|--------------|------|------------|-----------------|-------------|----------------|---------|---------------|
| 1921-074-20-10-02500 | E12000       | AC   | 2" (DN50)  | 74-78           | 25mm        | Talbot Pushfit | Plastic | C             |
| 1921-096-20-10-02000 | E8358        | AC   | 3" (DN80)  | 96-101          | 20mm        | Talbot Pushfit | Plastic | C             |
| 1921-096-20-10-02500 | E8359        | AC   | 3" (DN80)  | 96-101          | 25mm        | Talbot Pushfit | Plastic | A             |
| 1921-096-20-10-03200 | E8360        | AC   | 3" (DN80)  | 96-101          | 32mm        | Talbot Pushfit | Plastic | C             |
| 1921-122-20-10-02000 | E8361        | AC   | 4" (DN100) | 122-130         | 20mm        | Talbot Pushfit | Plastic | C             |
| 1921-122-20-10-02500 | E8362        | AC   | 4" (DN100) | 122-130         | 25mm        | Talbot Pushfit | Plastic | A             |
| 1921-122-20-10-03200 | E8363        | AC   | 4" (DN100) | 122-130         | 32mm        | Talbot Pushfit | Plastic | B             |
| 1921-177-20-10-02000 | E8364        | AC   | 6" (DN150) | 177-185         | 20mm        | Talbot Pushfit | Plastic | C             |
| 1921-177-20-10-02500 | E8365        | AC   | 6" (DN150) | 177-185         | 25mm        | Talbot Pushfit | Plastic | A             |
| 1921-177-20-10-03200 | E8366        | AC   | 6" (DN150) | 177-185         | 32mm        | Talbot Pushfit | Plastic | B             |
| 1921-229-20-10-02500 | E12001       | AC   | 8" (DN200) | 229-237         | 25mm        | Talbot Pushfit | Plastic | C             |
| 1921-074-20-10-12301 | E11636       | AC   | 2" (DN50)  | 74-78           | ½" Irish HG | Talbot Pushfit | Plastic | C             |
| 1921-096-20-10-12301 | E11637       | AC   | 3" (DN80)  | 96-101          | ½" Irish HG | Talbot Pushfit | Plastic | C             |
| 1921-122-20-10-12301 | E11638       | AC   | 4" (DN100) | 122-130         | ½" Irish HG | Talbot Pushfit | Plastic | B             |
| 1921-177-20-10-12301 | E11640       | AC   | 6" (DN150) | 177-185         | ½" Irish HG | Talbot Pushfit | Plastic | C             |
| 1921-229-20-10-12301 | E11641       | AC   | 8" (DN200) | 229-237         | ½" Irish HG | Talbot Pushfit | Plastic | C             |

## SELF TAPPING FERRULE STRAPS FOR AC PIPE - GUNMETAL TALBOT PUSHFIT

### Specification

Self-tapping Ferrule Straps, Gunmetal  
CC491K straps, Gunmetal banjo, EPDM  
Seals, PN16

Suitable for the following  
pipe materials

AC

Fibre  
Cement



| New Product Code     | Product Code | Pipe | Nom Size   | Strap Size (MM) | Outlet Size | Outlet Type    | Banjo    | Service Level |
|----------------------|--------------|------|------------|-----------------|-------------|----------------|----------|---------------|
| 1921-074-20-20-02501 | E12002       | AC   | 2" (DN50)  | 74-78           | 25mm        | Talbot Pushfit | Gunmetal | C             |
| 1921-096-20-20-02501 | E12003       | AC   | 3" (DN80)  | 96-101          | 25mm        | Talbot Pushfit | Gunmetal | C             |
| 1921-096-20-20-03201 | E11499       | AC   | 3" (DN80)  | 96-101          | 32mm        | Talbot Pushfit | Gunmetal | C             |
| 1921-122-20-20-02001 | E11268       | AC   | 4" (DN100) | 122-130         | 20mm        | Talbot Pushfit | Gunmetal | C             |
| 1921-122-20-20-02501 | E11364       | AC   | 4" (DN100) | 122-130         | 25mm        | Talbot Pushfit | Gunmetal | C             |
| 1921-122-20-20-03201 | E11561       | AC   | 4" (DN100) | 122-130         | 32mm        | Talbot Pushfit | Gunmetal | A             |
| 1921-177-20-20-02501 | E12004       | AC   | 6" (DN150) | 177-185         | 25mm        | Talbot Pushfit | Gunmetal | C             |
| 1921-177-20-20-03201 | E11562       | AC   | 6" (DN150) | 177-185         | 32mm        | Talbot Pushfit | Gunmetal | B             |
| 1921-229-20-20-02501 | E12005       | AC   | 8" (DN200) | 229-237         | 25mm        | Talbot Pushfit | Gunmetal | C             |
| 1921-229-20-20-03201 | E12009       | AC   | 8" (DN200) | 229-237         | 32mm        | Talbot Pushfit | Gunmetal | C             |

## SELF TAPPING FERRULE STRAPS FOR AC PIPE - PLASTIC EBCO PUSHFIT

### Specification

Self-tapping Ferrule Straps, Gunmetal  
CC491K straps, Plastic banjo, EPDM Seals,  
PN16

Suitable for the following  
pipe materials



| New Product Code     | Product Code | Pipe | Nom Size   | Strap Size (mm) | Outlet Size | Outlet Type  | Banjo   | Service Level |
|----------------------|--------------|------|------------|-----------------|-------------|--------------|---------|---------------|
| 1921-074-20-30-02500 | STA00225Z/P  | AC   | 2" (DN50)  | 74-78           | 25mm        | EBCO Pushfit | Plastic | A             |
| 1921-096-20-30-02500 | STA00325Z/P  | AC   | 3" (DN80)  | 96-101          | 25mm        | EBCO Pushfit | Plastic | A             |
| 1921-122-20-30-02500 | STA00425Z/P  | AC   | 4" (DN100) | 122-130         | 25mm        | EBCO Pushfit | Plastic | A             |
| 1921-177-20-30-02500 | STA00625Z/P  | AC   | 6" (DN150) | 177-185         | 25mm        | EBCO Pushfit | Plastic | A             |
| 1921-229-20-30-02500 | STA00825Z/P  | AC   | 8" (DN200) | 229-237         | 25mm        | EBCO Pushfit | Plastic | B             |

## SELF TAPPING FERRULE STRAPS FOR AC PIPE - GUNMETAL EBCO PUSHFIT

### Specification

Self-tapping Ferrule Straps, Gunmetal  
CC491K straps, EPDM Seals, Gunmetal  
banjo, PN16

Suitable for the following  
pipe materials



| New Product Code     | Product Code | Pipe | Nom Size   | Strap Size (mm) | Outlet Size | Outlet Type  | Banjo    | Service Level |
|----------------------|--------------|------|------------|-----------------|-------------|--------------|----------|---------------|
| 1921-074-20-40-02500 | STA00225Z    | AC   | 2" (DN50)  | 74-78           | 25mm        | EBCO Pushfit | Gunmetal | B             |
| 1921-096-20-40-02500 | STA00325Z    | AC   | 3" (DN80)  | 96-101          | 25mm        | EBCO Pushfit | Gunmetal | A             |
| 1921-122-20-40-02500 | STA00425Z    | AC   | 4" (DN100) | 122-130         | 25mm        | EBCO Pushfit | Gunmetal | A             |
| 1921-177-20-40-02500 | STA00625Z    | AC   | 6" (DN150) | 177-185         | 25mm        | EBCO Pushfit | Gunmetal | B             |
| 1921-229-20-40-02500 | STA00825Z    | AC   | 8" (DN200) | 229-237         | 25mm        | EBCO Pushfit | Gunmetal | C             |



## COMBINED SADDLE FERRULES FOR PE/PVC PIPE - STANDARD PLASTIC TALBOT PUSHFIT

### Specification

Combined Saddle Ferrule, Gunmetal straps, Plastic Banjo, EPDM Seals, PN16

Suitable for the following pipe materials

**PVC**

Poly Vinyl Chloride

**PE**

Polyethylene



| New Product Code    | Product Code | Pipe   | Nom Size           | Strap Size (mm) | Outlet Size | Outlet Type    | Banjo   | Service Level |
|---------------------|--------------|--------|--------------------|-----------------|-------------|----------------|---------|---------------|
| 1924-060-10-10-0250 | E3922        | PE/PVC | 63mm / 2" (DN50)   | 60-64           | 25mm        | Talbot Pushfit | Plastic | C             |
| 1924-088-10-10-0250 | E3919        | PE/PVC | 90mm / 3" (DN80)   | 88-92           | 25mm        | Talbot Pushfit | Plastic | C             |
| 1924-110-10-10-0250 | E3914        | PE/PVC | 110mm / 4" (DN100) | 110-115         | 25mm        | Talbot Pushfit | Plastic | C             |
| 1924-110-10-10-0630 | E6550        | PE/PVC | 110mm / 4" (DN100) | 110-115         | 63mm        | Talbot Pushfit | Plastic | C             |
| 1924-122-10-10-0250 | E3913        | PE/PVC | 125mm (DN125)      | 122-130         | 25mm        | Talbot Pushfit | Plastic | C             |
| 1924-122-10-10-0320 | E3877        | PE/PVC | 125mm (DN125)      | 122-130         | 32mm        | Talbot Pushfit | Plastic | C             |
| 1924-165-10-10-0250 | E3917        | PE/PVC | 6" (DN150)         | 165-173         | 25mm        | Talbot Pushfit | Plastic | C             |
| 1924-165-10-10-0630 | E6553        | PE/PVC | 6" (DN150)         | 165-173         | 63mm        | Talbot Pushfit | Plastic | C             |
| 1924-177-10-10-0250 | E3916        | PE/PVC | 180mm (DN150)      | 177-185         | 25mm        | Talbot Pushfit | Plastic | C             |
| 1924-177-10-10-0320 | E3897        | PE/PVC | 180mm (DN150)      | 177-185         | 32mm        | Talbot Pushfit | Plastic | C             |
| 1924-218-10-10-0250 | E3915        | PE/PVC | 225mm / 8" (DN200) | 218-226         | 25mm        | Talbot Pushfit | Plastic | C             |
| 1924-268-10-10-0250 | E3938        | PE/PVC | 10" (DN250)        | 268-276         | 25mm        | Talbot Pushfit | Plastic | C             |
| 1924-322-10-10-0320 | E8369        | PE/PVC | 12" (DN300)        | 322-330         | 32mm        | Talbot Pushfit | Plastic | C             |

# COMBINED SADDLE FERRULES FOR PE/PVC PIPE - STANDARD GUNMETAL TALBOT PUSHFIT

## Specification

Combined Saddle Ferrule, Gunmetal straps,  
Gunmetal Banjo, EPDM Seals, PN16

Suitable for the following  
pipe materials

**PVC**

Poly Vinyl  
Chloride

**PE**

Polyethylene



| New Product Code    | Product Code | Pipe   | Nom Size           | Strap Size (mm) | Outlet Size | Outlet Type    | Banjo    | Service Level |
|---------------------|--------------|--------|--------------------|-----------------|-------------|----------------|----------|---------------|
| 1924-060-20-10-0200 | E2906        | PE/PVC | 63mm / 2" (DN50)   | 60-64           | 20mm        | Talbot Pushfit | Gunmetal | C             |
| 1924-060-20-10-0250 | E3010        | PE/PVC | 63mm / 2" (DN50)   | 60-64           | 25mm        | Talbot Pushfit | Gunmetal | C             |
| 1924-088-20-10-0250 | E2910        | PE/PVC | 90mm / 3" (DN80)   | 88-92           | 25mm        | Talbot Pushfit | Gunmetal | C             |
| 1924-088-20-10-0630 | E6656        | PE/PVC | 90mm / 3" (DN80)   | 88-92           | 63mm        | Talbot Pushfit | Gunmetal | C             |
| 1924-110-20-10-0250 | E2912        | PE/PVC | 110mm / 4" (DN100) | 110-115         | 25mm        | Talbot Pushfit | Gunmetal | C             |
| 1924-110-20-10-0630 | E5809        | PE/PVC | 110mm / 4" (DN100) | 110-115         | 63mm        | Talbot Pushfit | Gunmetal | C             |
| 1924-122-20-10-0250 | E2913        | PE/PVC | 125mm (DN125)      | 122-130         | 25mm        | Talbot Pushfit | Gunmetal | C             |
| 1924-122-20-10-0320 | E2928        | PE/PVC | 125mm (DN125)      | 122-130         | 32mm        | Talbot Pushfit | Gunmetal | C             |
| 1924-155-20-10-0250 | E5134        | PE/PVC | 160mm (DN150)      | 155-163         | 25mm        | Talbot Pushfit | Gunmetal | C             |
| 1924-165-20-10-0250 | E2914        | PE/PVC | 6" (DN150)         | 165-173         | 25mm        | Talbot Pushfit | Gunmetal | C             |
| 1924-165-20-10-0500 | E5302        | PE/PVC | 6" (DN150)         | 165-173         | 50mm        | Talbot Pushfit | Gunmetal | C             |
| 1924-165-20-10-0630 | E4696        | PE/PVC | 6" (DN150)         | 165-173         | 63mm        | Talbot Pushfit | Gunmetal | C             |
| 1924-177-20-10-0250 | E2915        | PE/PVC | 180mm (DN150)      | 177-185         | 25mm        | Talbot Pushfit | Gunmetal | C             |
| 1924-177-20-10-0320 | E3624        | PE/PVC | 180mm (DN150)      | 177-185         | 32mm        | Talbot Pushfit | Gunmetal | C             |
| 1924-218-20-10-0250 | E2916        | PE/PVC | 225mm / 8" (DN200) | 218-226         | 25mm        | Talbot Pushfit | Gunmetal | C             |
| 1924-218-20-10-0320 | E4338        | PE/PVC | 225mm / 8" (DN200) | 218-226         | 32mm        | Talbot Pushfit | Gunmetal | C             |
| 1924-218-20-10-0630 | E9979        | PE/PVC | 225mm / 8" (DN200) | 218-226         | 63mm        | Talbot Pushfit | Gunmetal | C             |
| 1924-268-20-10-0250 | E2918        | PE/PVC | 10" (DN250)        | 268-276         | 25mm        | Talbot Pushfit | Gunmetal | C             |
| 1924-268-20-10-0320 | E4237        | PE/PVC | 10" (DN250)        | 268-276         | 32mm        | Talbot Pushfit | Gunmetal | C             |
| 1924-268-20-10-0630 | E4132        | PE/PVC | 10" (DN250)        | 268-276         | 63mm        | Talbot Pushfit | Gunmetal | C             |
| 1924-322-20-10-0250 | E4107        | PE/PVC | 12" (DN300)        | 322-330         | 25mm        | Talbot Pushfit | Gunmetal | C             |
| 1924-322-20-10-0320 | E9899        | PE/PVC | 12" (DN300)        | 322-330         | 32mm        | Talbot Pushfit | Gunmetal | C             |
| 1924-322-20-10-0630 | E9980        | PE/PVC | 12" (DN300)        | 322-330         | 63mm        | Talbot Pushfit | Gunmetal | C             |

## COMBINED SADDLE FERRULES FOR PE/PVC PIPE - SCREWDOWN GUNMETAL TALBOT PUSHFIT

### Specification

Combined Saddle Ferrule, Gunmetal straps,  
Gunmetal Banjo, EPDM Seals, PN16

Suitable for the following  
pipe materials

**PVC**

Poly Vinyl  
Chloride

**PE**

Polyethylene



| New Product Code    | Product Code | Pipe   | Nom Size           | Strap Size (mm) | Outlet Size | Outlet Type    | Banjo    | Service Level |
|---------------------|--------------|--------|--------------------|-----------------|-------------|----------------|----------|---------------|
| 1924-088-20-20-0320 | E2930        | PE/PVC | 90mm / 3" (DN80)   | 88-92           | 32mm        | Talbot Pushfit | Gunmetal | C             |
| 1924-110-20-20-0250 | E2921        | PE/PVC | 110mm / 4" (DN100) | 110-115         | 25mm        | Talbot Pushfit | Gunmetal | C             |
| 1924-110-20-20-0320 | E2932        | PE/PVC | 110mm / 4" (DN100) | 110-115         | 32mm        | Talbot Pushfit | Gunmetal | C             |
| 1924-122-20-20-0250 | E2922        | PE/PVC | 125mm (DN125)      | 122-130         | 25mm        | Talbot Pushfit | Gunmetal | C             |
| 1924-122-20-20-0320 | E2933        | PE/PVC | 125mm (DN125)      | 122-130         | 32mm        | Talbot Pushfit | Gunmetal | C             |
| 1924-165-20-20-0250 | E2923        | PE/PVC | 6" (DN150)         | 165-173         | 25mm        | Talbot Pushfit | Gunmetal | C             |
| 1924-165-20-20-0320 | E2934        | PE/PVC | 6" (DN150)         | 165-173         | 32mm        | Talbot Pushfit | Gunmetal | C             |
| 1924-177-20-20-0250 | E2924        | PE/PVC | 180mm (DN150)      | 177-185         | 25mm        | Talbot Pushfit | Gunmetal | C             |
| 1924-218-20-20-0250 | E2925        | PE/PVC | 225mm / 8" (DN200) | 218-226         | 25mm        | Talbot Pushfit | Gunmetal | C             |
| 1924-218-20-20-0320 | E4806        | PE/PVC | 225mm / 8" (DN200) | 218-226         | 32mm        | Talbot Pushfit | Gunmetal | C             |

## COMBINED SADDLE FERRULES FOR PE/PVC PIPE - STANDARD EBCO PLASTIC PUSHFIT

### Specification

Combined Saddle Ferrule, Gunmetal straps,  
Plastic Banjo, EPDM Seals, PN16

Suitable for the following  
pipe materials

**PVC**

Poly Vinyl  
Chloride

**PE**

Polyethylene



| New Product Code    | Product Code | Pipe   | Nom Size    | Strap Size (mm) | Outlet Size | Outlet Type  | Banjo   | Service Level |
|---------------------|--------------|--------|-------------|-----------------|-------------|--------------|---------|---------------|
| 1924-268-30-10-0250 | SCP01025Z/P  | PE/PVC | 10" (DN250) | 268-276         | 25mm        | EBCO Pushfit | Plastic | C             |
| 1924-268-30-10-0320 | SCP01032Z/P  | PE/PVC | 10" (DN250) | 268-276         | 32mm        | EBCO Pushfit | Plastic | C             |
| 1924-322-30-10-0250 | SCP01225Z/P  | PE/PVC | 12" (DN300) | 322-330         | 25mm        | EBCO Pushfit | Plastic | C             |
| 1924-322-30-10-0320 | SCP01232Z/P  | PE/PVC | 12" (DN300) | 322-330         | 32mm        | EBCO Pushfit | Plastic | C             |

## COMBINED SADDLE FERRULES FOR AC PIPE - STANDARD EBCO PLASTIC PUSHFIT

### Specification

Combined Saddle Ferrule, Gunmetal straps,  
Plastic Banjo, EPDM Seals, PN16

Suitable for the following  
pipe materials

**AC**

Fibre  
Cement



| New Product Code    | Product Code | Pipe | Nom Size    | Strap Size (mm) | Outlet Size | Outlet Type  | Banjo   | Service Level |
|---------------------|--------------|------|-------------|-----------------|-------------|--------------|---------|---------------|
| 1924-074-30-10-0250 | SCA00225Z/P  | AC   | 2" (DN50)   | 74-78           | 25mm        | EBCO Pushfit | Plastic | B             |
| 1924-096-30-10-0250 | SCA00325Z/P  | AC   | 3" (DN80)   | 96-101          | 25mm        | EBCO Pushfit | Plastic | C             |
| 1924-122-30-10-0250 | SCA00425Z/P  | AC   | 4" (DN100)  | 122-130         | 25mm        | EBCO Pushfit | Plastic | C             |
| 1924-122-30-10-0320 | SCA00432Z/P  | AC   | 4" (DN100)  | 122-130         | 32mm        | EBCO Pushfit | Plastic | C             |
| 1924-177-30-10-0250 | SCA00625Z/P  | AC   | 6" (DN150)  | 177-185         | 25mm        | EBCO Pushfit | Plastic | C             |
| 1924-229-30-10-0250 | SCA00825Z/P  | AC   | 8" (DN200)  | 229-237         | 25mm        | EBCO Pushfit | Plastic | C             |
| 1924-286-30-10-0250 | SCA01025Z/P  | AC   | 10" (DN250) | 286-294         | 25mm        | EBCO Pushfit | Plastic | C             |
| 1924-344-30-10-0250 | SCA01225Z/P  | AC   | 12" (DN300) | 344-352         | 25mm        | EBCO Pushfit | Plastic | C             |
| 1924-344-30-10-0320 | SCA01232Z/P  | AC   | 12" (DN300) | 344-352         | 32mm        | EBCO Pushfit | Plastic | C             |

## ABSP SERVICE VALVE

### Specification

ABSP Service Valve, 1 ½" outlet, Body Cast Iron with epoxy coating, Seals EPDM, with auxiliary shut off valve. Requires retaining strap.



### New Product Code

1925-0000-01

### Product Code

969110

### Service Level

C

## ABSP SERVICE VALVE

### Specification

ABSP Service Valve, 1 ½" outlet, Body Cast Iron with epoxy coating, Seals EPDM, with auxiliary shut off valve. For screwing into 2" inlet.



### New Product Code

1925-0000-02

### Product Code

969122-2INCH

### Service Level

C

## RETAINING STRAPS FOR ABSP

### Specification

Restraining Strap for ABSP Service Valve




| New Product Code | Product Code | Pipe OD   | For Pipe Type     | Strap Width | Service Level |
|------------------|--------------|-----------|-------------------|-------------|---------------|
| 1925-080C-03     | 969050-80    | 87-104mm  | Cast Iron / Steel | 48mm        | C             |
| 1925-100C-03     | 969052-100   | 110-125mm | Cast Iron / Steel | 48mm        | C             |
| 1925-125C-03     | 969054-125   | 136-152mm | Cast Iron / Steel | 48mm        | C             |
| 1925-150C-03     | 969056-150   | 163-179mm | Cast Iron / Steel | 48mm        | C             |
| 1925-200C-03     | 969058-200   | 215-230mm | Cast Iron / Steel | 48mm        | C             |
| 1925-250C-03     | 969060-250   | 270-282mm | Cast Iron / Steel | 48mm        | C             |
| 1925-300C-03     | 969062-300   | 320-335mm | Cast Iron / Steel | 48mm        | C             |
| 1925-080A-03     | 969382-80    | 96-115mm  | Asbestos Cement   | 90mm        | C             |
| 1925-100A-03     | 969383-100   | 117-138mm | Asbestos Cement   | 90mm        | C             |
| 1925-125A-03     | 969384-125   | 145-167mm | Asbestos Cement   | 90mm        | C             |
| 1925-150A-03     | 969385-150   | 176-197mm | Asbestos Cement   | 90mm        | C             |
| 1925-200A-03     | 969386-200   | 232-253mm | Asbestos Cement   | 90mm        | C             |
| 1925-250A-03     | 969387-250   | 284-302mm | Asbestos Cement   | 90mm        | C             |
| 1925-300A-03     | 969388-300   | 340-357mm | Asbestos Cement   | 90mm        | C             |

## TAPPING SYSTEMS SPARES AND ACCESSORIES



| New Product Code | Product Code | Key                            | Service Level |
|------------------|--------------|--------------------------------|---------------|
| --               | 1448         | Ferrule Key<br>1/2" - 1" steel | A             |



| New Product Code | Product Code | Key                              | Service Level |
|------------------|--------------|----------------------------------|---------------|
| --               | 1449         | Ferrule Key 1<br>1/4" - 2" steel | A             |

## TAPPING SYSTEMS SPARES AND ACCESSORIES

### REPLACEMENT BANJOS

#### TALBOT PUSHFIT OUTLET PLASTIC



| New Product Code | Product Code | Stem   | Material | Outlet        | Type           | Service Level |
|------------------|--------------|--------|----------|---------------|----------------|---------------|
| --               | E3471        | 1/2"   | Plastic  | 20mm          | Talbot Pushfit | B             |
| --               | E3450        | 3/4"   | Plastic  | 25mm          | Talbot Pushfit | A             |
| --               | E3451        | 1"     | Plastic  | 32mm          | Talbot Pushfit | A             |
| --               | E6538        | 1 1/2" | Plastic  | 50mm          | Talbot Pushfit | C             |
| --               | E6539        | 2"     | Plastic  | 63mm          | Talbot Pushfit | C             |
| --               | E4729        | 1/2"   | Plastic  | 1/2" Irish HG | Talbot Pushfit | A             |
| --               | E11923       | 3/4"   | Plastic  | 3/4" Irish HG | Talbot Pushfit | B             |

#### TALBOT PUSHFIT OUTLET GUNMETAL



| New Product Code | Product Code | Stem   | Material | Outlet        | Type           | Service Level |
|------------------|--------------|--------|----------|---------------|----------------|---------------|
| --               | E3532        | 1/2"   | Gunmetal | 20mm          | Talbot Pushfit | B             |
| --               | E3533        | 3/4"   | Gunmetal | 25mm          | Talbot Pushfit | A             |
| --               | E3534        | 1"     | Gunmetal | 32mm          | Talbot Pushfit | A             |
| --               | E3535        | 1 1/2" | Gunmetal | 50mm          | Talbot Pushfit | C             |
| --               | E3536        | 2"     | Gunmetal | 63mm          | Talbot Pushfit | C             |
| --               | E4885        | 1/2"   | Gunmetal | 1/2" Irish HG | Talbot Pushfit | A             |

#### EBCO PUSHFIT OUTLET



| New Product Code | Product Code | Stem | Material | Outlet | Type         | Service Level |
|------------------|--------------|------|----------|--------|--------------|---------------|
| --               | SFB325Z/P    | 3/4" | Plastic  | 25mm   | EBCO Pushfit | A             |
| --               | SFB432Z/P    | 1"   | Plastic  | 32mm   | EBCO Pushfit | A             |

#### EBCO PUSHFIT OUTLET GUNMETAL



| New Product Code | Product Code | Stem | Material | Outlet | Type         | Service Level |
|------------------|--------------|------|----------|--------|--------------|---------------|
| --               | SFB325Z      | 3/4" | Gunmetal | 25mm   | EBCO Pushfit | B             |
| --               | SFB432Z      | 1"   | Gunmetal | 32mm   | EBCO Pushfit | B             |

#### EBCO BSP OUTLET



| New Product Code | Product Code | Stem   | Material | Outlet | Type       | Service Level |
|------------------|--------------|--------|----------|--------|------------|---------------|
| --               | SFB202F      | 1/2"   | Gunmetal | 1/2"   | BSP Female | B             |
| --               | SFB303F      | 3/4"   | Gunmetal | 3/4"   | BSP Female | A             |
| --               | SFB404F      | 1"     | Gunmetal | 1"     | BSP Female | B             |
| --               | SFB606F      | 1 1/2" | Gunmetal | 1 1/2" | BSP Female | C             |
| --               | SFB808F      | 2"     | Gunmetal | 2"     | BSP Female | C             |



## TAPPING SYSTEMS SPARES AND ACCESSORIES

### EBCO-B COMPRESSION OUTLET



| New Product Code | Product Code | Stem | Material | Outlet | Type   | Service Level |
|------------------|--------------|------|----------|--------|--------|---------------|
| --               | SFB220B      | ½"   | Gunmetal | 20mm   | EBCO-B | C             |
| --               | SFB325B      | ¾"   | Gunmetal | 25mm   | EBCO-B | B             |
| --               | SFB432B      | 1"   | Gunmetal | 32mm   | EBCO-B | B             |
| --               | SFB650B      | 1 ½" | Gunmetal | 50mm   | EBCO-B | C             |
| --               | SFB863B      | 2"   | Gunmetal | 63mm   | EBCO-B | C             |

### REPLACEMENT STEMS

#### EBCO BSP outlet



| New Product Code | Product Code | Stem | Material | Outlet  | Service Level |
|------------------|--------------|------|----------|---------|---------------|
| --               | SFRS22       | ½"   | Gunmetal | ½" / ¾" | C             |
| --               | SFRS33       | ¾"   | Gunmetal | ½" / ¾" | A             |
| --               | SFRS44       | 1"   | Gunmetal | 1"      | B             |
| --               | SFRS66       | 1 ½" | Gunmetal | 1 ½"    | C             |
| --               | SFRS88       | 2"   | Gunmetal | 2"      | C             |

## PIPE CLEANING STRAP

### Specification

Pipe Cleaning Strap - 1m long for 1" - 12" metal pipes, steel teeth, ensures pipe clean for drilling

### PIPE CLEANING STRAP

| New Product Code | Product Code | Service Level |
|------------------|--------------|---------------|
| 1924-99-001-00   | E11930       | C             |



## NO 1. TALBOT DRILLING MACHINE

### Specification

No.1 Talbot Drilling Machine ½" - 1"

### NO 1. TALBOT DRILLING MACHINE

| New Product Code | Product Code | Service Level |
|------------------|--------------|---------------|
| --               | E9511        | C             |



## TAPPING SYSTEMS SPARES AND ACCESSORIES

### DRILLING AND TAPPING MACHINE

#### Specification

20 bar Drilling & Tapping Machine  
½" - 2"

#### DRILLING AND TAPPING MACHINE

| New Product Code | Product Code | Service Level |
|------------------|--------------|---------------|
| 1924-99-002-00   | E11931       | C             |



### PQR 4000 DRILLING MACHINE

#### Specification

PQR4000 Drilling Machine ½" - 2" for  
AC and PVC/PE pipes.

#### PQR 4000 DRILLING MACHINE

| New Product Code | Product Code | Service Level |
|------------------|--------------|---------------|
| 1924-99-005-00   | E9533        | C             |



### PLUG TYPE FERRULE KIT FOR PQR4000

#### Specification

Plug Type Ferrule (Taldex) Kit ½" - 1" for  
PQR4000 drilling machine

#### PLUG TYPE FERRULE KIT FOR PQR4000

| New Product Code | Product Code | Service Level |
|------------------|--------------|---------------|
| 1924-99-006-00   | E9534        | C             |



### SCREWDOWN TYPE FERRULE KIT FOR PQR4000

#### Specification

PQR4000 Screwdown Type Ferrule  
(Taldex) Kit ½" - 1" for PQR4000 drilling  
machine

#### SCREWDOWN TYPE FERRULE KIT FOR PQR4000

| New Product Code | Product Code | Service Level |
|------------------|--------------|---------------|
| 1924-99-003-00   | E11932       | C             |



## TAPPING SYSTEMS SPARES AND ACCESSORIES

### PQR4500 BRANCH MAINS DRILLING MACHINE

| Specification | PQR4500 Branch Mains 16 bar Drilling Machine ½" - 2" |
|---------------|------------------------------------------------------|
|---------------|------------------------------------------------------|

#### PQR4500 BRANCH MAINS DRILLING MACHINE

| New Product Code | Product Code | Service Level |
|------------------|--------------|---------------|
| 1924-99-007-00   | E9541        | C             |



### PLUG TYPE FERRULE KIT FOR PQR4500

| Specification | Plug Type Ferrule (Taldex) Kit 1¼" - 2" for PQR4500 drilling machine. |
|---------------|-----------------------------------------------------------------------|
|---------------|-----------------------------------------------------------------------|

#### PLUG TYPE FERRULE KIT FOR PQR4500

| New Product Code | Product Code | Service Level |
|------------------|--------------|---------------|
| 1924-99-008-00   | E9542        | C             |




### SCREWDOWN TYPE FERRULE KIT FOR PQR4500

| Specification | Screwdown Type Ferrule (Taldex) Kit 1¼" - 2" for PQR4500 drilling machine. |
|---------------|----------------------------------------------------------------------------|
|---------------|----------------------------------------------------------------------------|

#### SCREWDOWN TYPE FERRULE KIT FOR PQR4500


| New Product Code | Product Code | Service Level |
|------------------|--------------|---------------|
| 1924-99-004-00   | E11933       | C             |





# FLOAT VALVES

|                                            |     |
|--------------------------------------------|-----|
| EBCO EQUILIBRIUM<br>FLOAT VALVE MARK 1     | 162 |
| EBCO EQUILIBRIUM<br>FLOAT VALVE MARK 2     | 164 |
| COPPER EBCO FLOATS FOR<br>EBCO FLOAT VALVE | 165 |
| EBCO FLOAT VALVE SPARES                    | 166 |
| FLY NUT                                    | 167 |






## EBCO EQUILIBRIUM FLOAT VALVE MARK 1 FULL BORE / THREADED INLET

### Specification

EBCO Equilibrium Float Valve, Mark 1 Full Bore, threaded inlet, Body Gunmetal CC491K or DZR brass, requires copper ball float, WRAS approved product, PN5



FLOAT NOT INCLUDED SEE PAGE 163


| New Product Code   | Product Code | DN   | Recommended Diameter of Float | Thread Size of Lever to Stud/Claw Attachment | Float Valve Internal Bore | Length (Flange to Float) | Weight (Kg) | Service Level |
|--------------------|--------------|------|-------------------------------|----------------------------------------------|---------------------------|--------------------------|-------------|---------------|
| 1930-012-10-516-11 | BV102M1      | ½"   | 4 ½"                          | 5/16"                                        | ½"                        | 17"                      | 1           | B             |
| 1930-034-10-516-11 | BV103M1      | ¾"   | 5 ½"                          | 5/16"                                        | ¾"                        | 18"                      | 1           | A             |
| 1930-034-10-038-11 | BV103M2      | ¾"   | 5 ½"                          | 3/8"                                         | ¾"                        | 18"                      | 1           | B             |
| 1930-100-10-038-11 | BV104M2      | 1"   | 6"                            | 3/8"                                         | 1"                        | 25"                      | 1.6         | A             |
| 1930-100-10-716-11 | BV104M3      | 1"   | 6"                            | 7/16"                                        | 1"                        | 26"                      |             | A             |
| 1930-114-10-716-11 | BV105M3      | 1 ¼" | 7"                            | 7/16"                                        | 1 ¼"                      | 27"                      | 2.4         | A             |
| 1930-112-10-012-11 | BV106M4      | 1 ½" | 8"                            | 1/2"                                         | 1 ½"                      | 30"                      | 3.4         | C             |
| 1930-112-10-916-11 | BV106M5      | 1 ½" | 8"                            | 9/16"                                        | 1 ½"                      | 30"                      | 3           | A             |
| 1930-200-10-916-11 | BV108M5      | 2"   | 12"                           | 9/16"                                        | 2"                        | 36"                      | 5.8         | B             |
| 1930-200-10-058-11 | BV108M6      | 2"   | 12"                           | 5/8"                                         | 2"                        | 36"                      | 4.7         | A             |
| 1930-212-10-034-11 | BV110M7      | 2 ½" | 14"                           | ¾"                                           | 2 ½"                      | 40"                      |             | C             |
| 1930-300-10-034-11 | BV112M7      | 3"   | 15"                           | ¾"                                           | 3"                        | 42"                      | 11.9        | C             |
| 1930-400-10-078-11 | BV116M8      | 4"   | 16"                           | 7/8"                                         | 4"                        | 47"                      | 19.8        | C             |

# EBCO EQUILIBRIUM FLOAT VALVE MARK 1

## FULL BORE / FLANGED INLET

### Specification

EBCO Equilibrium Float Valve, Mark 1  
Full Bore, threaded inlet, Body Gunmetal  
CC491K or DZR brass, requires copper  
ball float, WRAS approved product, PN5



FLOAT NOT INCLUDED SEE PAGE 163


| New Product Code   | Product Code | DN   | Recom-<br>mended<br>Diameter of<br>Float | Thread Size<br>of Lever to<br>Stud/Claw<br>Attachment | Float Valve<br>Internal<br>Bore | Length<br>(Flange to<br>Float) | Weight (Kg) | Flange     | Service<br>Level |   |
|--------------------|--------------|------|------------------------------------------|-------------------------------------------------------|---------------------------------|--------------------------------|-------------|------------|------------------|---|
| 1930-034-10-516-21 | BV103D1      | ¾"   | 5 ½"                                     | 5/16"                                                 | ¾"                              | 19"                            |             | TABLE D    | BS10             | C |
| 1930-034-10-038-21 | BV103D2      | ¾"   | 5 ½"                                     | 3/8"                                                  | ¾"                              | 22"                            | 1.2         | TABLE D    | BS10             | C |
| 1930-100-10-038-21 | BV104D2      | 1"   | 6"                                       | 3/8"                                                  | 1"                              | 26"                            |             | TABLE D    | BS10             | C |
| 1930-114-10-716-21 | BV105D3      | 1 ¼" | 7"                                       | 7/16"                                                 | 1 ¼"                            | 27"                            |             | TABLE D    | BS10             | C |
| 1930-112-10-012-21 | BV106D4      | 1 ½" | 8"                                       | 1/2"                                                  | 1 ½"                            | 30"                            |             | TABLE D    | BS10             | C |
| 1930-112-10-916-21 | BV106D5      | 1 ½" | 8"                                       | 9/16"                                                 | 1 ½"                            | 30"                            |             | TABLE D    | BS10             | C |
| 1930-200-10-916-21 | BV108D5      | 2"   | 12"                                      | 9/16"                                                 | 2"                              | 36"                            | 6.8         | TABLE D    | BS10             | C |
| 1930-200-10-916-41 | BV108D5/NP16 | 2"   | 12"                                      | 9/16"                                                 | 2"                              | 36"                            | 5.7         | DN50 PN16  | EN1092           | C |
| 1930-200-10-058-21 | BV108D6      | 2"   | 12"                                      | 5/8"                                                  | 2"                              | 36"                            | 5.9         | TABLE D    | BS10             | C |
| 1930-212-10-034-41 | BV110D7/NP16 | 2 ½" | 12"                                      | ¾"                                                    | 2 ½"                            | 41"                            |             | DN65 PN16  | EN1092           | C |
| 1930-300-10-034-21 | BV112D7      | 3"   | 15"                                      | ¾"                                                    | 3"                              | 42"                            | 11.2        | TABLE D    | BS10             | C |
| 1930-300-10-034-41 | BV112D7/NP16 | 3"   | 15"                                      | ¾"                                                    | 3"                              | 42"                            |             | DN80 PN16  | EN1092           | C |
| 1930-400-10-078-21 | BV116D8      | 4"   | 16"                                      | 7/8"                                                  | 4"                              | 47"                            | 19.4        | TABLE D    | BS10             | C |
| 1930-400-10-078-41 | BV116D8/NP16 | 4"   | 16"                                      | 7/8"                                                  | 4"                              | 47"                            |             | DN100 PN16 | EN1092           | C |



## EBCO EQUILIBRIUM FLOAT VALVE MARK 2 REDUCED BORE / THREADED INLET

### Specification

EBCO Equilibrium Float Valve, Mark 2  
Reduced Bore, flanged inlet, Body Gunmetal  
CC491K or DZR brass, requires copper ball  
float, WRAS approved product, PN10



FLOAT NOT INCLUDED SEE PAGE 163

| New Product Code   | Product Code | DN   | Recommended Diameter of Float | Thread Size of Lever to Stud/ Claw Attachment | Float Valve Internal Bore | Length (Flange to Float) | Weight (Kg) | Service Level |
|--------------------|--------------|------|-------------------------------|-----------------------------------------------|---------------------------|--------------------------|-------------|---------------|
| 1930-100-20-038-12 | BV204M2      | 1"   | 5 ½"                          | ⅜"                                            | ¾"                        | 22"                      | 1.1         | C             |
| 1930-200-20-012-12 | BV208M4      | 2"   | 8"                            | ½"                                            | 1 ½"                      | 30"                      | 1.8         | C             |
| 1930-200-20-916-12 | BV208M5      | 2"   | 8"                            | ⅝"                                            | 1 ½"                      | 30"                      |             | C             |
| 1930-212-20-916-12 | BV210M5      | 2 ½" | 12"                           | ⅝"                                            | 2"                        | 30"                      | 3.2         | C             |
| 1930-300-20-034-12 | BV212M7      | 3"   | 14"                           | ¾"                                            | 2"                        | 40"                      | 6.2         | C             |
| 1930-400-20-034-12 | BV216M7      | 4"   | 15"                           | ¾"                                            | 3"                        | 42"                      | 9.4         | C             |
| 1930-600-20-078-12 | BV224M8      | 6"   | 16"                           | 7⁄8"                                          | 4"                        | 46"                      | 13.2        | C             |

## COPPER EBCO FLOAT FOR EBCO FLOAT VALVE - HALVES

### Specification

Copper Float for EBCO Equilibrium Float Valves, floats in halves and stud/claw



| New Product Code   | Product Code | DN  | Recommended Diameter of Float | Service Level |
|--------------------|--------------|-----|-------------------------------|---------------|
| 1930-800-85-012-00 | BVF05        | 8"  | 1/2"                          | C             |
| 1930-120-85-916-00 | BVF06        | 12" | 9/16"                         | C             |
| 1930-140-85-034-00 | BVF07        | 14" | 3/4"                          | C             |
| 1930-150-85-034-00 | BVF08        | 15" | 3/4"                          | C             |
| 1930-160-85-078-00 | BVF09        | 16" | 7/8"                          | C             |

## EBCO FLOAT VALVE SPARES

### Specification

Washer sets for EBCO Equilibrium Float Valves



| New Product Code   | Product Code | Float Valve Size | Service Level |
|--------------------|--------------|------------------|---------------|
| 1930-012-90-000-02 | BVWS1        | ½"               | C             |
| 1930-034-90-000-02 | BVWS2        | ¾"               | C             |
| 1930-100-90-000-02 | BVWS3        | 1"               | C             |
| 1930-114-90-000-02 | BVWS4        | 1 ¼"             | C             |
| 1930-112-90-000-02 | BVWS5        | 1 ½"             | C             |
| 1930-200-90-000-02 | BVWS6        | 2"               | C             |
| 1930-212-90-000-02 | BVWS7        | 2 ½"             | C             |
| 1930-300-90-000-02 | BVWS8        | 3"               | C             |
| 1930-400-90-000-02 | BVWS9        | 4"               | C             |

## FLY NUTS

### Specification

Fly nut spare part for EBCO Float Valve,  
Gunmetal CC499K



| New Product Code   | Product Code | Size         | Service Level |
|--------------------|--------------|--------------|---------------|
| 1930-114-95-000-00 | BV526        | Fly Nut 1 ¼" | C             |
| 1930-112-95-000-00 | QC12106AP    | Fly Nut 1 ½" | C             |
| 1930-200-95-000-00 | QC12108AP    | Fly Nut 2"   | C             |
| 1930-212-95-000-00 | QC12110AP    | Fly Nut ½"   | C             |
| 1930-300-95-000-00 | QC12112AP    | Fly Nut 3"   | C             |
| 1930-400-95-000-00 | QC12116AP    | Fly Nut 4"   | C             |

# TERMS & CONDITIONS OF SALE

## CONDITIONS OF SALE

All products furnished by Atlantic Plastics Ltd (hereinafter "Seller") to the entity stated on the face of the order (hereinafter "Buyer") shall be in accordance with the following terms and conditions unless otherwise stated in writing:

## ACCEPTANCE AND COMPLETE AGREEMENT

Buyer's order is binding only when accepted in writing at the principal office of Seller. The terms and conditions of sale are only those stated herein, which with the information contained overleaf shall constitute the complete agreement between the parties and may not be altered or modified except in writing duly executed by each party. The parties agree there are no agreements, representations or warranties between the parties, oral or written, with respect to the products sold hereunder (including any made or implied from past dealings) except as expressed herein. No terms and conditions stated in or attached to Buyer's communications to Seller, including but not limited to Buyer's purchase orders the terms of which are hereby rejected, are applicable to these terms and conditions in any way and in no event shall such Buyer's or any other terms and conditions be considered valid exceptions to the provisions of these terms and conditions. Trade custom, trade usage and past performance are superseded by these terms and conditions and shall not be used to interpret these terms and conditions.

## SHIPPING

Shipping dates are estimates only and are not guaranteed. Seller will use every effort to make shipments as scheduled and may make partial shipments. Seller shall not be liable for any loss or damage ensuing from late delivery.

## EXPORTATION

If the products ordered are to be exported from the country of Seller, the quoted shipping dates are subject to receipt of all export documents and authorizations. Regardless of ultimate destination, the prices quoted are based on packing for domestic shipment unless otherwise stated in writing. Buyer agrees to provide Seller in writing with the ultimate destination and identity of the end-user prior to shipment if the products are to be exported. In the event that the shipment of the products would violate US export control laws or if the Buyer fails to provide destination and end-user information within seven (7) days of a request from Seller, Seller shall be entitled to immediately terminate the contract without any compensation due to Buyer as a result of such termination.

## PRICES

Unless otherwise specified and subject to conditions below the price quoted is nett and for orders with a minimum nett value of £2,000 includes packing and delivery within the United Kingdom. For orders under £500 the Seller may apply an optional surcharge. Any quotation is given on the basis that no Contract will come into existence until the Seller dispatches an acknowledgement of order to you. Any quotation is valid for the period stated therein provided it has not been previously withdrawn by the Seller. In case of destinations outside the UK, prices and deliveries are subject to individual quote. Carriage, freight and insurance arranged to the Buyer's requirements will be included in our quotation. Prices quoted, unless otherwise stated in writing, do not include sales, use, excise, value added or similar taxes or duties. Buyer shall pay these taxes directly if the law permits or will reimburse Seller if it is required to pay them. Buyer will provide tax exemption certificates or

evidence of tax payment on request. The price quoted is based on the cost of raw materials, wage rates, shipping charges, freight, insurance premiums, landing charges and duties, railage and cartage applicable on the date on which a contract, acceptance, confirmation, tender or quotation is issued.

Seller is entitled to alter or withdraw prices shown on our quotations or acknowledgments of orders without notice and without liability. Accordingly, any increase in such costs after such date and prior to the fulfilment of the contract shall be for the account of Buyer. The Seller reserves the right to cancel or withdraw a quotation without notice at any time before acceptance. Quotations not accepted within thirty days shall be deemed to be withdrawn unless confirmed by the Seller in writing. If any law, order, regulation, duty or tax, etc. is made or changed after the date of the Seller's quotation which affects the cost to the Seller of its performance of the Contract, the price shall be varied accordingly.

## PAYMENT

Standard payment terms are net thirty (30) days from date of invoice. Acceptance of orders received will not proceed until the Buyer's satisfactory financial status has been established. In the event credit has not been established, Seller reserves the right to require payment, or the issuance of an irrevocable letter of credit satisfactory to Seller and at Buyer's cost, in advance of shipment. Time for payment shall be of the essence of this Contract. Any amounts not paid when due shall bear interest on a daily basis at the rate of 12% per annum or at the highest rate permitted by law (whichever is less), from the date of shipment until paid. A £50 minimum nett invoice charge will apply to any order valued less than

£50 unless otherwise agreed in writing. Should there be any dispute as to whether the products conform to contract or whether any obligation has been properly performed by Seller, Buyer undertakes that, notwithstanding such dispute, it shall not withhold any payment due, whether by way of setoff, counterclaim, discount, abatement or otherwise but shall pay any such amount to Seller on the due date therefor unless the Buyer has a valid court order requiring an amount equal to such deduction to be paid by the Seller to the Buyer and the Buyer gives the Seller sight of such order. The remedy of Buyer in such circumstances shall be limited to an action against Seller for the repayment of all or any relevant portion of any payment effected by Buyer. All payments payable to the Seller under this Contract shall become due immediately upon termination of this Contract notwithstanding any other provision set out in these Conditions of Sale.

## **SOLVENCY**

Buyer's order will be deemed a representation that Buyer is solvent and able to pay for the products ordered. If Buyer fails to make payments when due or if bankruptcy or insolvency proceedings (including judicial composition proceedings) are instituted by or against Buyer, or if Buyer makes an assignment for the benefit of creditors, Buyer will be deemed to be in default and Seller will have the right to terminate forthwith its obligations by written notice to Buyer, in which case the termination provisions set out below shall apply.

## **CANCELLATION**

No products may be returned without prior written approval of Seller. Orders placed with and accepted by Seller may not be cancelled except upon Seller's written consent prior to shipment and Buyer's acceptance of Seller's cancellation charges which shall protect Seller against all costs and losses. Seller reserves the right to cancel any sale hereunder without liability to Buyer (except for refund of monies already paid) if the manufacture or sale of the products is or becomes technically or economically impractical.

## **MANUFACTURE**

Seller reserves the right to discontinue the manufacture of, or change or modify the design and/or construction of the products sold pursuant to these terms and conditions, without incurring any obligation to Buyer.

## **JURISDICTION AND DISPUTES**

These terms and conditions shall be governed in accordance with the law of the domicile of Seller. All disputes under these terms and conditions shall be resolved as follows:

- for contracts with Buyers in the domicile of Seller such question, dispute or difference shall be submitted to the exclusive jurisdiction of the courts of the domicile of Seller; and
- for contracts with all other Buyers such question, dispute or difference shall be finally settled by one or more arbitrators under the Rules of Conciliation and Arbitration of the International Chamber of Commerce.

The place of arbitration shall be in London, England and the language of the arbitration proceedings shall be English and the arbitration award shall be final and binding on the parties.

## **INSPECTION**

Where we arrange delivery, we will repair or replace Goods damaged or lost in transit to the place of delivery provided always that you shall advise us within ten days of such damage or loss. Claims for partial loss or damage in transit must be reported to the carriers and us in writing within three days of receipt of Goods. If delivery is not affected within ten days from date of the invoice we must be immediately advised, as otherwise no claim for the Goods can be entertained. This condition shall not apply where Goods are sold for export, when our responsibility shall cease when the Goods are placed on board ship and we are under no obligation to give you the notice specified in section 32(3) of the Sales of Goods Act 1979.

## **TITLE AND RISK**

The risk in the products shall pass to the Buyer on completion of delivery. Title to the products shall not pass to the Buyer until the Seller has received payment in full (in cash or in cleared funds) for the products

and for any other products that the Seller has supplied to the Buyer and for which payment has become due. Until title in the products passes to the Buyer under this clause the Buyer shall:

- (A) Hold the products on a fiduciary basis as the Seller's bailee;
- (B) Store the products separately from all other goods held by the buyer so that they remain readily identifiable as the Seller's property;
- (C) Not remove, deface or obscure any identifying mark or packaging on or relating to the product;
- (D) Maintain the products in satisfactory condition and keep them insured against all risks for their full price from the date of delivery;
- (E) Notify the Seller immediately if it becomes subject to any bankruptcy or insolvency proceedings;
- (F) Give the Seller such information relating to the products as the Seller may require from time to time but the Buyer may resell or use the products in the ordinary course of its business.

If before title to the products passes to the Buyer the Buyer becomes subject to bankruptcy or insolvency proceedings, or the Seller reasonably believes that any such event is about to happen or reasonably believes that it will not be paid for the products and notifies the Buyer accordingly, then, provided that the products have not been resold, or irrevocably incorporated into another product, and without limiting any other right or remedy the Seller may have, the Seller may at any time require the Buyer to deliver up the products and, if the Buyer fails to do so promptly, enter any premises of the Buyer or of any third party where the products are stored in order to recover them.

## **WARRANTY**

All products that Seller manufactures are warranted, when paid for and properly installed, operated and maintained, to be free from defects in material and workmanship and to conform to the specifications, if any, listed on the other side of this form. If no specifications are listed, the products are warranted to conform to Seller's currently published specifications. The warranty period is twelve months from delivery to the Buyer. No warranty is given for products or

# TERMS & CONDITIONS OF SALE...

components manufactured by companies not affiliated by ownership with Seller, or for products which have been subject to misuse, improper installation, corrosion, or which have been disassembled, modified or repaired by unauthorized persons. Seller must receive written notice of the defect from Buyer within the warranty period. Seller's liability is limited solely to servicing or adjusting any product returned to Seller's factory for that purpose, including replacing any defective parts therein or, at Seller's option, refunding to Buyer the purchase price allocable to the nonconforming product. Buyer must pay packing, crating and transportation costs to and from Seller's factory. At Buyer's request, Seller will make reasonable efforts to provide warranty service at the Buyer's premises, provided the Buyer pays Seller's then current rates for field service and the associated travel and living expenses. If a fault has been caused by improper installation, maintenance or use, or by abnormal conditions of operation, repairs will be billed at normal rates. If any fault arises, the following steps must be taken:

A. Notify Seller of the product model number, serial number and details of the difficulty. On receipt of this information, Buyer will be given service data or shipping instructions.

B. On receipt of Seller's shipping instructions, forward the product prepaid. If the product or the fault is not covered by warranty, an estimate of charges will be furnished before work begins.

SELLER DISCLAIMS ALL OTHER WARRANTIES, WHETHER EXPRESS, IMPLIED OR STATUTORY, SUCH AS WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PURPOSE. SELLER ALSO DISCLAIMS ALL WARRANTIES REGARDING ANY ANCILLARY SERVICES RENDERED.

## FOREIGN CORRUPT PRACTISES ACT

(A) The BUYER hereby warrants and represents that in performing this Agreement, the BUYER shall comply and cause its employees and BUYER to comply with all applicable laws, rules, regulations and policies, and shall save the SELLER harmless against any legal claims resulting from the BUYER's failure to do so.

(B) The BUYER acknowledges that the SELLER has entered into this Agreement with the BUYER in material reliance on the following representations and warranties made by the BUYER: (i) neither receipt of any amount due and payable under this Agreement, performance of the services for which the said amounts are payable, nor the relationships created hereby or pursuant hereto, are in any respect in violation of the laws, rules, orders, policies or regulations of any country, and (ii) in connection with the performance of such services, the BUYER will not use any form of trade or communication or pay, either directly or indirectly, or offer to pay, promise to pay or authorise the payment of any money, gift, or other thing of value to any person who is an official, agent, employee or representative of any government or instrument thereof, to any political party or official thereof or to any candidate for political or political party office, or to any other person while knowing or having reason to believe that all or any portion of such money, gift or thing if value will be offered, given, or promised, directly or indirectly, to any such official, agent, employee or representative, political party, political party official, or candidate for the purpose of influencing any act or decision of any such official to obtain or retain business, or direct business to any person or entity, or for any other improper advantage or purpose.

## POLLUTION

Buyer agrees to indemnify, defend and hold Seller harmless against any loss, damage, expense, claim and any other cost or liability (including, but not limited to, fines and penalties to the extent permitted by law, clean-up or other remedial or containment costs, or legal, technical or other professional fees) arising as a result of any pollution, contamination, or other loss or damage to the environment or natural resources which arise in connection with any goods or services provided by Seller under the contract, regardless of cause, including without limitation Seller's negligence, strict liability, or other act or omission.

## DRAWINGS

Any drawings submitted herewith are only to show the general style, arrangement, and approximate dimensions of the products offered. No work is to be based on drawings unless the drawings are certified. In no event will manufacturing or proprietary drawings be supplied. All offers will be made at no obligation, unless explicitly stated otherwise and are based on the data, specifications etc. which have been provided. Unless otherwise agreed in writing, all samples and all dimensions, weights, formulae and other particulars and information contained in engineering designs, quotations, tenders, specifications, prospectuses, advertisements and other documents supplied by Seller, are supplied or communicated for information only and do not form part of the contract.

## CONFIDENTIALITY

Buyer agrees that all drawings, prints and other technical material which Seller provides to Buyer, whether prepared by Seller or by third parties under contract to Seller, contain data which may embody trade secrets and confidential know-how



commercial value to Seller or third parties under contract to Seller. Buyer agrees (a) to keep such information confidential; (b) that it will not disclose such information to any other person, corporate division or entity except where disclosure is required by Court order or otherwise by law in which event Buyer shall notify Seller in advance in writing of the requested disclosure; (c) will not use such information except in connection with the products supplied hereunder; and (d) will not sell, lease, loan or permit any other person, corporate division or entity to use such information for any purpose, without Seller's express prior written consent. Nothing herein shall restrict the use of information available to the general public or from disclosure by Buyer pursuant to any order of the court. Buyer agrees to reimburse Seller for any damages resulting from Buyer's breach of this confidentiality provision.

## **INTELLECTUAL PROPERTY RIGHTS**

All patents, copyrights, designs, drawings and other technical or commercial information relating to the products, including any software provided by Seller pursuant to any proposal, tender or the contract, and the intellectual property rights therein made or acquired by Seller prior to or during the preparation of the proposal or tender or in the course of work on the contract shall be and remain the exclusive property of Seller. If a product furnished to Buyer becomes or, in Seller's opinion, may become the subject of any claim, suit or proceeding for infringement of any intellectual property rights, Seller may at its option and expense (i) obtain for Buyer the right to use, lease or sell the product, (ii) replace the product, (iii) modify the product, or (iv) remove the product and refund the purchase price paid by Buyer less a reasonable amount for use, damage or obsolescence. Seller will not be liable for any infringement arising from the combination of products or from the use of a product in practicing a process. Seller's total liability to Buyer will not, under any circumstances exceed the purchase price paid for the allegedly infringing product. Buyer agrees, at its expense, to protect and defend Seller against any claim of intellectual property right infringement arising from compliance with Buyer's designs, specifications or instructions and

to hold Seller harmless from damages, costs and expenses attributable to any such claim.

## **INDEMNITY & INSURANCE**

Buyer agrees to defend, indemnify and hold the Seller (and its agents, representatives, employees, officers, related companies, successors and assigns, and customers) harmless from all claims, demands, actions, damages and liabilities (including legal fees and consequential and incidental damages) arising out of any injury (including death) to any person or damage to any property in any way connected with any act or omission of Buyer, its agents, employees, or subcontractors.

## **LIMITATION OF DAMAGES**

IN NO EVENT SHALL SELLER BE LIABLE, IN CONTRACT, TORT, STRICT LIABILITY, LAWS RELATING TO THE PROTECTION OF THE ENVIRONMENT, OR UNDER ANY OTHER LEGAL THEORY, FOR INCIDENTAL, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES, REGARDLESS OF WHETHER IT WAS INFORMED ABOUT THE POSSIBILITY OF SUCH DAMAGES, AND IN NO EVENT SHALL SELLER'S TOTAL AGGREGATE LIABILITY HEREUNDER EXCEED AN AMOUNT EQUAL TO THE CONTRACT PRICE.

## **WAIVER**

No failure to exercise and no delay in exercising on the part of Seller any right, power or privilege hereunder will operate as a waiver thereof nor will any single or partial exercise of any right, power or privilege hereunder preclude further exercise of the same right, power or privilege.

## **VALIDITY OF PROVISIONS**

In the event any provision or any part or portion of any provision of these Terms and Conditions shall be held to be invalid, void or otherwise unenforceable, such holding shall not affect the remaining part or portions of that provision, or any other provision hereof.

## **FORCE MAJEURE**

If performance of any obligation under the contract (other than an obligation of Buyer to make payment) is prevented, restricted or delayed by any act of God, act or

omission of government or regulatory body, war, hostilities, industrial dispute at either party's premises or elsewhere, failure or delay in source of supply of materials or equipment, fire, explosion, accident or breakdown of essential machinery or equipment or by any cause (whether similar or not to any of the above events) beyond the reasonable control of the party whose performance is affected which for the avoidance of doubt includes any sub-contractor or supplier of Seller, then that party shall be excused from and shall not be liable for failure in performance to the extent of that prevention, restriction or delay and the time for performance shall be extended accordingly. If performance is delayed for more than 120 days by any cause referred to above and the parties have not agreed upon a revised basis for continuing the contract at the end of the delay, then either party may after that period and while the cause of the non-performance still exists terminate the contract by giving not less than 30 days' notice in writing to the other party, in which event the termination provisions set out below shall apply.

## **SUSPENSION**

If Buyer fails to make any payment when due or to perform on time any of its other obligations under this contract Seller shall be entitled to suspend performance of the contract until the failure is remedied.

## **TERMINATION**

Seller shall be entitled to terminate the contract in the event Buyer is in breach of any of its obligations hereunder and fails to remedy the breach within twenty eight (28) calendar days after receiving written notification thereof from Seller or if Buyer goes into liquidation, receivership, administration or makes any voluntary arrangement with any of its creditors. Any termination of the contract in accordance with the terms hereof shall become effective upon service of a written notice of termination on the other party. Upon termination, howsoever arising, Seller shall be entitled forthwith to suspend any further deliveries under the contract without any liability to Buyer. Within 14 days of such a notice of termination, howsoever arising, Buyer shall pay to Seller.  
- the outstanding balance of the contract price for products which have been

# TERMS & CONDITIONS OF SALE...

## SUSPENSION

If Buyer fails to make any payment when due or to perform on time any of its other obligations under this contract Seller shall be entitled to suspend performance of the contract until the failure is remedied.

## TERMINATION

Seller shall be entitled to terminate the contract in the event Buyer is in breach of any of its obligations hereunder and fails to remedy the breach within twenty eight (28) calendar days after receiving written notification thereof from Seller or if Buyer goes into liquidation, receivership, administration or makes any voluntary arrangement with any of its creditors. Any termination of the contract in accordance with the terms hereof shall become effective upon service of a written notice of termination on the other party. Upon termination, howsoever arising, Seller shall be entitled forthwith to suspend any further deliveries under the contract without any liability to Buyer. Within 14 days of such a notice of termination, howsoever arising, Buyer shall pay to Seller.

- the outstanding balance of the contract price for products which have been delivered and for those products which are then capable of being delivered, and
- the costs incurred or committed by Seller up to the date of notice of termination in performing work on products which are not then in a deliverable state plus a

reasonable margin to be agreed between the parties which shall not be less than 15%, and - the costs reasonably incurred by Seller as a result of the termination. This obligation shall not, however, apply in respect of deficient or delayed products and in respect of which Buyer has terminated the contract by reason of the Seller's continual failure to remedy the deficiency or delay.

## STORAGE

If Buyer does not take delivery of products within 7 days of notification that they are ready for delivery Seller shall be entitled on behalf of Buyer to put the products into storage at Buyer's expense. Seller shall be deemed to have delivered such products to Buyer on storage and shall be entitled to payment on presentation of the warehouse receipt in place of any bill of lading or similar document otherwise required under the contract. Risk shall pass to the Buyer on storage, but title shall only pass in accordance with the title provision set out above.

## VARIATIONS

Unless otherwise provided in the contract, no variation to the contract may be made unless jointly agreed in writing by Seller and Buyer. If any variation increases or reduces the cost or time to Seller of performing the contract then the contract price and/or programme shall be adjusted

accordingly. Seller shall not be obliged to accept any variation if the net effect, including any variations already made, is to increase or reduce the contract price by more than 15%. Variations shall, if not the subject of a quotation from Seller which has been accepted by Buyer prior to the variation being ordered, be priced by reference to the contract price or, where this is not relevant, by cost plus 25%. The time for performance of the contract shall automatically be adjusted in accordance with any variation.

## GENERAL

Any notice required or permitted to be given by either party to the other hereunder shall be in writing addressed to the other party at its registered office or principal place of business or such other address as may at the relevant time have been notified pursuant to this provision to the party giving the notice. Notices may be sent by registered mail, facsimile transmission or electronic mail and shall be deemed delivered when received by the other party. The headings herein have been used for ease of reference only and shall not affect the meaning or interpretation of this contract in any manner whatever. Buyer shall not be entitled to cede, transfer and/or assign any of its rights or delegate any of its obligations under this contract, without the prior written consent of Seller.

# NOTES

[illegible]

# NOTES

[illegible]

# NOTES

[illegible]



## Disclaimer & Reference to the SALES Terms & Conditions

This Price List and the contained information have been collected with utmost care and should serve for general information purposes but does not create any binding offer or contract.

The products of Atlantic Plastics can only be purchased based on a separate Purchase Contract and the information provided in this Price List will only become part of the Purchase Contract if and as far as specifically agreed in writing between the contracting parties and under the mandatory precondition, that the Customer has accepted the Terms & Conditions for Sale of Atlantic Plastics which can be ordered by the Customer at:

Atplas Ltd  
Coytrahene Close,  
Brackla Industrial Estate  
Bridgend CF31 2AX

Atlantic Plastics endeavors to keep the information in this Price List correct and up to date but expressly reserves the right to add or delete products and/or make any additions or changes to the information provided in the Price List without any notice to the users.

Atlantic Plastics, however, does not bear any liability with regard to the accuracy and completeness of the information provided in this Price List and Atplas will in no event be liable to any party for any direct, indirect, special or other consequential damages for any use of this information.

**Atlantic Plastics Ltd**  
Coytrahene Close  
Brackla Industrial Estate  
Bridgend CF31 2AX  
United Kingdom

Tel +44 (0)845 077 9797  
[www.atplas.co.uk](http://www.atplas.co.uk)  
Email [enquiries@atplas.co.uk](mailto:enquiries@atplas.co.uk)

Note: Specifications may be changed without notification at any time.  
© 2026 Atlantic Plastics Ltd  
ATPLAS GROSS PRICE LIST 2026\_EN

